

Bibliografía

- Bosworth, J., Koshimizu, T., and Acton, S.T., 2003, Multi-resolution segmentation of soil moisture imagery by watershed pyramids with region growing merging. *International Journal of Remote Sensing*, **24**, 741 – 760.
- Daya Sagar, B.S., Gandhi, G., and Prakasa Rao, B.S., 1995, Applications of mathematical morphology in surface water body studies. *International Journal of Remote Sensing*, **16** (8), 1495 – 1502.
- De la Lanza Espino, G., and Lozano Montes, H., 1999, Comparación fisicoquímica de las Lagunas de Alvarado y Términos. *Hidrobiológica*, **9** (1), 15-30.
- Dominguez, B.R., Lazcano-Barrero, M., March, M.I., García, G., Collopy, M.W., Tanner, G., Mazzotti, F., Jacobson, S., Smallwood, J., Meyer, K., Bildstein, K., Goñi, J.A., Cabrera, A., and López, E.S., 1991, Management plan and long-term ecological monitoring program for the conservation of the Grijalva-Usumacinta delta region (Centla wetlands), Tabasco, México. *Technical Report*, Universidad Juárez Autónoma de Tabasco.
- Dougherty, E.R., 1992, *An Introduction to Morphological Image Processing* (Bellingham: SPIE Press).
- Gallaudet, T., and Simpson, J.J., 1991, Automated cloud screening of AVHRR imagery using split-and-merge clustering. *Remote Sensing of Environment*, **38** (2), 77 – 121.
- Gonzalez, R.C., and Woods, R.E., 2002, *Digital Image Processing* (Upper Saddle River: Prentice Hall).
- Hansen, A.M., and van Afferden, M., (eds.), 2002, *The Lerma-Chapala Watershed* (Berlin: Springer-Verlag)
- Höppner, F., Klawonn, F., Kruse, R., and Runkler, T., 2000, *Fuzzy Cluster Analysis* (Chichester: John Wiley & Sons, Inc.)

- Lea, S.M., and Lybanon, M., 1993, Finding mesoscale ocean structures with mathematical morphology. *Remote Sensing of Environment*, **44**, 25 – 33.
- Lillesand, T.M., and Kiefer, R.W., 2000, *Remote Sensing and Image Interpretation* (New York: John Wiley & Sons, Inc.).
- Lira, J., and Frulla, L., 1998, An Automated Region Growing Algorithm for Segmentation of Texture Regions in SAR Images, *International Journal of Remote Sensing*, Vol. 19, pp. 3595- 3606.
- Maguire, D. J., Goodchild, M.F. y Rhind, D.W. Geographical Information Systems: Principles, United Kingdom, Longman, 1991.
- McFeeters, S.K., 1996, The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International Journal of Remote Sensing*, **17** (7), 1425 – 1432.
- Narendra, P., and Goldberg, M., 1980, Image Segmentation with Directed Trees. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, **PAMI-2** (2), 185 – 191.
- Olsen, E.R., Ramsey, R.D., and Winn, D.S., 1993, A Modified Fractal Dimension as a Measure of Landscape Diversity. *Photogrammetric Engineering & Remote Sensing*, **59**, 1517-1520.
- Pekkarinen, A., 2002, Image segment-based spectral features in the estimation of timber volume. *Remote Sensing of Environment*, **82**, 349 – 359.
- Pouliot, D.A., King, D.J., Bell, F.W., and Pitt, D.G., 2002, Automated tree crown detection and delineation in high-resolution digital camera imagery of coniferous forest regeneration. *Remote Sensing of Environment*, **82**, 322 – 334.
- Pratt, W.K., 2001, *Digital Image Processing* (New York: John Wiley & Sons, Inc.).
- Price, J.C., 1994, How unique are spectral signatures. *Remote Sensing of Environment*, **49**, 181 – 186.
- Richards, J.A., and Jia X., 1999, *Remote Sensing Digital Image Analysis, An Introduction* (Berlin: Springer-Verlag).

Santos Preciado, J.M., García Lázaro, F.J., Análisis Estadístico de la Información Geográfica, Universidad de la Educación a Distancia, Madrid, España, 2008.

Schröder, M., Bennartz, R., Schüller, L., Preusker, R., Albert, P., and Fischer, J., 2002, Generating cloudmasks in spatial high-resolution observations of clouds using texture and radiance information. *International Journal of Remote Sensing*, 23, 4247 – 4261.

Simpson, J.J., 1992, Image masking using polygon fills and morphological transformations. *Remote Sensing of Environment*, **40**, 161 – 183.

Simpson, J.J., and Keller, R. H., 1995, An improved fuzzy logic segmentation of sea ice, clouds, and ocean in remotely sensed artic imagery. *Remote Sensing of the Environment*, **54**, 290 – 312.

Thurston, J., Poiker, T.K., Moore J.P., Integrated Geospatial Technologies, John Wiley & Sons Inc., 2003.