

## Referencias

Ale B.J.M. (2003) Ons overkomt dat niet, TU Delft, September 17 2003

Ale B.J.M. (2005) Living with risk: a management question, Reliability Engineering and System Safety Vol. 90 No. 2-3 pp. 196-205

Andreassian V, Lerat J, Loumagne C, Mathevet T, Michel C, Oudin L, Perrin C. 2007. What is really undermining hydrologic science today? Hydrological Processes 21(20): 2819–2822.

Apostolakis G. (1990) The concept of probability in safety assessment of technological systems, Science Vol. 250, pp. 1359-1364

Aronica, G., Hankin, B.G. and Beven, K.J., 1998. Uncertainty and equifinality in calibrating distributed roughness coefficients in a flood propagation model with limited data. Advances in Water Resources, 22 (4), 349-365

Aronica, G., T. Tucciarelli, and C. Nasello, 1999, 2D multilevel model for flood wave propagation in flood-affected areas, Journal of Water Resources Planning and Management, 124 , 210–217.

Baltsavias, E.P. 1999. A comparison between photogrammetry and laser scanning. ISPRS Journal of Photogrammetry and Remote Sensing, 54 (2-3), 83–94.

Bates, P., M. Anderson, D. Price, R. Hardy, and C. Smith, 1996, Analysis and development of hydraulic models for floodplain flows, in Floodplain Processes, chap. 7, pp. 215–254, John Wiley & Sons.

Bates, P., and A. de Roo, 2000, A simple raster-based model for flood inundation simulation, Journal of Hydrology, 236 , 54–77.

Bates, P.D., Marks, K.J. and Horritt, M.S. 2003. Optimal use of high-resolution topographic data in flood inundation models. Hydrological Processes, 17, 5237–5557.

Bates, P.D., Stewart, M.D., Desitter, A., Anderson, M.G., Renaud J.-P. and Smith, J.A. 2000. Numerical simulation of floodplain hydrology. Water Resources Research, 36, 2517-2530

Bates P. D., Stewart M. D., Siggers G. B., Smith C. N., Hervouet J.-M. and Sellin R. H. J., 1998, Internal and external validation of a two-dimensional finite element model for river flood simulation. Proceedings of the Institution of Civil Engineers, Water Maritime and Energy, 1998, 130, No. 3, 127–141.

Bechteler, W., S. Hartmann, and A. Otto, 1994, Coupling of 2D and 1D models and integration into geographic information systems GIS, in River Flood Hydraulics, edited by W. White and J. Watts, pp. 155–165, John Wiley & Sons Ltd.

Beffa, C., and R. Connell, 2001, Two-dimensional flood plain flow. i: Model description, *Journal of Hydrologic Engineering*, 6 , 397–405. Beven, K., 2001, On landscape space to model space mapping, *Hyrdological Processes*, 15, 323–324

Bedford T., Cooke R. (2002) Probabilistic risk analysis: foundations and methods, Cambridge University Press.

Bernstein P.L. (1997) Against the Gods - the remarkable story of risk, John Wiley & Sons Inc.

Beven KJ. 2008. Environmental Modelling: An Uncertain Future? Routledge: London.

Butler, J.B., Lane, S.N. and Chandler, J.H. 2001. Automated extraction of grainsize data from gravel surfaces using digital image processing. *Journal of Hydraulic Research*, 39 (5), 519–529.

Bronstert, A., Ghazi, A., Hljadny, J., Kundzevicz, Z.W., Menzel, L., 1999. Proceedings of the European Expert Meeting on the Oder Flood, May 18, Potsdam, Germany, European Commission.

Cameron, D., P. Kneale, and L. See, 2002, An evaluation of a traditional and a neural net modelling approach to flood forecasting for an upland catchment, *Hydrological Processes*, 16 , 1033–1046, doi:10.1002/hyp.317.

Centro Nacional de Prevención de Desastres (2004), “Guía Básica para la Elaboración de Atlas Estatales y Municipales de Peligros y Riesgos”, Estados Unidos Mexicanos (386 pp.)

Charlton, M.E., Large, A.R.G. and Fuller, I.C. 2003. Application of airborne LiDAR in river environments: The River Coquet, Northumberland, UK. *Earth Surface Processes and Landforms*, 28 (3), 299–306.

Chauhan, M., Gopal, B., 2005. Vegetation structure and dynamics of a floodplain wetland along a subtropical regulated river. *River Res. Appl.* 21, 513–534.

Chow, V., D. Maidment, and L. Mays, *Applied Hydrology*, McGraw-Hill Book Company, New York, 1988.

Corotis R.B.(2003) Socially relevant structural safety, in: Proc. of ICASP 9, Applications of Statistics and Probability in Civil Engineering, pp. 15-24

Covello V.T., Mumpower J. (1985) Risk analysis and risk management: an historical perspective, *Risk Analysis* Vol. 5 No. 2 pp. 103-120

Cunge, J. , 1975, Two dimensional modeling of floodplains, in Unsteady Flow in Open Channels, edited by K.Mahmood and V. Yevjevich, vol. II, chap. 17, pp. 705–762,Water Resources Publications, P.O.Box 303, Fort Collins, Co. USA.

Cunge, J., F. Holly Jr., and A. Verwey, 1980, *Practical Aspects of Computational Hydraulics*, Pitman Publishing Ltd., London, UK.

Danish Hydraulic Institute, 2009. MIKE 21 User Guide. Danish Hydraulic Institute: Horsholm, Denmark.

De Roo, A.P.J., Bartholmes, J., Bongioannini-Cerlini, P., Todini, E., Bates, P.D., Horrit, M., Hunter, N., Beven, K., Pappenberger, F., Heise, E., Rivin, G., Hils, M., Hollingsworth, A., Holst, B., Kwadijk, J., Regiani, P., VanDijk, M., Sattler, K.D. and Sprokkereef, E. 2003. Development of a European flood forecasting system, Int. J. River Basin Management, 1, 49-59

Doull, G., and J. Bright, 1996, Flood hazard in palmerston north city, new zealand, in Hydroinformatics 1996 , edited by M"uller, pp. 33–40, Balkema, Rotterdam.

Du, J., Mullen, S.L. and Sanders, F. 1997. Short-range ensemble forecasting of quantitative precipitation, Mon. Wea. Rev., 125, 2427-2459

Dutta, D., S. Herath, and K. Musiake, 2003, A mathematical model for flood loss estimation, Journal of Hydrology, 277, 24–49.

French, J.R. 2003. Airborne LiDAR in support of geomorphological and hydraulic modelling. Earth Surface Processes and Landforms, 28 (3), 321–335.

Gee D. M., Anderson M. G. and Baird L. 1990, Large scale floodplain modelling. Earth Surface Processes and Landforms, 15, No. 6, 512–523.

Gomes-Pereira, L.M. and Wicherson, R.J. 1999. Suitability of laser data for deriving geographical data: A case study in the context of management of fluvial zones. Photogrammetry and Remote Sensing, 54, 105–114.

Gourbesville, P. , 1998, Mike 11 GIS: Interest of GIS technology for conception of flood protection systems, in Proceedings of the second International Conference on Hydroinfromatics, edited by V. Babovic and L. Larsen, pp. 1365–1373, Balkema, Rotterdam.

Hall J, O'Connell E, Ewen J. 2007. On not undermining the science: discussion of invited commentary by Keith Beven. Hydrological Processes 21(7): 985–988.

Hamill, T.M. and Colucci, S.J. 1997. Verification of Eta-RSM short-range ensemble forecasts, Mon. Wea. Rev., 125, 13 12-1327

Hervouet, J., 2000, TELEMAC modelling system: an overview, Hydrological Processes, 14, 2209–2210.

Hesselink, A., G. Stelling, J. Kwadijk, and H. Middelkoop, 2003, Inundation of a dutch river polder, sensitivity analysis of a physically based inundation model using historic data, Water Resources Research, 39 , 1234.

Hey, R.D. 1979. Flow resistance in gravel bed rivers. Journal of Hydraulics Division, American Society of Civil Engineers, 105 (4), 365–379.

Hodgson, M.E., Jensen, J.R., Schmidt, L., Schill, S. and Davis, B. 2003. An evaluation of LIDAR- and IFSAR-derived digital elevation models in leaf-on conditions with USGS Level 1 and Level 2 DEMs. *Remote Sensing of the Environment*, 84 (2), 295–308.

Horritt M. S., 2000, Calibration of a two-dimensional finite element flood flow model using satellite radar imagery. *Water Resources Research*, 36, No. 11, 3279–3291.

Horritt, M., and P. Bates, 2001, Predicting floodplain inundation: raster-based modelling versus the finite-element approach, *Hydrological Processes*, 15, 825–842

Ismael Mariño Tapia, Gabriela Medellín Mayoral, Adrián Pedrozo Acuña, Emanuel Uc, Aleph Jiménez, Cap. 10b Mediciones durante la campaña de campo Plan Hídrico Integral de Tabasco, Tercera Etapa. Coordinación de Hidráulica, IIUNAM

Jonge, T. d., M. Kok, and M. Hogeweg, 1996, Modelling floods and damage assessment using GIS, in *HydroGIS '96: Application of Geographic Information Systems in Hydrology and Water Resources Management*, edited by K. K and H. Nachtnebel, IAHS Publications no. 235, pp. 299–306, IAHS Publications.

Jonkman S.N. (2007) Loss of life estimation in flood risk assessment. Theory and applications

Kouwen, N. 1988. Field estimation of the biomechanical properties of grass. *Journal of Hydraulic Research*, 26 (5), 559–568.

Krabill, W.B., Collins, J.G., Link, L.E., Swift, R.N. and Butler, M.L. 1984. Airborne laser topographic mapping results. *Photogrammetric Engineering and Remote Sensing*, 50, 685–694.

Kingsford, R.T., 2000. Ecological impacts of dams, water diversions and river management on floodplain wetlands in Australia. *Austr. Ecol.* 25, 109–127.

Lamb, R. and Kay, A.L. 2004. Confidence intervals for a spatially generalised, continuous simulation flood frequency model for Great Britain, *Water Resources Res.*, 40(7), W07501

Lammersen, R., H. Engel, W. van de Langemheen, and H. Buiteveld, 2002, Impact of river training and retention measures on flood peaks along the rhine, *Journal of Hydrology*, 267 , 115–124.

Lane, S.N. 2000. The measurement of river channel morphology using digital photogrammetry. *Photogrammetric Record*, 16 (96), 937–957.

Lees, M., 2000, Data-based mechanistic modelling and forecasting of hydrological systems, *Hydroinformatics*, 2 , 15–34.

Li, C., and R. Falconer, 1995, Depth integrated modelling of tide induced circulation in a square harbour, *Hydraulic Research*, 33, 321–332.

Liang D., Falconer R. A. and Lin B. 2006, Comparison between TVDMacCormack and ADI-type solvers of the shallow water equations. *Advances in Water Resources*, 2006, 29, No. 12, 1833–1845.

Madsen, H., 2003, Parameter estimation in distributed hydrological catchment modelling using automatic calibration with multiple objectives, *Advances in Water Resources*, 26 , 205–216.

Marche, C., G. Lessard, and B. el Gharbi, 1990, Kriging technique for river flood representation, *Journal of Hydraulic Research*, 28 , 629–643.

Mason, D., Cobby, D.M., Horritt, M.S. and Bates, P.D. 2003. Floodplain friction parameterization in two-dimensional river flood models using vegetation heights derived from airborne scanning laser altimetry. *Hydrological Processes*, 17, 1711–1732.

McCowan, A., and N. Collins, 1999, The use of mike21 for full two-dimensional flood impact assessment.

Montanari A. 2007. What do we mean by ‘uncertainty’? The need for a consistent wording about uncertainty assessment in hydrology. *Hydrological Processes* 21: 841–845.

Mantovan P, Todini E. 2006. Hydrological forecasting uncertainty assessment: incoherence of the GLUE methodology. *Journal of Hydrology* 330: 368–381.

Neelz S., Pender G., Villanueva I., Wilson M., Wright N. G., Bates P., Mason D. and Whitlow C., 2006, Using remotely sensed data to support flood modelling. *Proceedings of the Institution of Civil Engineers, Water Management*, 159, No. 1, 35–43.

Nicholas A. P. and Mitchell C. A., 2003, Numerical simulation of overbank processes in topographically complex floodplain environments. *Hydrological Processes*, 17, No. 4, 727–746.

Pappenberger, F., Matgen, P., Beven, K.J., Henry, J.B., Pfister, L., de Fraipont, P. 2006, Influence of uncertain boundary conditions and model structure on flood inundation predictions. *Advances in Water Resources*, Vol.29, No.10, 1430-1449.

Patro, S., Chatterjee, C., Singh, R., Raghunawanshi, N.S., 2009, Hydrodynamic modelling of a large flood-prone river system in India with limited data, *Hydrological processes*, 23, 2774-2791.

Pedrozo-Acuña, A., Mariño-Tapia, I.J., Enriquez-Ortiz, C., Medellín-Mayoral, G., González-Villareal, F., 2011, Evaluation of inundation areas resulting from the diversion of an extreme discharge towards the sea: Case study in Tabasco, Mexico, *Hydrological processes*, Wiley and Sons.

Pedrozo Acuña, A. Medellín Mayoral, G., Rodríguez Rincón JP., Hidalgo Garnica, L.E., Osegueda Escorza, A.S., Amaro Loza, A., Mariño Tapia, I., Enriquez Ortiz, C., Sosa Hernández, A. Uc E., 2009; Anexo 2 – Procesos Costeros y Sistemas Lagunares PHIT – Fase 2, Informe final de la salida de Campo, Coordinación de Hidráulica, IIUNAM

Pedrozo Acuña A., Miguel Ángel Laverde Barajas, Jorge Gustavo González Armenta, Gabriela Medellín Mayoral, Juan Pablo Rodríguez Rincón, Cap 9. MODELACIÓN DE PROCESOS COSTEROS EN LA DESCARGA PHIT-Fase 3, Coordinación de Hidráulica, IIUNAM

Pedrozo-Acuña A., Rodríguez Rincón JP., Amaro Loza, A., 2010b. Drenaje superficial aguas abajo del río Samaria hacia la desembocadura del río González, Tabasco. Capítulo 3. Informe Final del “Plan Hídrico Integral de Tabasco – Fase 3” – Diciembre 2010. CONAGUA

Pedrozo-Acuña, A., Ruiz de Alegria, A., Rodríguez Rincón JP., Amaro Loza, A., 2010. Modelación de procesos costeros en la descarga del río Tonalá al Golfo de México, Capítulo 9. Informe Final del “Plan Hídrico Integral de Tabasco – Fase 3” Mayo 2010a – Diciembre 2010. CONAGUA

Penning-Rowsell, E., and S. Tunstall, 1996, Risks and resources: Defining and managing the floodplain, in Floodplain Processes, chap. 15, pp. 493–533, John Wiley & Sons.

Priestnall, G., J. Jaafar, and A. Duncan, 2000, Extracting urban features from LiDAR digital surface models, Computers, Environment and Urban Systems, 24 , 65–78.

Rabus, B., Eineder, M., Roth, A. and Bamler, R. 2003. The shuttle radar topography mission – a new class of digital elevation models acquired by spaceborne radar. ISPRS Journal of Photogrammetry and Remote Sensing, 57 (4), 241–262.

Reeve, D. E., Horrillo-Caraballo, J.M., Pedrozo-Acuña, A., 2010. Handling Uncertainty in Coastal Modelling, in Flood Risk Science and Management (eds G. Pender and H. Faulkner), Wiley-Blackwell, Oxford, UK. doi: 10.1002/9781444324846.ch16

Romanowicz, R., and K. Beven, 1998, Dynamic real-time prediction of flood inundation probabilities, Hydrological Sciences Journal , 43 , 181–196.

Romanowicz R. and Beven K. Estimation of flood inundation probabilities as conditioned on event inundation maps. Water Resources Research, 2003, 39, No. 3, art. No. 1073. DOI: 10.1029/2001 WR00 1056.

Sanchez-Carrillo, S., Angeler, D.G., Sanchez-Andres, R., Alvarez-Cobelas, M., Garatuza-Payan, J., 2004. Evapotranspiration in semi-arid wetlands: relationships between inundation and the macrophyte-cover:open-water ratio. Adv. Water Resour. 27, 643–655.

Sivakumar B. 2008. Undermining the science or undermining Nature. *Hydrological Processes* 22: 893–897

Sleigh, P.A., Gaskell, P.H., Bersins, M. and Wright, N.G. (1998). An unstructured finite-volume algorithm for predicting flows in rivers and estuaries, *Computers & Fluids*, Vol. 27, No. 4, 479–508.

Stelling, G., and S. Duinmeijer, 2003, A staggered conservative scheme for every froude number in rapidly varies shallow water flows, *Int. J. Numer. Meth. Fluids*, 43 , 1329–1354, doi:10.1002/fld.537.

Syme W. J., 1991, Dynamically Linked Two-dimensional/One dimensional Hydrodynamic Modelling Program for Rivers, Estuaries & Coastal Waters. MEngSc thesis, University of Queensland, Australia, 1991.

Tate, E., and D. Maidment, 1999, Floodplain mapping using HEC-RAS and ArcView GIS, Tech. rep., Center for Research in Water Resources, The University of Texas at Austin.

Todini E, Mantovan P. 2007. Comment on: 'On undermining the science?' by Keith Beven. *Hydrological Processes* 21(12): 1633–1638.

Van Gelder, P.H.A.J.M. van (2000) Statistical Methods for the Risk-Based Design of Civil Structures, PhD thesis, Delft University of Technology

Villanueva I. and Wright N. G., 2006, Linking Riemann and storage cell models for flood prediction. Proceedings of the Institution of Civil Engineers, *Journal of Water Management*, 159, No. 1, 27–33.

Viney, N., M. Sivapalan, and D. Deeley, 2000, A conceptual model of nutrient mobilisation and transport applicable at large catchment scales, *Journal of Hydrology*, 240 , 23–44.

Von Neumann J., Morgenstern O. (1943) Theory of games and economic behavior. Princeton university press

Vrijling, J.K., Hengel, W. van, Houben, R.J. (1995) A framework for risk evaluation, *Journal of hazardous materials* Vol. 43 No. 3 pp.245-261

Vrijling, J.K., Hengel, W. van, Houben, R.J. (1998) Acceptable risk as a basis for design, *Reliability Engineering and System Safety* Vol. 59 pp. 141-150

Vrouwenvelder A.C.W.M., Vrijling J.K. (2000) Kansen, onzekerheden en hun interpretatie, Memorandum 2000-CON-DYN/M2107

Westaway, R.M., Lane, S.N. and Hicks, D.M. 2003. Remote survey of largescale braided, gravel-bed rivers using digital photogrammetry and image analysis. *International Journal of Remote Sensing*, 24 (4), 795–815.

Werner, M. , 2001, Impact of grid size in GIS based flood extent mapping using a 1d flow model, *Physics and Chemistry of the Earth, Part B: Hydrology, Oceans and Atmosphere*, 26 , 517–522.

Wijbenga, J., J. Lambeek, E. Mosselman, R. Nieuwkamer, and R. Passchier, 1994, River flood protection in the netherlands, in River Flood Hydraulics, edited by W. White and J. Watts, John Wiley & Sons Ltd.

Yoshida, H., and A. Dittrich, 2002, 1D unsteady-state flow simulation of a section of the upper rhine, Journal of Hydrology, 269 , 79–88.

Young, P., A. Jakeman, and D. Post, 1997, Recent advances in the data-based modelling and analysis of hydrological systems, Water Science Technology, 36 , 99–116.

Zhao, D.H., Shen, H. W., Tabios, G.Q., Tan, W.Y. and Lai, J.S. (1994). Finite-volume two-dimensional unsteady-flow model for river basins, Journal of Hydraulic Engineering, ASCE, 1994, 120, No. 7, 833-863.