


DIRECTORIO DE PROFESORES DEL CURSO: TEORIA Y PRACTICA EN EDICION VENTURA PAGEMAKER
16 AL 27 DE MARZO DE 1992

ING. LAURA SANDOVAL MONTAÑO
CENTRO DE CALCULO
FACULTAD DE INGENIERIA, UNAM
JEFE DEPTO. FORMACION Y
ACTUALIZACION ACADEMICA
CIUDAD UNIVERSITARIA
MEXICO, D.F.
TEL: 550-57-34

(COORDINADOR)

ING. MIGUEL ANGEL HERNANDEZ CORTES
CENTRO DE CALCULO
FACULTAD DE INGENIERIA, UNAM
SUBJEFE DEPTO. DE DOCUMENTACION
Y ACERVO.
CIUDAD UNIVERSITARIA
MEXICO, D.F.
TEL: 550-57-34

ING. ABANIA URIOSTEGUI MONDRAGON
CENTRO DE CALCULO
FACULTAD DE INGENIERIA, UNAM
CIUDAD UNIVERSITARIA
MEXICO, D.F.
TEL: 550-57-34



**FACULTAD DE INGENIERIA U.N.A.M.
DIVISION DE EDUCACION CONTINUA**

**UNIVERSIDAD NACIONAL AUTONOMA DE MEXICO
FACULTAD DE INGENIERIA
DIVISION DE EDUCACION CONTINUA**

TEORIA Y PRACTICA EN EDICION

VENTURA/PAGEMAKER

A N E X O "A"

**ELABORADAS EN EL CENTRO DE CALCULO DE LA
FACULTAD DE INGENIERIA POR :**

**ING. LAURA SANDOVAL MONTAÑO.
ABANIA URIOSTEGUI MONDRAGON
MIGUEL ANGEL HERNANDEZ CORTES.**

MARZO 1992.



Three PC-based Desktop-Publishing Programs

James Cavuoto

A trio of packages with a range of prices, features, and philosophies

Aldus Corp.'s PageMaker 1.0 (\$695), Xerox's Ventura Publisher 1.1 (\$895), and Digital Research's GEM Desktop Publisher 1.0 (\$395) are desktop-publishing programs for IBM PC-DOS graphics environments. Each has the capability to produce documents that incorporate text files from a word processor and graphic images from bit-mapped or object-oriented graphics programs. The programs can output documents on many different laser and dot-matrix printers using type-set-style fonts, multiple-column layouts, and other design attributes of professional publications.

All these programs make use of a graphics environment; PageMaker runs under Microsoft Windows, and Ventura Publisher and GEM Publisher use Digital Research's GEM. But all are available with run-time versions of the operating environment for users who prefer to run their programs from the DOS command line.

PageMaker requires an AT-class machine (primarily because Microsoft Windows 1.03 places heavy demands on processor time and disk access), while the two GEM-based products run acceptably on an XT-class computer. You'll also need 512K bytes of RAM and a graphics display adapter such as the Hercules, EGA, or CGA cards. Each program also supports a number of full-page displays, such as the Wyse WY-700, Conographic 2800, and Monitorm Viking. A mouse or other pointing device, although technically not required, is practically essential for even the most casual user.

I tested the programs on an 8-megabyte PC's Limited AT clone with 1 megabyte of RAM, a 30-megabyte hard disk drive, a Conographic ConoVision 2800 graphics card (which also emulates Hercules Graphics), and a JLasercard with 2 megabytes of additional memory.

PageMaker

Aldus PageMaker has a somewhat different approach toward desktop publishing

than the other two packages. Ventura Publisher and GEM Desktop Publisher take a document-oriented approach to page layout; PageMaker, however, exploits a page-oriented layout scheme that gives you control over the placement and orientation of each element on each page of a document. This highly interactive approach to page layout works well for newsletters, brochures, advertisements, and other publications that require high-quality graphics and that have pages of differing formats.

You begin by specifying a page size; the program supports letter, legal, tabloid (11 by 17 inches), European, and custom paper size up to 17 by 22 inches. Document setup also includes the orientation (landscape or portrait), page margins, and number of pages. Once this is set up, PageMaker displays the page (or portion of a page) currently being worked on, a toolbox, sliders for scrolling, and page-number icons.

You can go to any page by pointing at the appropriately numbered icon. You can also go to one of two master pages, for left- and right-hand document pages. Anything you place on the right master page will appear on every odd-numbered page of your document; elements on the left master page will appear on each even-numbered page. This feature is useful for placing headers, footers, logos, page numbers, and other recurring elements.

Other features of the PageMaker screen include graduated horizontal and vertical rules in several units of measurement (e.g., inches, millimeters, and picas), dotted lines that indicate the currently active column guides, and user-customizable guide rules that can be placed anywhere on the page to aid alignment. PageMaker offers several views of

the page, including a full-page reduced view, and 50 percent, 75 percent, actual size, and 200 percent enlargement. You can also select a facing-page option, which lets you work with two side-by-side pages at a time.

Once you have set up the number and placement of columns, you can begin placing text on any page by importing text files produced with WordStar, Microsoft Word, MultiMate, WordPerfect, XyWrite, and Windows Write or standard text files in ASCII or DCA (Document Content Architecture) format. When importing text, PageMaker recognizes and retains certain formats, such as first-line indent, left and right indents, tabs (but not expanded tabs), and type specifications such as font, point size, line spacing, and character weight, to the extent the word processor supports these features. PageMaker ignores page-oriented formatting commands such as right margins, headers, footers, and page numbers.

When importing text, PageMaker presents a list box with eligible files in the current directory. You select a file, position the cursor within one of the columns on the page, and click the mouse. The text flows into the column, conforming to the left and right column guides currently in effect, and lines are broken according to the hyphenation rules you request.

If the file is too large or too small for the column, you can stretch or shrink the column or place the overflow in another, linked column. When a text block is adjusted, text flow is readjusted among all linked text blocks.

You can edit text with the internal text editor, which has a variety of keyboard shortcuts to make text editing easy; it is limited, however, and lengthy blocks of

continued

James Cavuoto (21150 Hawthorne Blvd., Suite 104, Torrance, CA 90503) is editor and publisher of microPublishing Report, a desktop-publishing industry newsletter.

	Aldus PageMaker 1.0	Xerox Ventura Publisher 1.1	GEM Desktop Publisher 1.0
Type	Desktop-publishing software	Desktop-publishing software	Desktop-publishing software
Company	Aldus Corp. 411 First St. S. Suite 200 Seattle, WA 98104 (206) 622-5500	Xerox Corp. P.O. Box 24 Rochester, NY 14692 (800) 832-6979	Digital Research Inc. Box DRI Monterey, CA 93942 (408) 649-3896
Format	Five 5¼-inch floppy disks; also available on 3½-inch floppy disks	Eleven 5¼-inch floppy disks	Two 5¼-inch or one 3½-inch floppy disk; five 5¼-inch or three 3½-inch disks for GEM Desktop
Computer	IBM AT or compatible with at least 512K bytes of RAM and a hard disk drive; Microsoft Windows- compatible graphics display; mouse	IBM XT, AT, or compatible with at least 512K bytes of RAM and a hard disk drive; graphics display adapter; mouse	IBM PC, XT, AT, or compatible or IBM PS/2 with at least 512K bytes of RAM; a hard disk drive (recommended); GEM-compatible graphics display adapter; mouse
Software Required	Microsoft Windows version 1.03 (run-time version provided)	DOS 2.1 or higher	DOS 2.1 or higher; GEM Desktop version 2.2 (bundled with program)
Documentation	148-page reference manual; 310-page user's manual; quick- reference guide	516-page reference manual; 262-page training guide and workbook; quick-reference manual	184-page user's manual
Price	\$695 Inquiry 893.	\$695 Inquiry 894.	\$395 Inquiry 895.

text are more efficiently produced with a fully featured word processor.

PageMaker's typographic tools are extremely flexible. For any selected portion of text, you can specify the type of justification (left, center, or right), the tightness of the word spacing, and the use of kerning (the amount of white space between certain letter pairs, such as AV). You can also manually kern two letters closer to or farther away from each other.

The program's hyphenation capability is among the best in the business; it relies on an internal dictionary that holds the preferred hyphenation points of nearly every word in the English language. You can override any of PageMaker's hyphenation decisions, however, or instruct the program to inform you before it breaks a word.

PageMaker Graphics

You place graphic images on a PageMaker page in much the same manner as you place text. PageMaker can import graphic images from AutoCAD, Windows Paint and Draw, Lotus 1-2-3, Symphony, PC Paintbrush, PC Paint, and In a Vision. It also supports images stored in EPS (encapsulated PostScript) or TIFF (Tag Image File) format. As a result, you can incorporate professional-quality black-and-white photographs into your PageMaker documents, although the final appearance of those photos will depend on the output device you use. Since

the TIFF format can handle graphic images with multiple shades of gray, a photograph output by PageMaker on a high-resolution device can look every bit as good as the photos in Time, Newsweek, or BYTE.

PageMaker's graphics functions include tools for drawing lines, rectangles, circles, and ellipses. A wide variety of rule weights, borders, and fill patterns is also available. You can choose from among three types of double rules, one triple rule, five types of broken rules, eight different thicknesses of single rules, and a reverse (white on black) rule. You can also specify the degree of roundness of the corners in rounded rectangles.

Although you cannot edit graphic images once you've placed them on a page, you can crop and scale them by using either the pointer tool or the cropper to drag on one of eight handles in the window border around the graphic. Both proportional scaling (where the x and y axes are scaled equally) and anamorphic (or distorted) scaling are supported.

PageMaker accommodates documents up to 128 pages long, but creating such a document would be time-consuming because of the program's page-by-page orientation. Also, as mentioned earlier, the program's reliance on Microsoft Windows makes it somewhat sluggish—it can often take several seconds to redraw the screen after editing an image or turning the page.

Aside from this, PageMaker's performance is very good. Menu options, keyboard shortcuts, and mouse actions are all very logical and easy to learn. Output speed is quite acceptable, ranging from a few seconds to a minute or so per typical page. Installation, though somewhat time-consuming, is relatively straightforward.

PageMaker supports any output device that runs under Windows, including Hewlett-Packard's LaserJet, the Apple LaserWriter, and many others. A PageMaker document is in effect tied to the printer when the document is created. If you change the target printer, you must usually reformat the document.

PageMaker's documentation package is excellent in all respects, particularly in its design. The 310-page user's manual presents a very well thought-out tutorial and discusses general guidelines for desktop publishing, such as how to plan a publication, the flow of work, making the most of a word processor, and "back-end" processes such as dealing with an offset printer or high-speed duplicator. The user's manual is peppered with insightful tips and instructive design examples. The reference manual is more formal, and it goes into sufficient detail about each menu option and advanced feature.

Ventura Publisher

While PageMaker excels at giving you free rein over every individual element on

every page of the document. Ventura Publisher excels at producing lengthy publications whose page structure varies little throughout a document. You establish rules for the placement and positioning of text; Ventura then follows them automatically, breaking lines and columns and formatting text elements according to your rules.

Each Ventura Publisher document represents a composite of several files, including text, graphics, and style sheets. Document files do not hold text or graphics. Rather, they hold pointers to the DOS files holding text, graphics, and styles.

This strategy has two implications. First, the format of a document is not cast in stone; you can create an entirely different document by merely calling out a different style sheet. Second, updating a publication is simple; any time you edit the text file used by a document (with an external word processor), you automatically update the document as well.

Ventura offers you three views of the page: reduced view, which shows a mock-up of the entire page, normal (100 percent) view, and enlarged (200 percent) view. A facing-pages option, similar to PageMaker's, is also available. Sliders for scrolling are present on the right and bottom of the screen. Ventura offers a toolbox with four icons for the four modes of the program: frame mode, paragraph-tagging mode, text-editing mode, and graphics-drawing mode. An assignment list below the toolbox shows the available files, paragraph styles, or character-formatting options, depending on the mode you're in.

Although Ventura Publisher is based on the GEM operating environment, Xerox has taken great pains to distance its product from GEM; it uses the GEM environment, but not the actual GEM desktop. The GEM utilities operate behind the scenes, so most users need not even know they are in GEM.

As with PageMaker, you begin the layout process in Ventura Publisher by specifying the default margins and number of columns used on each page. This default page structure is called the *underlying page*. If you wish, you can set up different underlying pages for left- and right-hand pages.

You can place text and graphics on the underlying page so that it flows automatically from page to page until it is all used; you might want to do this with a 64-page book chapter. You can also construct rectangular frames that hold text and graphics on top of the underlying page. In this case, text stops flowing when it reaches the bottom of the frame, allowing you to continue placement in an-

other frame on the same or a following page. This approach is useful for newsletters or newspapers that have multiple articles on each page. If a graphics frame or a portion of a frame blocks text flow, text jumps over or around the occlusion (a feature not found in PageMaker).

Frames and their contents can be inserted, moved, copied to another location, or deleted; Ventura will instantaneously repaginate the entire document if necessary.

As with PageMaker's Windows environment, Ventura Publisher's GEM environment provides list boxes from which you select a file, file filter, or subdirectory from the DOS tree structure.

Ventura Publisher can import text files from WordStar, Microsoft Word, MultiMate, WordPerfect, XyWrite, and Xerox Writer. Plain ASCII files are also supported, as are DCA-format text files. You can also create or edit text within Ventura Publisher, but this function is limited, and it is more useful for making small corrections or adding captions than for heavy-duty word processing.

Doing It with Style Sheets

The most worthwhile feature of Ventura Publisher is its support of style sheets—preformed templates that describe the look of a document. Each style sheet consists of as many as 128 paragraph tags that apply to different portions of text, such as headlines, body text, or captions. Each tag contains several attributes, such as font choice, point size, column width, justification, and spacing. Rules and boxes of varying weights can be automatically associated with any tag. You apply a tag to a paragraph (or to multiple paragraphs) of text by selecting the paragraph and then pointing to one of the available tags in a style sheet. The text immediately takes on the attributes assigned to the tag.

You can change specifications for an existing tag by simply selecting new specifications from a menu. All the portions of text in the document that have that tag name, including text portions that are not on the screen, immediately conform to the change. You can also load a different style sheet to an existing document; this causes the document to reformat itself according to the specifications in the new style sheet.

The layout and pagination functions in Ventura Publisher are the best I've seen in any microcomputer product. A full page of text normally flows in a fraction of a second on an AT or a few seconds on an XT. For the user's standpoint, an entire 100-page document can be paginated in as little time as it takes to flow a single page, since Ventura performs text flow

for pages not on-screen in the background during idle time.

Ventura Graphics

You can place graphics into Ventura Publisher with equal simplicity and speed: You point to the frame, point to the graphic file, and voilà. Once you've placed a graphic in a frame, you can crop, scale, or pan it.

The program supports images created with PC Paintbrush, GEM Paint, GEM Draw, Lotus 1-2-3, AutoCAD, Mentor Graphics, and Video Show. Ventura also supports numerous standard graphics formats, including Hewlett-Packard Graphics Language, GSS's Computer Graphics Metafile, Macintosh Paint and PICT formats, and encapsulated PostScript. Scanners supported include Microtek, Dest, Datacopy, Hewlett-Packard, Advanced Vision Research, and compatible vendors. Unfortunately, Ventura does not support the TIFF format, so producing professional-quality photographs is not as easy as with PageMaker (although it can be done).

Ventura Publisher's built-in graphics functions let you create lines, boxes, shades, and circles, though not quite as easily as with PageMaker's graphics toolbox. For example, you can't constrain the line-drawing tool to make drawing vertical or horizontal lines easier.

Ventura Publisher supports several features that are useful in a technical publishing environment, such as automatic numbering of sections, figures, tables, and footnotes; automatic generation of indexes and tables of contents; captions anchored to figures (above, below, left, or right); leader dots in tabs; and running headers and footers with variables for page number, chapter number, and paragraph tags.

Ventura Publisher allows documents of over 150 pages on computers with 640K bytes of memory, and a binding function lets you assemble several individual documents (chapters) into a very large publication. Ventura automatically renumbers pages and recreates the index and table of contents to reflect the sequence of chapters in the publication, and it can perform batch printing of the entire publication.

Multifaceted Output

Ventura Publisher currently supports PostScript, Interpress, Hewlett-Packard LaserJet Plus, Xerox 4045, and Cordata laser printers, as well as laser printers that use the J Laser card, and the Xerox 4020 color ink-jet printer. Dot-matrix printers are also supported but are not recommended because of their lack of

continued

ATARI PR2

APPLE
Macintosh Plus 1 MB RAM 1999.99
Macintosh SE 1 2599.99
2-800K floppies
w/ 20 MB H.D.
Macintosh II
CALL

COMPAQ 386
1 MB-K 40 MB H.D.
CALL

COMPAQ PORT.
Portable III-Model 20
640K RAM 1-1.2 MB F.D. CALL
Portable III-Model 40
as above w/ 40 MB HD 4199.99

Leading Model D
512K RAM, 2-350K Floppies
DOS GW Basic w/ky bd. CALL

IBM System/2
Model 25
Model 30 20 D.
Model 30 20 MB
Model 50 20 MB
Model 60 44 MB
Model 80-386
CALL
CALL
2499.99
CALL
CALL

IBM AT-339
512K RAM, 30 MB H.D.
1-1 MB RAM 3199.99

EDGE
HR15-XL
HR-20 Dual
HR-40
HR-60
CALL
CALL
CALL
CALL

CITIZEN
MSP-1200
MSP-10
MSP-20
MSP-25
CALL
CALL
279.99
CALL

EPSON
EX-800
EX-1000
FX-886
CALL
CALL
CALL

IBM
Pro Printer II
Pro Printer 24
Pro Printer XL 24
Copierwriter III
CALL
CALL
CALL
CALL

NEC
P-8
P-7
CP-7 Color
CALL
CALL
CALL

OKIDATA
192 Plus
193 Plus
292 Color Ptr.
CALL
CALL
CALL

LAP TOP COMP.
NEC Multi Speed Lt.
Sharp PC-405
Toshiba T-1000
Toshiba T-3100-20
Zenith Z-181
CALL
CALL
CALL
CALL
CALL

LAP TOP PTR.
Brother HR-5
Diconix 150-P
CALL
CALL

LASER PTR.
Brother Laser II
Canon Series II
HP Laser Series II
HP Laser Plus 500
HP LaserJet
Olivetti Laser-8
Panasonic Laser
CALL
CALL
CALL
CALL
CALL
CALL

MONITORS
Amdek 410-A
Amdek 800 Color
Amdek 722 Color
Amdek 720
Mitsub. Diamond Scan
NEC Multi-Sync Plus
PGS MAX 12
CALL
CALL
CALL
CALL
CALL
CALL

PROMPT DELIVERY

**GUARANTEED
LOWEST PRICES
1-800-874-1235**

**TOLL FREE
OUT OF N.Y.
IN N.Y. CALL (212) 463-8330**

S & W COMPUTERS & ELECTRONICS
31 West 21 Street, New York, N.Y. 10011

speed. Nearly any font and any point size available on the selected output device can be used with Ventura Publisher, and you don't have to reformat a document if you change the output device—a notable advantage over PageMaker.

Ventura Publisher is a very well thought-out product, as evidenced by a host of seemingly minor features, such as letting you remove interparagraph spacing or extra leading when it falls at the top of a column, letting you mix and match different units of measurement, and remembering user preferences in various option boxes.

However, the strength of Ventura Publisher—its powerful style sheets—can also be a problem. The sheer number of typographic and ruling options associated with each tag can be bewildering to a novice. Moreover, beginning users may not realize that a seemingly innocuous and localized change to type specifications will wreak havoc on other documents. Changing the attributes of a given tag in one location not only changes the attributes of all the other similarly named tags in the current document, but it also changes the way previous documents using the same style sheet will look the next time you open them. Since Ventura chapter files do not contain absolute specifications but rather point to a style-sheet file, existing documents on disk take on a rather volatile nature.

Ventura Publisher's documentation is also less helpful than PageMaker's. The reference manual is skimpy in several of the more complicated areas of the program's operation, such as the multi-chapter batch operation. The training guide and workbook does a creditable job of getting the beginning user up to speed, but neither manual is designed as well as the PageMaker documentation. A spiral-bound quick reference, however, is well-produced and quite handy.

GEM Desktop Publisher

GEM Desktop Publisher has many things in common with Ventura Publisher, not the least of which is its use of the GEM environment. But in most respects, the Digital Research product falls far short of Ventura's capabilities; it even appears more complex in some aspects.

As with Ventura, the layout process consists of creating rectangular frames on pages, selecting a text file from the disk, and selecting a style sheet. There is no underlying page in GEM Desktop Publisher; you must place rectangles on the page to hold text and graphics.

The program accepts text files from WordStar, WordPerfect, MultiMate, and GEM Write, as well as ASCII- and DCA-

continued

Introducing OS-9 for Your Atari ST

Exciting news from Microware! Now you can have the awesome real-time, multi-tasking power of OS-9 for your Atari ST. Introducing OS-9/ST!



Choose Personal or Professional

OS-9/ST's UNIX-style architecture and supporting development tools are available in two flexible configurations:
 *Personal OS-9/ST combines the power of OS-9 with an interactive, structured Basic and handy utility set.
 *Professional OS-9/ST turns your Atari ST into a full C Language workstation with a powerful Assembler, Linker and User Debugger.
 And you can add optional tools like Pascal, FORTRAN, Electronic Mail and other popular productivity packages.

Support ANYTIME You Need It!

Included with both versions of OS-9/ST is twenty-four hours, seven days a week "support"—via your modem and CompuServe. And with your purchase of OS-9/ST, you'll

receive a free copy of the OS-9 Software Sourcebook—a valuable reference guide to third-party software. So call Microware today to find out how to put the power of OS-9/ST to work for you!

Personal OS-9/ST \$150.00

Professional OS-9/ST \$600.00




MICROWARE SYSTEMS CORPORATION

Headquarters: 1100 N.W. 114th Street, Des Moines, Iowa 50322, Phone 515-224-1929
 Western Regional Office: 4401 Great America Parkway, Suite 220, Santa Clara, California 95054, Phone 408-980-0211

OS-9, OS-9/ST, Personal OS-9/ST and Professional OS-9/ST are trademarks of Microware Systems Corporation. Atari ST is a trademark of Atari Corporation. UNIX is a trademark of AT&T

PowerStation™

A Complete VT220 / VT240 Work Station.
Upgrade for the IBM PC/XT/AT and PS/2



"You'll never know you are not using a real DEC terminal unless you take advantage of the many extended features."

- PowerStation™ 240 * INTRODUCTORY PRICE * \$389
VT240 style keyboard and ZSTEM VT240 Emulation Software.
- ZSTEM pc™ - VT240 Emulator Emulation Software only. \$250
VT240/241 Emulation software with all the features of ZSTEM VT220 plus ZSTEM 4014 and REGIS graphics. * INTRODUCTORY PRICE *
- PowerStation™ 220 \$289
VT220 style keyboard and ZSTEM VT220 emulation Software.
- ZSTEMpc™-VT220 Emulator Emulation Software only. \$150
All the features of ZSTEM VT100 plus 8-bit mode, downloadable fonts, user defined keys, full national/multi-national modes. Extended macros/script language. True 132 columns on Hercules, VGAs, Super EGAs, and standard EGAs using the EGAmate option. 128 columns on CGAs. 43 line support on EGAs. Enhanced keyboard support. Ungermann Bass Net/One support.

- EGAmate™ \$39
Daughterboard option for 132 columns on most standard EGA adaptors.
- PS220/2 \$19
Keyboard adaptor cable for PS/2 systems.
- ZSTEMpc™-4014 Emulator \$89
Use with ZSTEM VT100, VT220, or stand-alone. Interactive zoom and pan. Save/recall images from disk. Keypad, mouse, digitizer, printer, plotter, and TIFF support. 4100 color and line style color mapping. 640 x 400 and 840 x 480 on some adaptor/monitors.
- ZSTEMpc™-VT100 Emulator \$99
High performance COLOR VT100. True double heightwide, smooth scrolling, ISO and attribute mapped color. XMKIOEM and KERMIT, softkey/MACROS, DOS access.

KEA Systems Ltd.

#412 - 2150 West Broadway, Vancouver, B.C. Canada V6K 4L9
Support (804) 732-7411 TELEX 04-352848 VCR FAX (804) 732-0715
Order Desk (800) 663-8702 Toll Free
30 day money back guarantee AMEX/MC/VISA

See us at
COMDEX 800/711
#1022

UTAH COBOL

NEW
VERSION 4.0
\$69.95

For IBM®PC's, XT's, AT's and other DOS machines. This is the one you've heard so much about - with fast compile times, small object code modules, no royalties, and clear error messages. Version 4.0 is based upon ANSI-74 standards with new features including:

- Multi-key Indexed files with up to 24 keys. This advanced feature requires the software package Btrieve® which is optionally available.
- Windowing, pop-up's, color and overlays. This advanced feature requires the software package Saywhat?!™ which is optionally available.
- ACCEPT numerics with decimal point alignment, numeric checking, AUTO-SKIP, SECURITY, LENGTH-CHECK, EMPTY-CHECK.
- Fast memory mapped DISPLAY's (1, 5) ERASE, BEEP, ATTRIBUTE.
- Level 88's - READ INTO - WRITE/REWRITE FROM - and DELETE.
- An easy to use, COBOL source code EDITOR with auto line numbering, A-margin, B-margin tabbing with full screen cursor control.

Current customers can receive the new version by sending in their original diskette and \$30.00. This offer expires Dec. 31, 1987

Also available: Utah FORTRAN, Utah BASIC, Utah PASCAL, Utah PILOT, Btrieve and Saywhat?!. Used by 50,000 professionals, students and teachers in 40 countries.



SINCE 1977
ELLIS COMPUTING™
5655 Riggins Court, Suite 10
Reno, Nevada 89502

To order call:
(702) 827-3030

IBM is a registered trademark of International Business Machines, Inc. Btrieve is a registered trademark of Software, Inc. SAYWHAT?! is a trademark of The Research Group. Utah COBOL is a trademark of Ellis Computing, Inc. © 1987 Ellis Computing Inc.

format files. GEM Publisher requires these text files to have certain file extensions, such as .TXT for ASCII and .STR for WordStar, so you must remember to rename your text files accordingly before starting GEM Publisher.

If you make updates and style-sheet assignments within GEM Publisher, the program does not update the original text file. Instead, it creates a copy of each imported text file, giving it the extension .ASC, and this copy holds the revised text and formatting information. If you want to edit this file outside of GEM Desktop Publisher, you must use your text editor or word processor in ASCII mode only, without adding any non-GEM formatting codes.

With GEM Desktop Publisher, your documents can be up to 100 pages long. To create a document, you draw a rectangle on the first page, load in a text file, and format the body text and other text elements (e.g., headings and subheads) by creating new styles—the equivalent of Ventura Publisher's tags. You can vary character attributes such as type style and size, paragraph attributes such as spacing and indents, and tab settings.

GEM Publisher's style sheets lack most of the powerful formatting options of Ventura Publisher. For example, they do not let you associate ruling lines with paragraph styles. They lack the flexible page-, line-, and column-break features that help make Ventura documents a snap to produce. Also absent are the automatic special effects, such as bullets and large first characters. And you cannot specify that a heading extend across multiple columns, as you can in Ventura; instead, you must create a separate rectangle to hold the heading.

The typographic features of GEM Publisher are also very limited compared to PageMaker and Ventura Publisher. The most glaring omission is the lack of automatic hyphenation; this tends to make printed columns appear too loose when they're fully justified. The program provides no control over kerning or letter spacing, although you can vary the line spacing. Choice of fonts is also limited to two basic families, Dutch and Swiss, in a handful of sizes.


Graphics are placed on the page in a manner similar to both PageMaker and Ventura, but the only graphics formats supported are DRI's .IMG (for pixel-oriented) and GEM-format (for object-oriented) graphics. Graphics can be cropped or scaled but not both; if you want to use only a portion of an image, you must use the image at 100 percent of its original size.

Installing GEM Publisher is time-consuming. The program itself takes only about 10 minutes, but you must first in-

continued

Canon introduces MORE

More easy-to-use features.
More advanced technology.
More productivity.




CANON
LASER BEAM PRINTER

Canon U.S.A., Inc., Printer Division
One Canon Plaza, Lake Success, NY 11042

UNIVERSAL PROM/PAL*/MICRO PROGRAMMER

U.S. prices From **\$995.00***

- EPROMS TO 1 MEG
- EPROM SIMULATION
- SET PROGRAMS
- 20-24 PIN PLD/EPLD
- BIPOLAR PROMs
- SINGLE CHIP MICROS
- RS-232/PC DRIVEN OR STAND-ALONE



1-800-331-PROM

(305) 974-0967 Telex 383142 Fax (305) 974-8531

From a Name You Can Trust

LOGICAL DEVICES INC.

Represented In 18 Countries

1321 NW 65th Place Ft. Lauderdale, FL 33309

*Some devices require optional Adaptors - PAL is a Trademark of Monolithic Memories Inc.

stall the GEM Desktop on your system; this involves studying a second manual and sifting through a second set of last-minute additions, error-correction sheets, warnings, and read-me-first files.

GEM Desktop Publisher supports only a half-dozen printers, although additional device drivers are available from Digital Research for a small fee. When you go to print a document, GEM Publisher creates another separate type of file, and you must exit the program and switch to a separate GEM output program.

The program's documentation does not cater to the novice user. The single tutorial chapter is inadequate, leaving the reader with no clear idea of how to create a variety of business documents. GEM Publisher comes with only a few sample documents and gives little advice on how to use them as templates.

GEM Publisher has some worthwhile features. It offers a host of keyboard shortcuts for editing text, scrolling the screen in one of four directions, and accessing most menu options. You can also customize these keyboard commands to your own tastes. A Show Position command puts measurements on-screen as you draw rectangles. An invisible text grid forces subheads and body text to align across page and column boundaries. As with Ventura Publisher, text that you add to a document containing a graphic will flow around the graphic.


If you already own GEM Write, GEM Draw Plus, or GEM Graph, you might consider GEM Desktop Publisher as a way to add rudimentary page layout to your integrated system. Other users will find that it doesn't fit in well with serious business applications.

Which One Is for You?

PageMaker is a very good buy if you need an easy-to-use product that can produce top-notch designs. It is particularly appropriate for newsletter editors and professionals who have had previous experience with graphic design.

For advanced desktop-publishing users, the features and on-screen performance of Ventura Publisher would be hard to find anywhere else. This product will probably occupy the top spot in high-performance desktop publishing for some time to come.

Digital Research is touting GEM Publisher as an easy-to-use alternative to Xerox's Ventura Publisher. Ventura is indeed more complex; it has far more features and therefore far more menu choices and commands. But provided that an expert has created the style sheet beforehand, novice users will actually find Ventura easier to load and use than GEM Desktop Publisher. ■



**FACULTAD DE INGENIERIA U.N.A.M.
DIVISION DE EDUCACION CONTINUA**

**UNIVERSIDAD NACIONAL AUTONOMA DE MEXICO
FACULTAD DE INGENIERIA
DIVISION DE EDUCACION CONTINUA**

TEORIA Y PRACTICA EN EDICION

VENTURA/PAGEMAKER

**ELABORADAS EN EL CENTRO DE CALCULO DE LA
FACULTAD DE INGENIERIA POR :**

**ING. LAURA SANDOVAL MONTAÑO.
ABANIA URIOSTEGUI MONDRAGON
MIGUEL ANGEL HERNANDEZ CORTES.**

MARZO 1992.

TABLA DE CONTENIDOS

1	EL PROCESO DE LA EDICION.	
	1.1. Qué es la edición	1
	1.2. Tipos de documentos	1
	Periódicos y Revistas.	2
	Los folletos.	2
	Boletín informativo.	2
	Tríptico.	3
	Libro.	3
	1.3. Etapas en la elaboración de un documento.	4
	Planificación.	4
	Diseño.	4
	Creación del contenido.	13
	Composición de página.	13
	Impresión.	14
	1.4. Técnicas tradicionales en el proceso de edición.	14
	Cómo empezar	15
	El proceso de edición	15
	Un ejemplo	16
2	LOS PROGRAMAS DE AUTOEDICION	
	2.1 Qué se entiende por Desktop Publishing.	18
	El término desktop publishing.	18
	Surgimiento de la autoedición.	18
	2.2 Técnicas de autoedición y su similitud con las técnicas tradicionales.	19
	Planificación.	19
	Diseño.	19
	Creación del contenido	20
	Composición de página	22
	Impresión	23

2.3	Comparación del proceso tradicional contra la autoedición.	24
2.4	Programas Orientados al Desktop Publishing.	24
	Programas "mayores".	24
	Programas "menores".	24

3 EL PROGRAMA DE AUTOEDICION PAGEMAKER.

3.1	Acerca de PageMaker.	27
	Requisitos de hardware.	27
3.2	Ambiente Windows.	27
3.3	Descripción de comandos de PageMaker	29
	FILE.	30
	EDIT:	31
	OPTIONS:	31
	PAGE:	32
	TYPE:	33
	LINES:	34
	SHADES:	34
3.4	CREACION DE UN DOCUMENTO EN PAGE MAKER.	34
	TRABAJO CON UNA PUBLICACION EXISTENTE.	34
	UNA NUEVA PUBLICACION.	35
	DEFINICION DE IMPRESORA.	35
	DEFINICION DE PAGINA MAESTRA.	35
	COMPOSICION DE LA PAGINA.	36
	IMPRESION.	40

4 EL PROGRAMA DE AUTOEDICION VENTURA

4.1	Acerca de Ventura	41
	Requisitos de Hardware.	41
4.2	Ambiente de Trabajo.	41
4.3	Descripción de comandos de Ventura Publisher.	43
	USO DEL MOUSE.	45
	Descripción de la opciones del menú principal.	46

	4.4 Creación de un documento en Ventura.	53
5	ESTUDIO COMPARATIVO VENTURA/PAGEMAKER	
	5.1 Análisis comparativo entre Ventura y PageMaker.	54

CAPITULO 1

EL PROCESO DE LA EDICION.

1.1. Qué es la edición

Buscando un concepto de edición, podemos observar que ninguna de las acepciones del vocablo edición contenidas en el Diccionario de la lengua Española se ajustan o coinciden con los términos en que debe entenderse para los efectos del curso.

Dice el Diccionario:

"1 Impresión o estampación de una obra para su publicación. 2. conjunto de ejemplares de una obra impresos de una sola vez y sobre un mismo molde. 3. Texto de una obra preparada con criterios filosóficos".

Empero, considerando dos de las definiciones que se dan sobre el acto de editar y sobre el sujeto que edita, es decir el editor es posible acercarse a la noción de edición que nos interesa y aclarar cómo se desarrolla el proceso. Se dice que editar consiste en publicar por medio de la imprenta o por cualquier otro medio de reproducción gráfica una obra, periódico, etcétera. En cuanto el editor, se define como la persona que cuida de la preparación de un texto ajeno siguiendo criterios filosóficos, es decir, reconstruirlo, fijarlo e interpretarlo.

Hay otro concepto de edición que es pertinente traer a colación sólo para establecer la diferencia con el que interesa al curso. Se trata del que se aplica en cinematografía para referirse a la labor de ordenar las distintas secuencias filmadas de manera que la película o cinta concuerde con la idea previa del director. Por supuesto, el cine no es un medio impreso o publicación.

1.2. Tipos de documentos


- Periódicos
- Revistas
- Folletos
- Boletín informativo
- Tríptico
- Libro
- Cartel alusivo

Periódicos y Revistas.

Estos documentos se diseñan para transmitir información concisa a los lectores.

La conformación del texto de estas publicaciones está típicamente formado por numerosas piezas escritas por diferentes personas. Muchas historias comenzarán a menudo en la misma página y continuarán en distintas páginas posteriores.

Los periódicos y las revistas utilizan normalmente un diseño de cuadrícula subyacente apretada lo suficientemente variable para ajustarse a los diferentes requerimientos editoriales de las distintas páginas. Esto significa que el número de columnas puede variar de página a página y a veces incluso de una parte de la página a otra.



Los folletos.

Los folletos son otro tipo de publicaciones diseñadas para proyectar una imagen específica. Dado que los folletos normalmente son una forma sencilla de realizar una publicación efectiva, están dirigidos a un público concreto o utilizados para informar a clientes actuales y eventuales sobre productos o servicios.

La figura siguiente muestra un boceto del contenido de un folleto que un agente de computadoras podría utilizar para anunciar ventas de computadoras más actuales.

Boletín informativo.


La construcción de un número específico de cualquier boletín informativo es en realidad un tratamiento de tanteo. En primer lugar, se colocan las ilustraciones en la maqueta de publicación y a continuación hace fluir un archivo de texto, página a página, línea a línea,

ajustándolo y mejorándolo hasta que la página tenga el aspecto que se desea. A continuación pasa a la página siguiente.

Después de terminar con un archivo, pasa al siguiente y lo hace fluir, hasta que todo el texto haya terminado.

Debe tenerse una idea clara sobre la extensión de los artículos, y de los espacios de que dispondrá en cada columna del boletín. El espacio depende en gran medida del número de columnas, de los tamaños de letras y de las ilustraciones especiales y elementos de diseño que utiliza.

Cuando se esté manipulando la capacidad de un boletín o extensión de artículos desconocidos, es importante hacer fluir los artículos completos de mayor prioridad. Entonces se conocerá la cantidad de texto que tienen y lo que tendrá que recortar o añadir a fin de completar el boletín. La siguiente figura muestra un página de un boletín.



Tríptico.

Es un impreso distribuido en tres partes, unidas de modo que pueden doblarse las de los lados sobre la central y cuya información sirve para dar a conocer algún evento.

Libro.

Se considera una agrupación de hojas que en conjunto constituyen una de las partes de una obra extensa. Y por el tipo de información que maneja se tienen diversos tipos de libros tales como:

Libro de texto: Es un libro sobre una materia determinada que se utiliza como guía para la enseñanza y aprendizaje, sobre todo en escuelas y facultades.

Libro de consulta: Es un libro que sirve de consulta para temas de información concretos, como anuarios, atlas, diccionarios.

Libro blanco: Es el libro que publica un gobierno con temas o asuntos de interés público que desea difundir.

Libro de conceptos: Es un libro en el que se utilizan ejemplos y comparaciones para representar una idea abstracta de una forma concreta y comprensible.

1.3. Etapas en la elaboración de un documento.

Puesto que una publicación está directamente relacionada con la producción de material impreso, incluye todo, desde simples memorándums a cartas formularios, informes, anuncios, folletos, revistas, panfletos, manuales, catálogos, directorios y libros complejos que se componen de varios volúmenes. Sin importar lo sencilla o compleja que sea la elaboración de un documento precisa los mismos pasos para su producción. Obviamente, dichos pasos son más importantes en unos casos que en otros.

Estos pasos son:

- Planificación
- Diseño
- Creación de contenido
- Composición de página e
- Impresión

Planificación.

La planificación tiene que ver principalmente con el contenido (en términos generales), con el plan, y con el presupuesto. Al planificar una publicación, se determina su contenido, la persona que ejecutará las diversas tareas, la duración de cada tarea, y el costo de la publicación. Planificar un simple memorándum es fácil: El texto es sobre un tema único, lo escribimos nosotros mismos en 20 minutos y el costo es mínimo. Sin embargo, un boletín informativo mensual que contenga hasta 15 artículos de otros tantos autores, con un cierto número de ilustraciones y un plan y presupuestos fijos, puede precisar una planificación importante.

Diseño.

Una vez que se ha planificado el contenido de una publicación, se puede determinar la forma en la que está aparecerá en las páginas. Tradicionalmente este es el oficio del diseñador, cuyo objetivo es producir una publicación única que sea atractiva y fácil de leer. Para lograr esto, el diseñador tiene en cuenta todos los elementos de la presentación, desde el aspecto general de la publicación hasta el tamaño de letra para los subtítulos. Esto incluye elementos tales como el tamaño y número de columnas, los caracteres utilizados y sus tamaños, el uso y la colocación de los elementos de diseño, y el aspecto de títulos, encabezamientos, subtítulos y pies de páginas.

El diseño se puede dividir en una serie de pasos: Establecer las limitaciones del diseño, determinar la forma de las páginas maestra y normal, seleccionar el tipo de letra y determinar el uso de elementos de diseño. Estos pasos son básicamente tanto para la composición clásica

como para la autoedición (del cual hablaremos en el siguiente capítulo), aunque algunos factores pueden diferir.

Establecimiento de las limitaciones del diseño.

En la fase de planificación se determinaron las limitaciones del presupuesto y del plan. Las limitaciones del diseño son de naturaleza física, y vienen determinadas principalmente por el equipo utilizado para producir la publicación. Por ejemplo, su máquina de composición tipográfica o impresora láser tiene un número limitado de tipos y tamaños de letras. La prensa (de imprenta) o impresora láser usada para imprimir la publicación está limitada tanto por el tamaño del papel que puede manejar como por el área de papel en la que se puede imprimir (denominada área de imagen). Para imprimir una publicación de muchas páginas, podemos elegir una gran prensa de imprenta en la que se pueden imprimir varias páginas al mismo tiempo sobre una única lámina de papel de gran superficie.

Esta lámina de papel se dobla sucesivamente hasta que alcance el tamaño de cada página individual y luego se recortan los extremos doblados a fin de que se puedan pasar las páginas. Las limitaciones de tamaño de las máquinas destinadas a doblar y recortar el papel determinan el tamaño final de la página (denominado tamaño de recorte). Por último, el papel se presenta en unos tamaños preestablecidos. Si se diseña una publicación que sea más grande que el tamaño estándar, habrá que imprimirla en un papel de mayor tamaño (probablemente más caro) y después recortar el sobrante.

Si se utiliza una máquina destinada a la composición tipográfica y una prensa de imprenta, se tendrá un conjunto distinto de limitaciones. En cualquier caso se deben tener en cuenta estos requerimientos en el diseño.

El establecimiento de los límites del equipo que haya elegido para la producción es el primer paso obligado que hay que dar en el diseño de una publicación. Estas limitaciones determinan los límites externos dentro de los cuales diseñamos la publicación. Necesita conocer estos límites antes de poder continuar.

Definición de la composición de la página maestra.

Al diseñar una publicación de muchas páginas, querrá que la mayoría, si no todas, las páginas reflejen un diseño común. Para ello hay que hacer el diseño de una página (o páginas) maestra que contenga los elementos comunes a la mayoría de las páginas. Entre dichos elementos comunes están el tamaño del papel, los márgenes, el número y el tamaño de las columnas, una rejilla de diseño de márgenes y columnas, y el uso de páginas opuestas. Además, en la página maestra se pueden colocar notas en la cabecera o al pie de página, números de página, y elementos de diseño comunes, como por ejemplo las líneas entre columnas.

Tamaño de página. La primera decisión que hay que tomar al diseñar una página maestra, es la de establecer el tamaño de página. Las limitaciones de diseño previamente determinadas establecen los límites externos. Ahora, dentro de esos límites debe determinar el tamaño final de la página. El tamaño estándar de 8 1/2 por 11 pulgadas es, con frecuencia, el adecuado.

Sin embargo, el tamaño del papel no limita necesariamente el tamaño de la página. Quizás necesitemos tener en cuenta otros tamaños dependiendo de nuestra publicación y de la forma en la que deseamos producirla. Se pueden superponer varios trozos para crear una sola página (lo que se conoce como recubrimiento), o bien podemos colocar varias páginas en una sola hoja de papel. (Véase Fig. 1-1.)




Figura 1-1. Dos métodos de paginación.

Márgenes. Una vez sabido el tamaño de página, puede determinar el área de imagen. Esta es el área comprendida entre los márgenes de una página en la cual se coloca el material que se va a imprimir. Para determinar el área de imagen, se establecen simplemente los márgenes a los cuatro lados de la página superior, inferior, interior, y exterior tal y como se muestra en la Figura 1-2.

También aquí existen limitantes y factores que influyen en la decisión que tome sobre los márgenes. Por ejemplo, el tipo de encuadernación afecta al margen interior. También se pueden usar los márgenes, como por ejemplo un margen externo particularmente grande, como una característica distintiva del estilo de la publicación.

Columnas. La mayoría de los periódicos, revistas, boletines informativos, folletos, y muchos libros, tienen múltiples columnas por página debido a que a la mayoría de la gente le resulta más fácil leer una columna más estrecha. Al diseñar la página maestra se determina el número y el tamaño de las columnas que van aparecer en una página. También se determina la cantidad de espacio en blanco, denominando canal o medianil, que hay entre dos columnas. Un canal de 1/4 de pulgada o de 6 mm es muy común, pero no hay reglas fijas. Por último, podemos tener columnas de tamaño igual o desigual, dependiendo de nuestras necesidades y consideraciones estilísticas. La Figura 1-3 muestra algunos ejemplos.

Rejilla de diseño. Al construir una página maestra se crea automáticamente una rejilla de diseño. Esta consiste en un conjunto de líneas de puntos no imprimibles que aparecen sobre la imagen de una página en la pantalla para ayudarnos en la alineación de texto y gráficos. Los bordes de márgenes y columna (denominados guías de columna) constituyen la base de

Márgenes en páginas opuestas




Figura 1-2. Localización de los cuatro márgenes.

la rejilla. Además, se pueden añadir otras guías no imprimibles para ayudar en la composición de la página. Por ejemplo, si se quiere que las cabeceras de todos los capítulos comiencen en la línea 10, se puede colocar una guía de regla horizontal en la línea 9 para recordarlo. Tal guía no impide colocar texto por encima de la línea 10 en otras páginas.

Páginas opuestas. Si se imprimen las dos caras de una hoja en una publicación de páginas múltiples, tendremos páginas opuestas—páginas a la izquierda y a la derecha que comienzan con las páginas 2 y 3. (Véase Fig. 1-2). Este caso quizás quiera crear páginas maestras separadas puesto que pueden existir un cierto número de diferencias entre las páginas de la izquierda y las de la derecha. Por ejemplo, los márgenes izquierdo y derecho pueden estar al revés debido a que el margen interior, cuando se está encuadernando la publicación, está

Columnas en páginas opuestas




Figura 1-3. Las columnas y sus componentes.

en el lado derecho de la página izquierda y al revés en la página derecha. Además, una nota al comienzo o al pie de página, o un número de página, puede estar colocado en la parte exterior de cada página, que es un lado distinto en las páginas opuestas.

Definición del detalle de la forma de una página.

Una vez que se ha establecido la página o páginas maestras, se diseña cada página normal por medio de la adaptación de una página maestra. En primer lugar, se elabora una maqueta de la publicación definiendo la longitud del texto, el tamaño y número de las fotografías gráficas. Puede crear un borrador de la publicación colocando el texto y los gráficos en cada página tal

y como desea que aparezcan. Se pueden crear varios borradores antes de optar por un diseño detallado final. A este diseño final se le llama diseño imaginario (o también diseño de conjunto).

Selección del tipo de letra.

Un elemento importante en el diseño de una publicación lo constituye la selección del tipo de letra que se va a utilizar. Se debe tener en cuenta no sólo el diseño del tipo de letra que se va a utilizar. Se debe tener en cuenta no sólo el diseño del tipo de letra (su forma), sino también su tamaño, si es un tipo de letra normal, en negrita, o en cursiva (el estilo de la letra), y el espacio existente entre letras y entre líneas. Por último, es necesario tener en cuenta la alineación o justificación de la letra.

Se debe seleccionar un tipo de letra, definir su tamaño, estilo, espaciado y justificación. Los tipos de letras disponibles dependen del equipo que se esté utilizando. Estos los determina cuando establece las limitaciones del diseño.

Tipos de letras. Un tipo de letra es una preferencia personal -seleccionamos un tipo de letra determinado porque nos gusta. Naturalmente, esa preferencia depende de los efectos que queramos alcanzar. Algunos tipos de letra son más fáciles de leer o más distintivos que otros. La mayoría de los diseñadores creen que los tipos de letras que llevan pequeños trazos adicionales (denominados series) en los extremos de las letras, son más fáciles de leer en los bloques de texto grandes. Un ejemplo corriente de un tipo de letra de esa clase es el denominado Times Roman. Este y sus derivados se utilizan en muchos periódicos, revistas, y libros. Un tipo de letra más moderno, que carece de los trazos adicionales (denominado sans serif), puede ser muy visible y de aspecto claro. Los tipos de letra "sans serif" tales como Helvética, se utilizan corrientemente tanto en publicidad como en tarjetas comerciales y cartas. La Figura 1-4 muestra ejemplos de estos tipos de letra.

Una publicación individual no debería contener demasiados tipos de letra distintos. Tres o cuatro tipos es lo que se considera normalmente como límite. Esto nos proporciona un tipo de letra distinto para el texto, los títulos, encabezamientos, y notas a pie de página de esquemas y tablas. Dentro de un único tipo de letra también podemos disponer de los estilos en negrita y en cursiva, así como de tamaños variables. Sin embargo, una vez más conviene insistir en la necesidad de no utilizar demasiados tamaños de letra pues de lo contrario la publicación será difícil de leer. (la palabra conjunto de letras de un tipo se confunde con frecuencia con la expresión tipo de letra o forma. Un tipo de letra o forma es un diseño o carácter particular, independientemente de su tamaño; un conjunto de letras de un tipo es un tipo de letra de un tamaño dado.)

Tamaño de letra. El tamaño de letra se mide en puntos. Un punto mide aproximadamente 1/72 de pulgada. Los puntos se miden desde el extremo superior de los trazos altos (la parte superior de las letras "k" o "b", por ejemplo) al extremo inferior de los trazos bajos (la parte más inferior de una "p" o "y"). En las máquinas de composición tipográfica profesionales, generalmente se puede disponer de un tipo de letra comprendido entre los 6 y los 72 puntos. El texto normal en libros, periódicos, y boletines informativos oscila entre los 9 y los 12 puntos, siendo los titulares más grandes y la "letra menuda" más pequeña. En la Figura 1-5 aparecen ejemplos de tamaños de letras seleccionados comprendidos entre los 6 y 72 puntos.

Este es el carácter Bitstream Dutch.
 BITSTREAM DUTCH bitstream duch
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890-='[];','./~!@#\$%^&*()_+|{}:"<>?

Este es el carácter Bitstream Dutch.
 BITSTREAM DUTCH bitstream duch
 abcdefghijklmnopqrstuvwxyz
 ABCDEFGHIJKLMNOPQRSTUVWXYZ
 1234567890-='[];','./~!@#\$%^&*()_+|{}:"<>?

Figura 1-4. Ejemplos de tipos Dutch y Swiss.

Espaciamiento horizontal. El espaciamiento horizontal de las letras determina la longitud de una línea. A la longitud de una línea se le denomina ancho de columna y se mide en picas. En una pica hay 12 puntos y en una pulgada hay aproximadamente 6 picas. El espaciamiento horizontal es una función del tamaño de letras individuales y del espacio que hay entre ellas. Dado que la mayoría de las publicaciones utilizan tipos de letra con espaciamiento proporcional (en el que una "w" ocupa más espacio que una "i"), el tamaño de letra es el factor más importante en el espaciamiento, en segundo lugar, además del espaciamiento normal existente entre palabras, se puede añadir una cantidad de espacio extra tanto entre letras como entre palabras para alargar líneas con el fin de alinear bordes por derecha (justificación de línea). Incluso se puede suprimir el espacio existente entre determinados pares de letras con el fin de que se superpongan (a lo que se llama solapamiento). El solapamiento es una función del tipo de letra independientemente que esté en mayúscula o en minúscula. Por ejemplo, una "t" y una "y" minúsculas, o una "f" y una "o" minúsculas, pueden solaparse si se utilizan determinados tipos de letra.

El grado de interés que tengamos por el espaciamiento horizontal depende del aspecto que queramos darle a nuestra publicación. La justificación de texto a la derecha hace que éste sea más fácil de leer, pero puede o no mejorar su aspecto. Se puede justificar el texto añadiendo espacio tan sólo entre palabras, o se le puede dar un aspecto más profesional al texto utilizando tanto el solapamiento como la adición de espacio entre caracteres.

Espaciamiento vertical.

6 - puntos

8 - puntos

10 - puntos

12 - puntos

14 - puntos

18 - puntos

24 - puntos

36 - puntos

48 - puntos

60 - puntos

72 - puntos

Figura 1-5. Ejemplos seleccionados de conjuntos tipos de letra desde 6 hasta 72 puntos.

El espacio vertical existente entre líneas de letras se denomina interlínea. La interlínea, al igual que la letra, se mide en puntos. Normalmente, nos referimos a la interlínea en relación con el tamaño de letra. Por ejemplo, un tipo de letra de diez puntos con una interlínea de once puntos es descrita como una 10/11 ("diez sobre once"). Un espaciamiento vertical 10/10 no es en realidad una interlínea; tan sólo es el espaciamiento vertical normal de un tipo determinado. A medida que aumenta la interlínea, se añade espacio entre líneas. Para que

un texto normal resulte fácilmente legible; la interlínea debería ser uno o dos puntos mayor que el tipo de letra. La Figura 1-6 nos muestra ejemplos de interlínea de 10/10, 10/12, 10/14, y 10/8.

Alineación. El texto se puede alinear en el margen izquierdo o en el derecho, en ambos márgenes (texto justificado), o en el centro de la página (centrado). En este país casi todo el texto que se imprime (con excepción de títulos, encabezamientos, y notas a pie de página) está alineado a la izquierda. Dado que el lector occidental está acostumbrado a leer de izquierda a derecha, el texto alineado a la izquierda nos resulta más fácil de leer. Los grandes bloques de texto son más fáciles de leer cuando ambos márgenes, el izquierdo y el derecho, están alineados. La alineación a la derecha y el centrado se utilizan tan sólo en casos especiales, como por ejemplo en títulos y en notas a pie de página.

Este es un tipo Dutch de 10 puntos con una interlineación de 10 puntos. Se denomina "10/10". Esto significa, en efecto, que no hay interlineación.

Este es un tipo Dutch de 10 puntos con una interlineación de 12 puntos. Se denomina "10/12". Es el que proporciona PageMaker en su interlineación "Automática" inicial.

Este es un tipo Dutch de 10 puntos con una interlineación de 14 puntos. Se denomina "10/14". El espacio entre líneas comienza a tener un aspecto poco atractivo.

Este es un tipo Dutch de 10 puntos con una interlineación de 8 puntos. Se denomina "10/8". Es una interlineación "negativa" puesto que las líneas comienzan a superponerse.

Figura 1-6. Ejemplos de interlineación 10/10, 10/12,

10/14 y 10/8

Uso de elementos de diseño.

La última medida que hay que tomar en el tratamiento de diseño es la de especificar el uso de los elementos de diseño. Dichos elementos son las líneas, cuadros, rectángulos, y letras titulares que separan y realzan el texto. En la composición clásica, los elementos de diseño o bien son dibujados a mano o transferidos desde láminas transparentes (calcomanías) para ser colocados en la copia final lista para la cámara.

Utilice los elementos de diseño con prudencia. Las líneas, cuadros, y letras titulares usadas adecuadamente son elementos eficaces para realzar el aspecto y el interés de una publicación. No obstante, el abuso o el mal uso de los mismos resulta molesto y pueden arruinar lo que de otra manera podría ser una buena publicación.

Creación del contenido.

La finalidad de una publicación es la de difundir el texto y los gráficos que constituyen su contenido. El trabajo de planificación y diseño que precede a la creación del contenido y los pasos de producción que le siguen tan solo constituyen un apoyo para las funciones centrales de escribir, dibujar, y fotografiar el material real.

Generación de texto.

El texto que se publica, previamente es revisado por un corrector de estilo. En la composición clásica generalmente el texto se transcribe en maquinaria tipográfica para generar las galeras.

Creación de gráficos, figuras o ilustraciones.

En la composición clásica, las figuras o las ilustraciones proceden de una de estas dos fuentes: dibujo geométrico realizado a mano y fotografías. En ambos casos su producción se realiza separadamente del texto y deben ser pegados durante la composición final de página.

Composición de página.

La composición de página combina las funciones básicas de la composición tipográfica y de la colocación de imágenes, los dos últimos pasos que hay que dar antes de imprimir. La composición tipográfica consiste simplemente en reproducir un manuscrito con el tipo de letra y el espaciado correctos. Tradicionalmente, el manuscrito se imprime en bandas de papel fotográfico de gran longitud denominadas galeradas, que se recortan y pegan posteriormente en las páginas determinadas. En la fase de composición gráfica se añaden las fotografías y los dibujos geométricos, así como los elementos de diseño, encabezamientos, y numeración de página. El tratamiento de composición gráfica requiere una notable destreza y mucha paciencia especialmente si se introducen cambios importantes cuando ya el tratamiento está avanzado. La composición de página con el método tradicional se divide, por consiguiente, en los dos pasos subordinados siguientes:

- Colocación de texto y gráficos
- Adición de retoques finales

Colocación de textos y gráficos

Antes de colocar el texto se requiere que se vuelva a escribir el manuscrito utilizando una máquina de composición tipográfica. A medida que se introduce el texto, el compositor tipográfico (cajista) añade órdenes especiales para cambiar los conjuntos de tipos y los estilos de letras así como para establecer los anchos de columna y el sangrado de texto. En general, el texto se corrige tanto antes como después de ser mecanografiado.

En la publicación clásica, se coloca el texto en primer lugar, dejando espacios en blanco para los gráficos. A continuación se colocan los gráficos.

Adición de retoques finales

Una vez que haya colocado el texto y los gráfico y que haya seleccionado el tipo de letra, necesitará hacer correcciones en la composición y añadir cualquier otro elemento de diseño final. Por ejemplo, quizá desee realzar sus gráfico mediante la colocación de reglas de separación en la parte superior y en la inferior.

Esta es la fase de limpieza. Deseará eliminar los errores restantes, buscar texto o gráficos indebidamente alineados, y, en general, corregir cualquier otro aspecto insatisfactorio de la composición. Busque las páginas que están "demasiado repletas" - aquellas que contengan un número excesivo de elementos de diseño. Los elementos de diseño deben guiar el ojo del lector de forma fácil y eficaz. Si no realizan esa función, no sirven de nada.

Impresión.

Teniendo en cuenta la cantidad de esfuerzo precedente, el tratamiento de impresión es trivial. Si el producto final va a ser elaborado en una impresora Láser, lo único que hay que realizar es elegir la orden "Imprimir" una vez más, incrementando quizás el número de copias. Sin embargo, si se va imprimir el producto final en una prensa de imprenta, debe llevar el producto obtenido mediante su impresora Lasser o máquina tipográfica a un impresor y ordenarle que realice una "tirada" . En cualquier caso, poco tiempo que hacer durante la fase de impresión es el paso final que hay que dar en la creación de un documento.

I.4. Técnicas tradicionales en el proceso de edición.

El mundo de las artes gráficas está configurado por mucho más que la mera impresión de publicaciones o impresos, y en él actúan personajes tan diversos por su profesión y oficio que sería imposible referirse a ellos como un grupo homogéneo. Acaso sólo por la función que desempeñan en el proceso de edición sea posible aglutinarlos en dos grandes grupos, ejecutivos y ejecutores. Los primeros serían los que asumen roles de decisión e instrucción del trabajo, lo que implica funciones de revisión y fiscalización; los segundos, los que realizan la edición propiamente dicha.

Cómo empezar

1. Definir el tipo de impreso que se va a trabajar, si carta, folleto, revista, libro o periódico.
2. Establecer las características generales del producto: extensión, forma.
3. Ponderar los contenidos, extensión del texto, número de gráficos.
4. Diseñar la presentación del impreso: distribución de contenidos.
5. Seleccionar la tipografía que se va a utilizar, distinguiendo la del texto propiamente dicho, titulares o cabezas, pies de fotos, pies de página, titulares o cabezas intermedias, epígrafes, sumarios, balazos, etcétera.
6. Definir los auxiliares plásticos: plásticos, espacios blancos, recuadros, pantallas, etcétera.
7. Esquematizar en un domi o machote o esquema la propuesta ideal.
asignando: tamaño real del impreso, extensión de las cajas, anchura del columnado, angostura de medianiles, espacio para cornisas y folios.
8. Ubicar los espacios destinados a los gráficos.
9. Ubicar las cabezas o titulares principales.
10. Volcar o "chorrear" el texto propiamente dicho de cada artículo o nota en el lugar previsto.
11. Ajustar los textos al espacio previsto.
12. Imprimir una prueba de la página.
13. Revisar la página.
14. Señalar en la prueba las observaciones pertinentes (incluso las impertinentes).
15. Realizar los cambios pertinentes.
16. Imprimir el original mecánico.
17. Montar una camisa sobre el original mecánico.
18. Indicar sobre la camisa observaciones para la imprenta, tintas, pantallas, numeración de gráficos, etcétera.
19. Continuar el proceso desde el punto ocho.

El proceso de edición

El proceso de edición de un impreso o publicación, entendido de manera global según las primeras definiciones de edición descritas, se puede dividir en dos grandes etapas: creación y producción.

La etapa de creación consiste en la planeación del producto y en la elaboración de sus contenidos, de acuerdo con las necesidades, objetivos, estrategias y lineamientos del editor, entendido éste en la aceptación de responsable general del proyecto editorial, ya sea que se trate de un libro o de un simple oficio.

Es importante señalar que aun cuando se trate del mensaje más pequeño, siempre habrá atrás de él un propósito, una idea clara de lo que se persigue con él, y por supuesto siempre estará presente el imperativo de encargar a alguien el aspecto creativo. En el caso de una carta, por ejemplo, seguramente será el propio ejecutivo el encargado de crear el mensaje, pero en todos

los casos antes de ello lo habrá planeado y cumplido así su rol de planificador, que mudará al de escritor en el momento mismo en que elabore la carta.

Resulta conveniente señalar que la planeación no es sólo una subfase, sino la base del trabajo, pues durante su proceso no únicamente se define lo que se quiere y cómo se quiere y se va a realizar, sino que también se precisan los elementos indispensables y auxiliares que harán posible alcanzar el objetivo deseado, según el presupuesto y equipamiento disponible. Igualmente es en la subfase de planeación donde se puntualizan, con base en una "ruta crítica", las metas y tiempos, tanto de la elaboración y depuración de contenidos, como de la producción, incluidas sus subfases. Es posible que se pretenda elaborar un libro en el lapso de un mes, pero si la planeación no es adecuada y los recursos materiales y humanos insuficientes, no se podrá cumplir el propósito según lo previsto. Por ello es de suma importancia realizar una planeación minuciosa y que considere todos los pasos que implica la edición.

Por otra parte, mientras más complejo sea el impreso o publicación, es decir, mientras más elementos contenga literarios, gráficos y mayor sea su diversidad, mayor será el número de profesionales que intervengan en esta fase de proceso: planificadores, responsables de área, escritores, redactores, correctores, fotógrafos, diseñadores, etcétera. El editor o responsable general podrá seguir siendo uno solo. Todos los personajes enunciados cumplen una función específica en esta etapa de creación. Bosquejada ya la del planificador, vale la pena detenerse en la tarea de los otros sujetos, cuya función --indispensable en el proceso-- puede ser desempeñada por una o varias personas, dependiendo ello de la versatilidad del profesional o profesionales participantes.

El escritor es, por antonomasia, el creador, y no sólo porque sea el autor del escrito que se va a imprimir, sino porque muchas veces él mismo define las características generales del impreso, incluyendo el diseño que considere más conveniente para enmarcar sus ideas. Sin embargo, en otras ocasiones su función se especializa exclusivamente en la redacción de un texto, dejando las demás funciones a otros profesionales.

Por ejemplo el corrector, cuyo papel puede desdoblarse en dos: corrector de estilo y corrector de pruebas. La primera función consiste en revisar el texto original, corrigiendo fallas ortográficas, sintaxis, etcétera, ajustando la redacción a criterios editoriales específicos y depurando en general el texto. La segunda consiste en revisar que el escrito tipografiado por el capturista sea fiel al original tal y como haya quedado después de la corrección de estilo. Esta función de corrección de pruebas incluye la revisión final del original mecánico y se retomará más adelante. El diseñador, por su parte, también es un creador, pues él ideará bajo criterios estéticos la forma ideal que tendrá el impreso. Su función puede incluir la manufactura de gráficas y tablas estadísticas, dibujos e incluso fotografías, aunque sería más conveniente dejar estos dos últimos aspectos en manos de expertos: dibujantes y fotógrafos.

Ponderado lo anterior, veamos punto por punto cómo empezar el proceso de edición, siguiendo un ejemplo concreto.

Un ejemplo

Supongamos que usted es maestro de historia y quiere editar un impreso dirigido a sus alumnos donde se expongan puntos de vista sobre la vida de un personaje.

Tiene a la vista libros de todos tamaños, periódicos grandes y chicos, revistas varias, folletos de índole diversa, volantes de características disímiles, oficios de todo tipo y formas de cartas personales, institucionales, etcétera.

Por supuesto, cuenta usted con un computador y una impresora láser, que son condiciones insoslayables para producir originales mecánicos de mínima calidad.

Ya sabe usted qué quiere y para qué lo quiere, pero aún duda sobre el medio adecuado para transmitir sus ideas.

Si su material intelectual es lo suficientemente vasto, seguramente optará por un libro. Si sólo quiere expresar dos o tres frases, elegirá un volante. Si considera que es un asunto personal o confidencial, la carta será el instrumento adecuado. Si además desea que otros colegas expongan también sus opiniones, pensará en un periódico (mural o de otra índole) o una revista. Puede ser que elija un folleto, pensando que lo va a escribir no rebasa las diez cuartillas, que el número de ejemplares no debe pasar de 100 y que, en fin, su presupuesto no alcanza para más.

Si es así, el paso siguiente consistirá en definir la extensión del folleto y su forma. Para lo primero, es necesario considerar los tipos de papel existentes en el mercado y la capacidad de su equipo de computación. Para lo segundo, y con base en lo anterior, puede consultar a un experto en diseño o tomar la decisión solo y su alma.

Formas de folletos hay varias y, salvo tres o cuatro variantes importantes, todas tienen las mismas características. Empiece por el folleto más sencillo o común; La forma francesa y de un solo plano. En cuanto al tamaño, piense en media carta: 21 cm (50 picas o cuadratines aprox.) de alto y 13.5cm (32 picas o cuadratines aprox.) de ancho, que será el tamaño efectivo del folleto una vez que refine las páginas según los puntos de registro de su hoja de estilo.

Ponderar los contenidos del folleto es el tercer paso. Se entiende por contenidos los elementos literarios (texto) y gráficos (fotografías, viñetas, grabados) que va a contener el impreso. Y ponderar significa considerar la extensión del texto y el número y tamaño de los gráficos, de manera que se pueda hacer un cálculo muy general pero muy preciso sobre el número de páginas que va a tener el folleto.

Es muy importante hacer este cálculo global si tiene planeado que el folleto se imprima en un taller especializado (imprenta, litográfica, etcétera), sin importar el número de ejemplares, pues hay una correspondencia inequívoca entre el número de páginas y la cantidad de pliegos de papel que se va a necesitar. Si en el tamaño elegido (media carta) caben cuatro páginas por pliego, el número ideal de páginas del folleto deberá ser la cantidad que se quiera siempre que el total equivalga a múltiplos de cuatro. Esto quiere decir que si sólo tiene 13 páginas consideradas, o le estará sobrando una o le harán falta tres. Puede dejar en blanco esas tres, pero entonces estará desperdiciando papel, lo que, según el número de ejemplares que quiera "tirar" (tiro de impresión), repercutirá en su bolsillo. Si no quiere encuadernado a caballo, solamente un lado de la hoja tendrá impresión y piensa imprimir en su láser, entonces el problema se reduce a sopesar el costo por página que tendrá. Aquí sólo considere el valor monetario del toner (medio millón de pesos, aprox.).

Una observación más, sea consciente de que el producto que usted va a obtener de su láser es lo que se denomina original mecánico, que lo mismo sirve para imprimir una copia que mil millones de ejemplares.

CAPITULO 2

LOS PROGRAMAS DE AUTOEDICION

2.1 Qué se entiende por Desktop Publishing.

El término desktop publishing.

Se puede traducir como "Publicidad de Escritorio" o bien como "Autoedición"; este último es el más aceptado y por ello el más empleado.

Autoedición es el término que mejor define la producción de publicaciones de alta calidad utilizando computadoras personales. Cuando Paul Brainerd, presidente y fundador de Aldus Corporation, acuñó la frase (Desktop Publishing), pensaba en un sistema de microcomputadora para que ejecutase la mayoría de las funciones necesarias para realizar una composición tipográfica de calidad. La autoedición se refiere a la realización de la página (composición tipográfica más composición gráfica) a un precio moderado. Es la capacidad para hacer en el hogar lo que anteriormente se enviaba a los servicios de diseño, composición tipográfica y fotocomposición gráfica.

Dos ventajas importantes de la autoedición son el coste reducido en la producción de publicaciones de calidad y la capacidad de poder producirlas con sus propios medios.

El resultado neto, según la idea de Brainerd, es el de que la calidad de las publicaciones comerciales mejora de forma sustancial.

Surgimiento de la autoedición.

La autoedición tuvo sus inicios en los años 70's, cuando la corporación Xerox introdujo la estación de trabajo Star. Esta computadora fue la primera en ofrecer un monitor con alta resolución que pudiera integrar texto e imágenes sobre la pantalla. También incorporaba un dispositivo revolucionario llamado 'ratón' (mouse), el cual permite al usuario mover el cursor a través de la pantalla mediante deslizamientos de este dispositivo en forma manual. Otras empresas posteriormente adoptaron esta interfase.

Es evidente en productos como los de Apple Macintosh, Microsoft Windows, Digital Research y del mismo Xerox.

El segundo componente de gran importancia para la autoedición fue la impresora láser, cuya primera impresora fue puesta en uso por Xerox en los 1970's.

Al mismo tiempo que la estación de trabajo Star ofrecía la habilidad de mezclar texto e imágenes en la pantalla, las impresoras láser ofrecían la capacidad de mezclar texto y gráficos en la página impresa.

2.2 Técnicas de autoedición y su similitud con las técnicas tradicionales.

Como se ha platicado en el capítulo anterior, la Autoedición y el proceso de edición tradicional tienen básicamente los mismos pasos:

- Planificación
- Diseño
- Creación de contenido (texto e imágenes)
- Composición de página
- Impresión

Pero el método tradicional involucra equipo caro y sofisticado, además de personal específicamente capacitado.

A continuación hablaremos de cómo se efectúan dichos pasos en la autoedición.

Planificación.

Este paso es totalmente independiente del tipo de proceso de edición que se seleccione para elaborar un documento. En virtud de que se efectúa el plan y el presupuesto del proceso, si se opta por la autoedición se tendrá una ventaja en cuanto al coste.

Diseño.

Al igual que en el método tradicional, para esta etapa hay que seguir los siguientes pasos:

Establecimiento de limitaciones del diseño.

Aquí intervienen los elementos con que se cuenta para efectuar su publicación, como el tipo de impresora, el programa de autoedición elegido, presupuesto, etc.

Definición de la composición de la página maestra.

Aquí se definen tamaño de página, márgenes, columnas y páginas opuestas. A pesar de que los programas de autoedición nos facilitan la definición de estas características, es conveniente elaborar externamente un machote o domi (principalmente en las primeras ocasiones) que nos sirva como guía.

Composición tipográfica.

En esta parte del diseño hay que determinar: tamaño de letra, presentación de la letra, espaciamiento horizontal, espaciamiento vertical y alineación. Las características aquí definidas deben estar basadas con las que soporte el programa de autoedición seleccionado. En la autoedición es muy recomendable que se definan las características de letra para cada párrafo antes de iniciar el trabajo con el programa elegido, en virtud de que al momento de definir el estilo estas características se puedan dar, ya sea desde el procesador de texto (utilizando las reglas definidas por el programa de autoedición) o bien directamente en el programa de autoedición.

Uso de elementos de diseño.

Estos elementos son las líneas, cuadros, rectángulos, y letras titulares que separan y realzan el texto. En la autoedición, la mayoría de estos elementos son creados mediante la computadora en las composiciones de página maestra o de detalle. La facilidad con la que se pueden aplicar los elementos de diseño en el entorno de la autoedición provoca que, a veces, se abuse de su utilización.

Creación del contenido

La finalidad de una publicación es la de difundir el texto y los gráficos que constituyen su contenido.

Generación de texto.

Casi todo el texto que se publica con un programa de autoedición se escribe en primer lugar en un procesador de textos. Los archivos de tratamiento de textos son posteriormente transferidos al programa de autoedición y utilizados por éste. Pero estos programas pueden además aceptar texto procedente directamente del teclado. Examinemos ambos métodos de generación de texto.

Paquetes para el tratamiento de textos. Existen considerables diferencias en la forma en la que los paquetes para el tratamiento de textos codifican en sus archivos la información de forma de la misma. (La información de forma incluye márgenes, sangrados, retornos de carro, tabulaciones, y especificaciones del tipo de letra.) Para que resulte eficaz, el programa de autoedición debe ser capaz tanto de poder leer los archivos como de poder recoger la mayor cantidad posible de información de forma de la misma. Los programas de autoedición (por completos que estén) no pueden manejar todos los paquetes de tratamiento de textos, por lo que deberá comprobar si el suyo produce archivos que pueda utilizar su programa de autoedición. Los programas de edición generalmente ignoran en todos los paquetes de tratamiento de textos algunos elementos de definición del formato. Entre estos están los

márgenes a la derecha (los sangrados a la derecha son normalmente interpretados), notas a pie de página, y cabeceras y pies de página.

Entrada desde el teclado. Para pequeñas cantidades de texto, tales como notas a pie de página, títulos y encabezamientos, la entrada directa desde el teclado en los programas de autoedición resulta más fácil que utilizar un procesador de textos. Además, con frecuencia no sabrá la cantidad total de notas a pie de página o de otro texto de apoyo que necesitará hasta que esté elaborando la composición final de página. Utilizando el teclado, puede colocar el texto exactamente en el lugar que quiera. En un procesador de texto, las notas a pie de página, títulos, y encabezamientos pueden estar contenidos en uno o más archivos, que posteriormente coloca en el lugar deseado. La otra, y única, alternativa que dispone es la de "recortar" una serie de encabezamientos y luego "pegarlos" a lo largo de la publicación.

Creación de gráficos, figuras o ilustraciones.

La autoedición utiliza figuras geométricas e ilustraciones (denominados genéricamente gráficos) como contenidos al momento de efectuar la composición de la página. El dibujo geométrico puede ser creado con una computadora y transferido directamente a la autoedición. Las fotografías y otros materiales similares pueden ser utilizados además de esta forma si son leídos -mediante una máquina (scanner) que convierte la imagen en una forma utilizable por la computadora.

La mayor parte de los gráficos entran a la autoedición con el tamaño en el cual fueron creados. Una vez dentro del programa de autoedición, pueden ser reducidos o ampliados para adaptarse al espacio asignado. Sin embargo, una modificación drástica de su tamaño afecta a la nitidez de la imagen final. Con la autoedición podemos, además, recortar un gráfico (cortarlo en dos dimensiones) para adaptarlo al espacio asignado. Aunque no se puede borrar parte de un gráfico, podemos revestirlo o encubrirlo con un sombreado de "papel" de color. También se pueden utilizar las herramientas de dibujo del programa de autoedición para realzar la imagen.

Los programas de gráficos asistidos por computadoras se utilizan para producir dibujo geométrico mediante la computadora. Hay dos tipos: programas de gráficos de mapas de puntos (bits), que crean archivos de "figuras pintadas", y programas de gráficos orientados al objeto, que crean archivos "de dibujo geométrico". Todos los archivos de imágenes leídas (por el scanner) son de figuras pintadas o de mapas de puntos. Examinaremos tanto los gráficos de figuras como los de dibujo geométrico, así como las imágenes leídas.

Gráficos de figuras pintadas. Los gráficos de figuras pintadas crean dibujos mediante una serie de puntos o "bits" que se pueden activar o desactivar. En la pantalla, estos bits, denominados pixels (elementos gráficos básicos), constituyen la más pequeña unidad de direccionamiento. El número de pixels por pulgada cuadrada determina la nitidez (o resolución) de lo que se ve y depende del adaptador de pantalla y del monitor que tenga. En una impresora láser la calidad de la imagen impresa final varía según el número de puntos por pulgada cuadrada que imprima. La mayoría de las impresoras láser personales imprimen normalmente 300 puntos por pulgada. Debido a la diferente resolución existente entre la pantalla y la impresora, quizá se adviertan diferencias en la nitidez de la imagen producida por cada una de ellas.

Las aplicaciones de computadora que generan gráficos de figuras pintadas incluyen Microsoft Windows Paint, PC Paint, PC Paint Brush, y Publishers Paint Brush. Utilice estas aplicaciones para dibujos y cualquier otro trabajo hecho a mano que tradicionalmente sería realizado por un artista o ilustrador.

Gráficos de dibujo geométrico. Los gráficos de dibujo geométrico utilizan órdenes de dibujo para crear la imagen. Por ejemplo, una orden podría ser esta: "traza una línea entre los puntos A y B". Los gráficos de dibujo geométrico se producen de la misma forma tanto en la pantalla como en la impresora. Por consiguiente, las imágenes de la pantalla y de la impresora son muy parecidas.

Los programas de aplicación para dibujo geométrico incluyen Windows "Draw!", In *a* Vision, AutoCAD, Lotus 1-2-3, y Symphony. La mejor utilidad de estos programas de aplicación es la de realizar formas geométricas precisas, tales como dibujos mecánicos y esquemas que se elaboran normalmente con una regla y un compás.

Imágenes leídas con un lector de imágenes. Las imágenes leídas son creadas por un lector de imágenes, (scanner), que es un dispositivo periférico de la computadora en el cual se coloca una fotografía para producir una imagen punto a punto en aquella. Usando un lector de imágenes, se puede crear una imagen a partir de dibujos, así como de fotografías en blanco y negro o en color. La resolución de la imagen tanto en la pantalla como cuando se imprime es una función del lector de imágenes y de la pantalla e impresora. Nunca es tan nítida como la de una fotografía. Por tanto, para muchas publicaciones debería usted utilizar las imágenes leídas tan sólo para crear una publicación de prueba para ajustar los tamaños y la colocación y luego que la imprenta comercial utilice la foto real en la impresión final. Los archivos de lector de imágenes de más alta resolución pueden ser muy grandes, y ocupar una cantidad considerable de espacio en el disco, y ralentizar el tratamiento de impresión. Considere usar una resolución más baja en la lectora de imágenes si dichas imágenes son tan sólo para ajustar el tamaño en una publicación de prueba.

Los archivos producidos por los lectores de imágenes deben o bien utilizar un archivo con formato de imágenes etiquetadas (Tag Image File Format TIFF), un formato especial creado para los lectores de imágenes, o bien ser creados mediante un programa de aplicación para gráficos que sea compatible, como por ejemplo el PC Paintbrush. Los lectores de imágenes que crean archivos que pueden ser leídos por la mayoría de los programas de edición incluyen los fabricados por Canon, DataCopy Corporation, DEST Corporation, Hewlett-Packard, MicroTec Lab y Ricoh Systems.

Composición de página

Con la aparición de la autoedición, el tratamiento seguido en la composición clásica se ha simplificado y requiere menos habilidad. Además, los cambios importantes se pueden realizar con un menor esfuerzo. La autoedición ha cambiado también el orden de las funciones. Dado que el texto ya está en formato de galerada cuando sale del procesador de textos, en el primer paso para la composición de página, se colocan el texto y los gráficos en el diseño de la página. A continuación se selecciona los conjuntos de tipos que se deseen (si es que esto no se ha hecho en el procesador de textos). Por último, se ajusta la composición y se le aplica cualquier otro elemento de diseño restante.

La composición de página en el entorno de una autoedición se divide, por consiguiente, en los tres pasos subordinados siguientes: colocación de texto y gráficos, selección de conjunto de tipos y adición de retoques finales.

Colocación de textos y gráficos.

Al principio, cuando utilice la autoedición probablemente empleará la mayor parte de su tiempo en la colocación de texto y gráficos. De lo bien que construya la rejilla de diseño y elabore el texto y los gráficos depende la facilidad con la que se desarrollará el procesamiento de colocación. Con la experiencia, puede emplear una mayor proporción de su tiempo en la planificación y el diseño. Sin embargo, la colocación de texto y gráficos siempre será una parte importante de la autoedición, tal y como lo es en la publicación clásica.

En la publicación clásica, se coloca el texto en primer lugar, dejando espacios en blanco para los gráficos. A continuación se colocan los gráficos. En la autoedición, resulta más fácil colocar y determinar el tamaño de los gráficos en primer lugar para posteriormente "desplazar" el texto a su alrededor. En las publicaciones siguientes realizará con mucha frecuencia estas tareas.

Composición tipográfica.

En la autoedición, el manuscrito se mecanografía tan sólo una vez en un procesador de textos, por lo que solamente necesita ser corregido una vez -antes de ser transferido al programa de autoedición. Las únicas tareas de composición tipográficas que quedan son las de identificar los cambios de conjuntos de tipos y las de establecer los anchos de columna.

La composición tipográfica en la autoedición se reduce, por tanto, a la selección del conjunto de tipo de letra, es decir, determinar qué forma se va a utilizar, su tamaño, su estilo, y el lugar en el que se va a colocar. Incluso puede usted hacer esto en su procesador de textos.

Adición de retoques finales.

Durante el tratamiento de autoedición, imprima con frecuencia su publicación para ver qué aspecto tiene. Mientras esté añadiendo los retoques finales, esto adquiere una importancia doble. Puede obtener una imagen en pantalla tipo LOVELLO (Lo Que Ce Es Lo Que Obtiene), pero resulta casi imposible visualizar el producto final sin imprimirlo un cierto número de veces.

Impresión

En la autoedición, la impresión tan sólo tiene importancia para completar el ciclo de publicación.

2.3 Comparación del proceso tradicional contra la autoedición.

En la tabla se presenta una del proceso de edición tradicional contra la Autoedición.

2.4 Programas Orientados al Desktop Publishing.

Desde el inicio de la Autoedición, han surgido programas diversos aplicados al proceso de la edición; existen unos más completos que otros, de aquí que surge una primera clasificación: Programas "mayores" o completos y Programas "menores".

Programas "mayores".

Como programas mayores o completos tenemos a PageMaker y Ventura Publisher. En virtud de que el curso está enfocado al uso de éstos, se analizarán y detallarán en los capítulos correspondientes (3 y 4).

Programas "menores".

Los programas menores son aquellos que tienen más limitantes en cuanto a facilidades de edición; estas limitantes pueden ser en cuanto a las herramientas tipográficas que ofrece, al manejo de gráficos, al tipo de impresora que empleen, a los requerimientos de hardware, entre otras. Sin embargo el costo se reduce considerablemente con respecto a los programas clasificados como mayores. Dependiendo del tipo de documento que se desee elaborar se podría utilizar alguno de estos programas logrando una buena calidad a bajo costo.

Como ejemplos de programas pertenecientes a esta clasificación tenemos: Express Publisher, Finesse, Gem Desktop Publisher, Pagebuilder, PFS:First Publisher, Publish it! y Springboard Publisher. En el apéndice "B" se presenta un artículo en donde se analizan y se comparan estos programas.

ESTADO	TECNICA TRADICIONAL	AUTOEDICION
Escritura	Los autores crean el texto en una máquina de escribir	Los autores crean el texto en un procesador de palabra
Edición	Los editores hacen marcas con lápiz rojo sobre el escrito. Si son muchos los cambios se reescribe todo el texto	Los editores hacen cambios al archivo de texto elaborado con el procesador de palabra.
Tipografía	El operador de la máquina tipográfica reescribe el manuscrito en la máquina siguiendo las instrucciones del editor acerca de tamaño y selección de tipos de letra. El texto es escrito en galeras las cuales están ajustadas al ancho de la columna pero no al largo. Las galeras son probadas y adecuadas.	El editor aplica 'etiquetas' a elementos del archivo de texto (como el encabezado). Estos elementos automáticamente toman características apropiadas
Ilustración	Un artista crea símbolos, gráficos o dibujos usando plumillas y otras herramientas	Un artista crea símbolos, gráficos o dibujos usando programas de dibujo o diseño.
Diseño de la página	El diseñador crea espacios en blanco donde se 'vaciarán' las pantallas, utilizando lápiz azul marcando el lugar de las columnas de texto.	El diseñador crea una hoja de estilo para la publicación. Esta tarea solo se efectúa una sola vez.

ESTADO	TECNICA TRADICIONAL	AUTOEDICION
Montado	El especialista ensambla los negativos de las gráficas en las 'ventanas' de las páginas.	El especialista ensambla únicamente los elementos no incluidos ya en la página.
Impresión	Los negativos ensamblados son agrupados en un 'plano' de 4,8 ó 16 páginas formando un gran plato. La publicación es impresa en hojas grandes las cuales son después cortadas compaginadas y encuadernadas para obtener el producto final.	Los editores hacen cambios al archivo de texto elaborado con el procesador de palabra.
Tipografía	El operador de la máquina tipográfica reescribe el manuscrito en la máquina siguiendo las instrucciones del editor acerca de tamaño y selección de tipos de letra. El texto es escrito en galeras las cuales están ajustadas al ancho de la columna pero no al largo. Las galeras son probadas y adecuadas.	El operador de la máquina tipográfica reescribe el manuscrito en la máquina siguiendo las instrucciones del editor acerca de tamaño y selección de tipos de letra. El texto es escrito en galeras las cuales están ajustadas al ancho de la columna pero no al largo. Las galeras son probadas y adecuada

CAPITULO 3.

EL PROGRAMA DE AUTOEDICION PAGEMAKER.

3.1 Acerca de PageMaker.

PageMaker es uno de los programas de autoedición clasificado como "mayor" o completo. Fue creado por Aldus Corporation para Macintosh. Trabaja bajo el ambiente Windows.

Requisitos de hardware.

PageMaker se distribuye en presentaciones de 9 discos de 5 1/4" o 5 de 3 1/2". Requiere de equipo IBM AT u otro 100% compatible, o bien IBM PERSONAL SYSTEM/2 modelos 30,50,60 u 80. De memoria requiere de un mínimo de 512 Kb, pero se recomienda los 640 Kb especialmente si se están usando programas en memoria residente o instalándose en una red.

Se requiere de un adaptador de video, compatible con Windows, la misma compatibilidad se exige para la impresora y el mouse y una versión de DOS 3.0 o posterior.

Se recomienda un espacio en disco duro mínimo de 10 Mb disponibles. PageMaker necesita de 2 Mb para instalarse en conjunción con Windows y 1.5 si usted ya cuenta con un Windows instalado.

3.2 Ambiente Windows.

En virtud de que PageMaker trabaja bajo ambiente Windows, abordaremos este tema para introducirnos y conocer sus características.

Se puede observar que desde MS-DOS se tiene la posibilidad de ejecutar un solo programa a la vez, esto quiere decir que no podemos correr en forma simultánea a más de un programa en un computadora personal.

En la actualidad se cuenta con un paquete que nos da la posibilidad de correr en forma simultánea a más de un programa a la vez, y el número de programas que se corren en forma simultánea depende de la memoria de nuestra PC, este programa se llama WINDOWS y nos presenta una serie de ventanas (de ahí su nombre) que son muy amigables y facilitan el trabajo en la computadora haciéndola además, mucho más eficiente.

Como se había dicho anteriormente WINDOWS se maneja por ventanas y en cada ventana se tiene una aplicación, es decir, que al correr un programa se crea una ventana para cada uno. De esta

manera si se desea pasar a otro programa sólo se debe correr tal programa y se crea una nueva ventana sin descargar el programa anterior, únicamente se pasa de la ventana de una aplicación a otra.

Ya se vió que WINDOWS se divide en ventanas, pues bien, una ventana es una región rectangular de la pantalla, esta región rectangular se encuentra delimitada por unas líneas, estas líneas se encuentran en los cuatro lados de la ventana. Si se tiene activa una sola ventana, se verá solamente ésta, pero si se tienen varias existe la posibilidad de tener una detrás de otra o minimizar la ventana para convertirla en un ícono (un ícono es una figura que nos representa algo en particular).

Las ventanas en WINDOWS se pueden redimensionar, y para eso se coloca el cursor en el límite que se desea redimensionar y oprimir el botón del ratón, con lo cual aparecerá el cursor como una doble flecha, lo que sigue es mover el cursor al nuevo lugar deseado. Para mover el forma horizontal se selecciona un límite vertical y para hacerlo en forma vertical se realiza sobre un límite horizontal. Se tiene la posibilidad de redimensionar la ventana en ambos sentidos (horizontal y vertical), para poder realizar esto se coloca el cursor sobre la esquina que se desea redimensionar y se oprime el botón, con esto aparecerá el cursor como una doble flecha y solo resta mover el cursor al nuevo lugar.

Cuando se tienen diferentes ventanas abiertas se pueden traslapar una con otra, si se desea pasar a una ventana que se encuentra bajo otra y se asoma alguna parte de ella, solo se debe colocar el cursor en ese lugar de la ventana y pulsar el botón del ratón, con esto se pasara al frente dicha ventana. Si la ventana esta totalmente cubierta se puede indicar que esa ventana se minimice (convertirla a un ícono), para esto se tiene un pequeño cuadro en la esquina superior izquierda, este cuadrito es para el control de la ventana. En este menú se tiene las opciones de Restaurar (Restore) la ventana a sus características iniciales, de Mover (Move) la ventana a otra posición del monitor, de Dimensionar (Size) la ventana, de Minimizar (Minimize), de Maximizar (Miximize), de cerrar la ventana (Close) y de pasar a la siguiente ventana (Next). Al minimizar la ventana activa se convierte en un ícono que se despliega en la parte inferior del monitor, cuando se maximiza la ventana ocupa todo el monitor, es decir que se tiene ocupado todo el monitor en la ventana activa. Para mover la ventana se escoge Move, con lo cualse moverá la ventana, pero solo si no esta maximizada. Para salir de tal ventana cerrandola (cerrando el programa) se escoge Close, con lo cual salimos de la aplicación que teniamos en esa ventana en forma definitiva hasta que la volvamos a correr nuevamente.

Por medio de WINDOWS se puede utilizar o compartir información de diferentes paquetes de aplicación, esto se realiza por medio del Clipboard. El Clipboard se activa en forma automática, esto es cuando se indica en un programa que se copia o se introduce al buffer, lo que pasa es que se introduce en un segmento de memoria que es común a todas las ventanas de WINDOWS. Una vez hecho esto solo se coloca el cursor en la ventana deseada y se coloca el cursor en el lugar que se desea introducir, por último solo se indica en el menú Edit que se desea introducir lo que se tiene en el buffer.

En cada una de las ventanas de windows se tienen unos cuadritos en la esquina superior derecha, estos cuadritos tienen una flecha cada uno, el más interno dirigida hacia abajo y la externa hacia

arriba, estas flecha sirven para maximizar o minimizar las ventanas. La flecha hacia abajo es para minimizar y la que esta en sentido contrario es para maximizar la ventana.

En cada ventana se nos presenta una serie de menús, estos menús corresponden a cada aplicación, por lo que pueden diferir unos de otros.

Además de las barras de menús, los contornos de la ventana, el menú de control de la ventana, los pequeños íconos de maximización y minimización de la ventana; se tiene las barras de desplazamiento vertical y horizontal. Estas barras solo se presentarán en las aplicaciones que no pueden presentar toda la información en una pantalla y sea necesario moverse en forma vertical y horizontal para poder desplegar la información. Las barras que se encuentran en la parte derecha de la pantalla son las barras de movimiento vertical, es decir, para movernos a través de las líneas del contenido de la ventana, y las que se presentan en la parte inferior de la pantalla es para el movimiento horizontal; este movimiento corresponde al movimiento sobre el sentido horizontal de la hoja.

Se tiene la posibilidad de realizar el movimiento en forma pausada, esto se realiza colocando el cursor sobre el cuadrado que tiene una flecha, para el movimiento hacia abajo de la publicación se tiene en la parte superior de la barra un cuadrado con la flecha hacia abajo, pulsando el botón del ratón teniendo el cursor sobre ese cuadrado se realiza un movimiento hacia abajo por pasos, cada click del ratón es un movimiento a paso. Para el movimiento contrario se tiene otro cuadrado en el lugar opuesto del anterior y funciona en forma semejante.

Para el movimiento en forma rápida se coloca el cursor sobre la pequeña barra que se encuentra en la guía de movimiento y se presiona el botón del ratón, sin dejar de oprimir el botón del ratón se arrastra el cursor al lugar deseado y se suelta con lo cual se mueve el contenido de la pantalla en el sentido que se haya movido el cursor.

Para el movimiento horizontal se tiene las mismas posibilidades que el movimiento vertical.

Para terminar la sesión con WINDOWS se coloca el cursor sobre el cuadro correspondiente al control de la ventana y se presiona el botón del cursor, con esto nos presentará el menú del control de la ventana, se escoge el renglón del comando Close y posteriormente se saldrá a la ventana del manejador de archivos de WINDOWS.

En Page Maker se tiene las opciones anteriores, además de las de activación del Clipboard para su modificación, la de activación del panel de control, la activación del Notepad (utileria de WINDOWS, para introducir pequeñas notas y la del Spooler, para el control de impresión.

3.3 Descripción de comandos de PageMaker

El paquete Page Maker nos presenta una ventana principal con todas las opciones y utilerías que podemos utilizar.

Se tienen siete opciones principales con las cuales se maneja todo con lo que cuenta Page Maker. El menú consta de las opciones FILE, EDIT, OPTIONS, PAGE, TYPE, LINE y SHADES.

FILE.

En la opción FILE se maneja todo lo relacionado con los archivos, incluyendo la dimensión de la hoja a usar, la definición de la impresora y la impresión.

New :Se utiliza para indicar a Page Maker que se iniciará una nueva publicación. Al seleccionar esta opción nos presenta la ventana para la definición de la hoja a utilizar. La definición de hoja incluye el tamaño, el sentido de la hoja (horizontal o vertical), el numero de hoja inicial, el numero de hojas, la indicación si se trata de doble lado, y los márgenes.

Open :Esta opción sirve para indicar que se va a abrir una publicación ya existente.

Close : Sirve para cerrar una publicación sin salvar los cambios realizados.

Save : Con esta opción se indica que se va a salvar la publicación. Si la publicación ya tiene nombre la salva con el mismo nombre, y si no pregunta por el nombre con el cual se va a salvar.

Save as : Esta opción sirve para salvar una publicación con otro nombre, es decir, que si la publicación que estamos manejando ya tiene un nombre y deseamos salvarlo con otro nombre se debe realizar por medio de esta opción.

Revert : Cuando se han hecho modificaciones a una publicación y por alguna razón deseamos el archivo original, se puede obtener al seleccionar esta opción.

Export :Esta opción sirve para exportar texto de nuestra publicación a un archivo.

Place : Con esta parte del menú se importa el texto a utilizar. El archivo que se desea integrar a la publicación se introduce seleccionando Place, además nos da la opción de integrar solo texto, realizar conversión de comillas, realizar lectura de estilos (si es que el procesador es capaz de manejarlo).

Page Setup :Para definir las características de la hoja a utilizar se realiza por medio de esta opción. Estas características son : Page size (Tamaño de papel), Orientation (Orientación), Start page (Pagina inicial), of pagese (de páginas, numero de páginas), Option (Doble lado y páginas encaradas) y por ultimo los márgenes.

Print : Con esta operación lo que se hace es imprimir el contenido de una publicación. Dándonos la oportunidad de dar el numero de copias del documento, si se desean clasificadas las copias, el orden de impresión, especificar las páginas a imprimir, si se desea separar los colores, si se quiere imprimir la marca de corte de la hoja real, la impresora, el tamaño de la hoja, etc.

Printer Setup : Esta opción es para las especificaciones de la impresora, tales como; la resolución gráfica, escoger el modelo de la impresora, especificar el alimentador de papel, las dimensiones de papel, y los fonts.

Exit : Sirve para terminar con el uso de Page Maker, es decir, Salir del paquete.

EDIT :

En este menú se cuentan con todas las operaciones de edición, tales como borrar, copiar y copiar de texto, deshacer la operación anterior, selección de todo un párrafo, preferencias, etc.

Undo : Esta operación sirve para anular la ejecución de alguna operación anterior.

Cut: Sirve para introducir un texto seleccionado al buffer para después hacer uso de l.

Copy: Sirve para insertar el texto que se tiene seleccionado en el buffer, para después insertarlo en el lugar deseado.

Paste: Sirve para insertar el contenido del buffer en el lugar que se encuentra en cursor.

Clear: Tiene la función de borrar definitivamente un texto que ha sido seleccionado.

Select all: Tiene la función de seleccionar todo el párrafo en donde se encuentra el cursor.

Bring to front: Tiene la función de enviar el gráfico seleccionado al frente.

Send to back: Tiene la función de enviar el gráfico seleccionado a la parte de atrás.

Preferences: En esta opción se definen las unidades para las mediciones.

OPTIONS :

En este menú se tiene las opciones para la aparición de reglas, localización del cero, mostrar guías, ajustar con guías y reglas, guías de columnas, flujo de texto, control de las esquinas de los recuadros, etc.

Rulers: Con esta operación se pueden mostrar las reglas en la ventana de edición.

Snap to rulers: Con esta opción se ajusta el texto con las reglas.

Zero lock: Si se tiene apagada esta opción se puede mover el punto cero de las reglas, si se encuentra encendido no.

Guides: Con esta opción se indica que nos muestre en la ventana de edición las guías de las columnas, o que no las muestre.

Snap to guides: Al encender esta opción se indica a Page Maker que se desea ajustar el texto con las guías.

Lock guides: Si la opción se tiene apagada se tiene la posibilidad de mover las guías de columna, en caso contrario no.

Column guides:Esta opción sirve para indicar el numero de columnas se utilizaran en el documento, así como el espaciamiento entre las columnas.

Autoflow:Si se encuentra encendida se indica que el texto fluirá en forma automática por las columnas hasta que se tenga todo en el documento. Si se encuentra apagada se debe indicar como se realizará el flujo del texto sobre la hoja del documento.

Text wrap:Sirve para indicar el ajuste del texto, una vez que se selecciona se presenta una nueva pantalla en la cual se tiene la opción de indicar la forma que fluirá el texto sobre los gráficos (an rededor, sólo por arriba y de bajo).

Define colors:Con esta función se definen los colores para utilizarlos en la publicación.

Rounded corners:Sirve para indicar el grado de curvatura en los recuadros creados en Page Maker.

Toolbox:Si se tiene encendido se indica que despliegue en la ventana de edición la caja de utilerías que se presenta en la parte superior derecha. En esta caja se tiene ocho posibilidades, que engloban los gráficos (recuadros con aristas afiladas, con aristas redondeadas, líneas; tanto oblicuas como perpendiculares, modo texto y modo apuntador).

Scroll bars:Si se tiene encendido se indica que presente las barras de movimiento (horizontal y vertical).

Style palette:Si se tiene encendido se indica que presente la paleta de estilos, esto estilos son un conjunto de atributos asignados a un nombre, y este nombre se puede asignar a un determinados párrafo para darle todos los atributos en forma mas sencilla y uniforme.

Color palette:Si se tiene encendido se indica que despliegue la paleta de colores. Estos colores se pueden asignar a un determinado texto seleccionándolo primero y después asignarle el color deseado.

PAGE:

En este menú se maneja todas las opciones referentes a las páginas de la publicación. Tales como el tamaño de la publicación a la hora de presentarla en la ventana de edición (100, 75, 50 y 200 %, ajustar a la ventana), pasar a una pagina determinada, borrar páginas, insertar páginas, desplegar las señales maestras de la hoja y copiar las mismas.

Actual size:Despliega la publicación en la ventana de edición al tamaño natural, es decir al 100 %.

75% size ,50 % size y 200 % size : Despliegan la publicación al tamaño indicado por el porcentaje.

Fit in window:Ajusta la hoja de la publicación al tamaño de la ventana para que se despliegue en forma completa.

Go to page:Despliega en la ventana de edición la hoja que se le indica.

Insert to page: Inserta una o varias hojas en el lugar que se quiera (antes o después de la hoja actual).

Remove pages: Borra una o varias hojas, indicándole de que pagina a que pagina.

Display master items: Despliega los detalles maestros de la hoja.

Copy master items: Copias los detalles maestros de la hoja.

TYPE:

En este menú se especifican los tipos de letra que se utilizaran en el documento, así como las justificaciones de los párrafos, los espaciamientos de los mismos, los tabuladores y los estilos.

Normal: Indica que los caracteres a utilizar son los normales.

Bold: Los caracteres seleccionados se cambiaran a negrillas.

Italic: Caracteres itálicos.

Underline: Caracteres subrayaran.

Strikethru: Caracteres tachados.

Reverse: Caracteres en video inverso.

Type specs: Se especifica el tipo de los caracteres a utilizar como tipo de letra base. Se especifican el font, el tamaño, el espaciamiento entre líneas, estilo (normal, negrillas, itálico, etc.), posición (normal, superscript, subscript) y tipos de caracteres (normal, todas mayúsculas, todas minúsculas).

Paragraph: Se especifican los atributos de los párrafos, tales como el guionado, el ajuste entre pares de letras, la alineación del párrafo, las indentaciones y los espaciamientos interparrafos.

Define styles: Se definen las etiquetas y sus atributos para poder asignar esas etiquetas a los párrafos en forma sencilla. Los atributos son desde el tipo de caracter, los atributos de párrafo, los tabuladores y los espaciamientos.

Spacing: Se especifica los espaciamientos entre palabras, entre caracteres, el de guionado y el espaciamiento entre líneas.

Align left: Alineamiento hacia la izquierda (de párrafo)

Align center: Alineamiento centrado.

Align right: Alineamiento hacia la derecha.

Justify:Justificación del párrafo a todo el espacio de edición.

LINES:

En este menú se controla los atributos de las líneas tales como los grosores y tipos de línea.

None:Especifica que no se tendrá ninguna línea.

Hairline:Especifica el tipo de línea delgada. A continuación se tienen diferentes grosores y tipos de línea, de los cuales se selecciona uno para la asignación a la línea seleccionada.

SHADES:

En este menú se controlan los atributos de las sombras asignadas a un determinado gráfico, así como la intensidad de ellos.

None:No se tiene ninguna sombra.

Paper:Se especifica como el color del papel.

Solid:Se tiene una sombra totalmente del color. A continuación se tienen diferentes tipos e intensidades de sombra, de las cuales se selecciona una para la asignación.

3.4 CREACION DE UN DOCUMENTO EN PAGE MAKER.

Lo primero a realizar para cargar Page Maker es cargar Windows, ya que Page Maker solo puede correr bajo ambiente Windows. Para correr Windows se da el comando Win, posteriormente a hacer esto se presenta una ventana, en esta ventana se tienen todos los archivos que se encuentran en el subdirectorío actual. @paranaranjado = Una de las características de Windows es que se pueden correr varias aplicaciones al mismo momento (en diferentes ventanas), de tal manera que se puede cambiar de una aplicación a otra. Para correr Page Maker es necesario pasarse al drive y subdirectorío correcto, para hacer esto se coloca el cursor en el icono del drive correcto y se pulsa dos veces el botón del ratón, al hacer esto nos presenta los archivos y subdirectoríos que se encuentran en el drive especificado, ahora se coloca el cursor sobre el subdirectorío donde se encuentra Page Maker y se presiona dos veces al ratón. Al encontrarse en el subdirectorío correcto nos mostrara todos los archivos pertenecientes al subdirectorío en uso (subdirectorío de Page Maker), en seguida se escoge el archivo llamado pm.exe y se oprime dos veces el botón del ratón, al hacer esto se desplegará la ventana de edición de Page Maker con información adicional del paquete.

TRABAJO CON UNA PUBLICACION EXISTENTE.

Si se desea abrir una publicación ya existente se selecciona del menú FILE la opción OPEN, con esto nos desplegará una caja de diálogo, en la cual se tiene una lista de archivos referentes

a las publicaciones que se tienen, solo falta seleccionar el archivo e indicar si se desea abrir el original o realizar una copia del archivo, por último seleccionar OK.

UNA NUEVA PUBLICACION.

Si se desea comenzar una nueva publicación se selecciona del menú FILE la opción NEW, al hacer esto nos desplegará la caja de dialogo correspondiente a la definición de la hoja. En esta caja de dialogo se indica las dimensiones de la hoja, el sentido de la hoja (horizontal o vertical), si se trata de una publicación de doble lado y los márgenes de la hoja.

DEFINICION DE IMPRESORA.

Se debe definir la impresora a utilizar, para esto se cuenta con las impresoras que se indicaron al momento de instalar Windows, por lo tanto si deseamos otras impresoras se deben especificar en la instalación de Windows y no de Page Maker. Para realizar la definición de la impresora a utilizar se realiza desde el menú FILE con la opción Printer Setup... , con esta selección nos presentará una caja de dialogo en la cual nos presenta los manejadores de las impresoras disponibles, de esta se debe seleccionar la deseada , una vez hecho esto se debe definir, para esto se selecciona la opción Setup y nos despliega una segunda caja de dialogo. en esta caja de dialogo se tiene información más específica del la impresora como el número de copias, el tamaño del papel, la orientación del papel, alimentador de papel, la impresora a utilizar, memoria de la impresora y cartucho de tipos de caracter. Se dan las especificaciones necesarias y se selecciona la opción OK.

DEFINICION DE PAGINA MAESTRA.

Una vez hecho esto se debe definir la distribución de la hoja base, es decir la malla de distribución del documento.

Se debe decidir el número de columnas a utilizar en el documento, para definir esto se realiza en el menú OPTIONS, la opción Column guides ..., al hacer esta selección aparece una caja de dialogo preguntando por el número de columnas y el espacio entra columnas.

Es conveniente que se tengan las guias de columna visibles para tener una visión más amplia de la distribución de la publicación, para esto se activa en el menú OPTIOINS la opción guides. Al crear la distribución de la publicación se pueden crear reglas en forma horizontal y guias verticales (estando activo el modo apuntador), las guias verticales se crean al definir el número de columnas de la publicación y las reglas se crean colocando el cursor sobre la regla horizontal y mantener oprimido el botón del ratón, de esta manera aparecera un cursor con doble flecha, lo siguiente es mover la regla (sin soltar el botón del ratón) al sitio deseado. y soltar el botón del ratón.

Para poder cambiar de lugar las guias de columnas se debe tener activa la opción Lock guides del menú OPTIONS.

COMPOSICION DE LA PAGINA.

INTRODUCCION DE TEXTO.

A continuación se debe vaciar la información que va a constituir la publicación, para esto se debe decidir entre al flujo automático o manual de texto, para que el flujo del texto sea automático se debe activar la opción Autoflow del menú **OPTIONS**. Ahora solo resta introducir el texto, si el texto se encuentra en algún archivo se hace uso del comando **Place** del menú **FILE**, seleccionando el archivo de la lista que nos presenta. Si el archivo se encuentra en un subdirectorio, se debe seleccionar tal subdirectorio y presionar dos veces al botón al ratón, si el subdirectorio no se encuentra en el actual, se debe salir a un nivel superior para lo cual se selecciona **[..]** y se presiona dos veces el botón del ratón. Para encontrar el subdirectorio correcto se debe hacer uso de estos dos pasos en forma sucesiva hasta encontrarlo. Si el archivo se encuentra en otra unidad de disco se selecciona el drive correspondiente y se busca la ruta como se mencionó anteriormente. Para terminar los pasos necesarios se selecciona el archivo y se indica **OK**.

Una vez hecho esto el cursor toma la forma de un cuadrado con una línea ondulada, la cual indica que se va a introducir un archivo y el flujo será automático. Se coloca el cursor donde comenzará el texto y se presiona el botón del ratón.

Si se desea que el flujo sea manual se debe tener apagado el comando **Autoflow** del menú **OPTIONS**, con esto el cursor tendrá la forma de un cuadro con unas líneas representando el texto, a continuación se coloca el cursor en donde comenzará el texto y se presiona el cursor del ratón, sin soltar el botón se mueve el cursor hasta la parte inferior de la columna en donde se tendrá el texto y se suelta el cursor. Aparecerá en la parte superior e inferior del texto unas líneas con una especie de asitas en el centro, el la asita de la parte superior se tendrá en blanco y en la de la parte inferior un **#** o **+**, si se tiene una **#** quiere decir que ya no se tiene más texto y si se tiene un **+** querrá decir que hay más texto. Para seguir el flujo del texto se debe coocal el cursor en el **+** de la asita, con lo cual tomara nuevamente la forma del cuadrado con líneas y se colocara el cursor en donde continuará el flujo del texto abriendo el espacio de la misma manera que se hizo anteriormente.

Si el texto no cabe en la página actual es necesario introducir una nueva página; para introducirla se activa el comando **Insert pages** del menú **PAGE**, al hacer esto aparecerá una caja de dialogo, en la cual se especifica el número de páginas a introducir y se da **Ok**.

Para borrar una o varias páginas se activa el comando **Remove pages** del mismo menú, y se especifica de que página a que página se desea borrar, y **OK**.

Para mover todo un bloque de texto se debe tener activo el modo apuntador, se selecciona el bloque colocando el cursor en el y presionando el botón del cursor en forma fija hasta que aparezca un cruz, la cual indica que se puede mover el bloque a su nuevo lugar.

Si se desea redimensionar los bloques se efectúa colocando el cursor sobre la línea inferior o superior (depende del lugar que se desea mover) y se mueve la línea a su nuevo lugar.

Para introducir texto en Page Maker se debe tener activo el icono de texto de la caja de utilerías (parte superior derecha, tiene una **A**). En este modo se tiene el cursor con la forma de una **I**, se coloca el cursor donde se desea introducir el texto y se presiona el botón del ratón, conesto

aparecerá una barra vertical en ese lugar, solo resta introducir el texto sin retornos hasta el fin del párrafo.

Para dar una uniformidad en la apariencia del texto se hace uso de los estilos, es decir una serie de características que se asignan a un nombre y ese nombre se le puede asignar a los párrafos para que sea uniforme. Estos estilos pueden ser muchos, y escogerlos para la asignación de cada párrafo, según su contenido.

Para hacer uso de la paleta de estilos se debe indicar que la coloque en la ventana de edición, esto se indica activando el comando Style palette del menú OPTIONS. A continuación se deben ver las características para cada tipo de párrafo, por ejemplo; para un título se desearía que se tuviese un tamaño mayor que el demás texto y que estuviese centrado además con diferente tipo de letra, en cambio se querría que el texto que forma el cuerpo del documento tuviese un tamaño menor, que fuese justificado a los márgenes y que tuviese una indentación en la primer línea de cada párrafo. Como se ve las características tipográficas de cada tipo de párrafo son diferentes, por lo cual se debe indicar todas estas características en diferentes estilos y posteriormente asignarlos a los párrafos correctos.

Herramientas tipográficas. Para ver las posibles características tipográficas primero se verá toda la tipografía que se tiene.

La tipografía se maneja desde el menú TYPE, en donde los primeros seis comandos se aplican para texto seleccionado. Para seleccionar texto se debe tener activo el modo texto y colocar el cursor donde comienza la selección de texto y sin soltar el botón del ratón se mueve el cursor al lugar donde termina el texto seleccionado. De esta forma se tiene el texto en video inverso, solo resta asignarle la tipografía deseada. Si se quiere tener en negrillas se escoge el comando Bold, Italics si se desea itálicas, underline (subrayado), tachado (strikethru) y en video inverso (reverse). Para especificar el tipo del carácter se activa el comando Type specs y se indica el carácter, el tamaño, el interlineado, el tipo (bold, italics, etc), la posición del carácter (normal, subíndice, pureíndice) y si se quiere un mayúsculas o minúsculas). También se puede especificar atributos a todo un párrafo, tales atributos son el guionado, el espaciamiento entre caracteres, la alineación, las indentaciones y los espaciamientos interpárrafo. Se tiene también la definición de los tabuladores, que pueden ser con alineación derecha, izquierda, centrados y decimal, se puede también indicar el carácter de relleno entre el fin del párrafo y el tabulador. El espaciamiento entre palabras y letras se define en el comando Spacing, así como el método de espacio entre líneas (que puede ser proporcional al tamaño de los caracteres y tomando en cuenta las mayúsculas). Por último son los alineamientos que pueden ser de cuatro tipos: a la izquierda, derecha, centrado y justificado, estos son los últimos cuatro comandos del menú TYPE.

Todas las definiciones de tipografía se pueden incluir en los estilos y hacer uso de ellos en forma muy sencilla.

Para hacer la definición de los estilos se activa el comando Define styles del menú TYPE, al hacer esto nos aparecerá una caja de dialogo con los estilos actuales y los iconos referentes a la adición de estilos, la edición, la posibilidad de borrarlos y la de copiar los estilos. Si se desea dar de alta un estilo se recomienda hacerlo bajo un nombre que describa el contenido del mismo, y se efectúa seleccionando el icono New. Con esto aparece una nueva caja de dialogo en la cual se tiene el nombre del estilo, el nombre del estilo en el cual se basa el actual y la posibilidad de asignar todos los atributos de tipografía anteriormente vistos, con cuatro

iconos (Type, Para, Tabs y Color). Aquí se esta incluyendo la definición de los colores, que no tienen utilidad en el caso de impresora de un solo color. Para indicar que todo esta bien se selecciona el icono OK.

Después de crear los diferentes estilos solo resta asignarlos a cada párrafo, y esto se efectúa en el modo texto. Se coloca el cursor en cualquier parte del párrafo y se selecciona de la paleta de estilos el que se desea asignar, en forma inmediata se visualiza los cambios que se tienen en el párrafo, de acuerdo a los atributos.

COMPOSICION DE GRAFICOS.

MANEJO DE GRAFICOS EN PAGE MAKER. En Page Maker se tiene la posibilidad de introducir gráficos hechos en algún paquete de graficación o dibujo. Los paquetes que son compatibles en Page Maker son los siguientes :

Autocad	.PLT
CGM	.CGM
PostScript	.EPS
Scanner HP	.TIF
Lotus 123/Symphony	.PIC
MacPaint	.PNT
PC Paint	.PIC
PC Paintbrush	.PCX
Archivos TIFF	.TIF
Windows Paint	.MSP

Además de la posibilidad anterior se tienen las utilerías gráficas, estas utilerías son las correspondientes a las líneas (diagonales y perpendiculares), los recuadros con aristas afiladas y de aristas redondeadas y por último se tiene las curvas cerradas.

En estas gráficas se puede definir el grosor de las líneas que forman al gráfico, en las importadas de otro paquete de graficación no se pueden modificar.

Introducción de gráficos. Para introducir gráficos correspondientes a Page Maker se utiliza la paleta de utilerías (colocada en la parte superior derecha de la ventana de edición). Para incluir un recuadro con aristas afiladas se selecciona el icono con un cuadro con aristas afiladas, al hacer esto el cursor toma la figura de una pequeña cruz, a continuación se coloca el cursor en el lugar donde comenzará el recuadro y presionar el boton del ratón, sin dejar de presionar el botón se arrastra el ratón hasta la esquina opuesta del recuadro y soltar el botón. En modo apuntador se selecciona el gráfico y se pueden modificar las características de líneas y de sombra del gráfico.

Por ejemplo si se desea realizar un recuadro con aristas redondeadas como base para un texto, se debe indicar la magnitud de las esquinas redondeadas desde el menú **OPTIONS**, con el comando **Rounded corners**. Una vez definidas las esquinas redondeadas se selecciona el icono correspondiente al recuadro con esquinas redondeadas y se introduce el gráfico,

como segundo paso se definen las líneas utilizadas desde el menú LINES, en tercer paso se define el patrón de fondo del gráfico; para nuestro caso que se tenga un patrón de paper (para que no sea transparente, al hacer esto el texto desaparecerá dado que quedo detrás del gráfico, solo resta pasar el gráfico a la parte de atrás y esto se hace con el comando Send to back del menú EDIT.

Para el uso de los demás gráficos se realiza en forma semejante. Para incluir un segundo recuadro que sea como fondo y negro del gráfico anterior se hacen todos los pasos anteriores, con la deferencia de que el patrón es diferente.

Si se desea importar gráficos de otros paquetes se realiza desde el menú FILE con el comando Place y seleccionar el archivo del gráfico deseado, al hacer esto presenta una caja de dialogo presentándonos los diferentes formatos para seleccionar el correcto. Una vez realizado lo anterior cambia la forma del cursor, la forma depende del formato del archivo a introducir, ya solo se indica el lugar en el que se quiere introducir el gráfico colocando el cursor en la esquina superior izquierda y se arrastra con el botón oprimido a la esquina inferior derecha soltando el botón y se cargará el gráfico.

Para redimensionar un gráfico se debe tener activo el modo apuntador y seleccionar el gráfico con el que se trabajará, al hacer esto aparecen las marcas que indican los límites del gráfico, ahora se coloca el cursor sobre la línea y se oprime el botón del ratón, con esto aparecera el cursor como una doble flecha y mover el cursor al lugar deseado y soltar el botón del ratón.

Cuando se integran gráficos en el documento se puede encimar a un texto, esto es por la forma de ajuste de texto con respecto al gráfico que se tenga definido, para observar los diferentes métodos de ajuste de texto con respecto a un gráfico se activa el comando Wrap text del menú OPTIONS. Al hacer esto se despliega una caja de diálogo en la cual se tienen tres diferentes maneras de ajuste de texto (encimado con respecto al gráfico, que lo rodee en forma cuadrada o sobre el contorno del gráfico) y la forma de cortar el texto al circundar el gráfico esta dado de tres maneras; que lo rodee en forma total, sólo sobre y bajo el gráfico (sin que se tenga texto a los lados del gráfico) y sólo por arriba del gráfico.

AJUSTES TERMINALES.

Para tener el tipo de ajuste de texto se debe especificar en este menú.

PROTECCION DEL DOCUMENTO.

Cuando se termina de realizar el documento se debe de salvar, para lo cual se utiliza el menú FILE, con la opción Save, al ejecutar este comando se presenta una caja de diálogo en la cual nos presenta el nombre (solo cuando la publicación no tiene título), que es este momento esta en blanco. Se debe de dar el nombre deseado y la ruta en la cual se desea escribir el archivo (el nombre de la publicación debe ser de máximo 8 caracteres y tres de extensión). Para dar la ruta de escritura del archivo se realiza seleccionando en la caja en que presenta los archivos, directorios y unidades de disco, la ruta que se desea.

Si la publicación ya tiene nombre y se ejecuta el comando Save del menú FILE se graba en forma automática sin presentarnos la caja de diálogo. Si deseamos salvar la publicación con

otro nombre se ejecuta el comando Save as del menú FILE, este comando nos presentará una caja de diálogo igual al que nos presenta el comando Save, en esta caja se debe dar el nuevo nombre y la nueva ruta de grabación del archivo.

IMPRESION.

Para finalizar la creación de una publicación se debe realizar la impresión del mismo, ya que si no se realiza la impresión, no tiene sentido la creación de un documento. Para realizar la impresión se debe tener en cuenta que antes de comenzar la creación de nuestro documento se debe de haber definido la impresora que se utilizaría en la impresión de la publicación, esto con el fin de que los tipos de caracteres que se estan utilizando en la publicación se puedan imprimir en la impresora que se utilizará, además de que se nos presente en el monitor una copia bastante fiel de lo que se logrará imprimir.

Teniendo en cuenta que la selección de la impresora se realizó desde un inicio, solo restará realizar la impresión del documento. Esto se efectúa con el comando To print del menú FILE, al ejecutar este comando se presentará una caja de diálogo en la que se debe de especificar el número de copias de la impresión, el entido de la hoja, la impresora a utilizar, el tamaño de la hoja, si se desea la impresión de las marcas de limites de la hoja, etc. y ejecutar.

CAPITULO 4.

EL PROGRAMA DE AUTOEDICION VENTURA

4.1 Acerca de Ventura

Ventura Publisher es uno de los programas más completos que se tienen para el proceso de Autoedición. Fue creado por Ventura Software Inc. y lanzado al mercado por Xerox Corporation.

Ventura Publisher es un programa 'formador de páginas' empleando elementos (textos y gráficos) que han sido creados previamente con otros programas, o bien en el mismo Ventura.

Ventura puede manejar documentos grandes tales como reportes, libros, y manuales; además el programa es altamente efectivo en la producción de documentos cortos como periódicos, formas, desplegados, y materiales de presentación.

Ventura se creó para trabajar en DOS; sin embargo, en la actualidad ya existe Ventura en ambiente Windows.

Requisitos de Hardware.

Ventura publisher se distribuye en presentaciones de 15 discos de 5 1/4" u 8 discos de 3 1/2". Por su rapidez, trabaja perfectamente en una máquina IBM AT o compatible, aunque su desempeño en una XT es satisfactorio. Necesita de un mínimo de 640 Kb de RAM y permite el manejo de memoria extendida (EMS). Necesita un monitor CGA o HERCULES como monitor de graficas básico; siendo recomendable un EGA o un VGA de color.

Se recomienda un espacio en disco duro mínimo de 10 Mb disponibles. Ventura necesita de 3 Mb para instalarse completo, incluyendo ejemplos.

4.2 Ambiente de Trabajo.

Antes de iniciar un trabajo en Ventura es conveniente que conozca la terminología que este programa emplea:

ARCHIVOS DE TEXTO.

Es información creada a través de un procesador de palabras. Se puede utilizar también cualquier archivo en ASCII.

HOJA DE ESTILO.

Ventura utiliza una hoja de estilo para realizar automáticamente el acomodo de la información en la página (formateo), una hoja de estilo es un archivo que contiene la información sobre la forma de la página (márgenes, anchos de columnas, marcos, etc.). Contiene también los atributos tipográficos, llamados "TAGS", los cuales definen el tamaño y estilo de letra para líneas de encabezados, subencabezados, texto regular (body text), etc.

La utilización de hojas de estilo predefinidas simplifica el proceso de creación de un documento. La misma hoja de estilo puede ser utilizada para muchos archivos de texto, haciendo fácil la realización de documentos uniformes y consistentes. Las hojas de estilo son creadas por el usuario, aunque es posible utilizar las que provee ventura.

TAG.

Es el nombre que recibe un párrafo constitutivo del archivo de texto. Cada 'TAG' contiene una serie de atributos tipográficos que podrán ser diferentes de un párrafo a otro. Por ejemplo, un párrafo de encabezado, se le atribuyen los atributos para este desde la hoja de estilo, puede tener letras remarcadas (BOLD) y pudiera estar centrado.

El texto de nuestro archivo original es utilizado cuando se inicia el trabajo de edición. Cualquier cambio realizado desde ventura se verá reflejado en el archivo de texto original. Los nombres de los "TAGS" y los códigos de los atributos tipográficos son añadidos al archivo original. Conviene entonces trabajar con una copia del archivo de texto original.

FRAME.

Un 'FRAME' es la estructura básica de formación de una página, es siempre de forma rectangular. Los 'FRAMES' son utilizados para vaciar el texto, dibujos, e imágenes, que van a formar parte del documento. Por definición, la página entera es un frame, pudiéndose así tener un frame por cada página. Pueden añadirse 'FRAMES' más pequeños que el tamaño de la página y vaciar ahí gráficos e imágenes y texto adicional que se tenga en otros archivos.

En cualquier momento es posible añadir o mover un 'FRAME' en una página, el texto será automáticamente readecuado a la nueva situación del 'FRAME'.

DIBUJOS Y GRAFICOS.

Ventura puede vaciar un dibujo en cualquier frame, adecuándolo al tamaño de este. Los archivos de dibujos pueden contener dibujos de paquetes con cualidades gráficas (LINE ART), imágenes y gráficos propios de ventura. Los primeros dibujos, line art, son importados de algunos paquetes cuyo formato de salida sea compatible con ventura (LOTUS, GEM DRAIN, GEN GRAPH, AUTOCAD). Las imágenes son dibujos provenientes de la digitalación de un dibujo a través de un 'SCANNER'. Los gráficos propios de ventura son generados en el modo gráfico de ventura, pueden dibujarse líneas, círculos, rectángulos y cuadros.

CAPITULOS.

Los archivos de texto originales y los archivos de dibujos y gráficos son incorporados al documento. Ventura genera un nuevo tipo de archivo, capítulo, el cual va a contener la información de cómo se están consignando texto y dibujos con la hoja de estilo para generar una estructura o formato deseado. Cuando es llamado un capítulo a Ventura, en la pantalla de la computadora se desplegará texto y dibujos con un formato ya seleccionado.

El capítulo contiene direcciones hacia otros archivos que serán incorporados al formato del documento. Estas direcciones son instrucciones que indican a Ventura como relacionar texto y hoja de estilo para lograr un documento definitivo.

PUBLICACION.

Puede ser fácil crear un documento extenso, como un manual técnico por ejemplo, dividiéndolo en varios archivos de texto pequeños. Cada división pudiera verse como un capítulo independiente. Tales capítulos son todos integrados para formar así una publicación. Para una publicación puede realizarse las siguientes acciones:

- . Compilación
- . Remuneración de páginas para toda la publicación.
- . Generación de una tabla de contenidos
- . Generación del índice
- . Impresión total

4.3 Descripción de comandos de Ventura Publisher.

Pantalla de trabajo

El programa nos presenta una pantalla con las opciones y herramientas de trabajo. Las zonas en las cuales se divide la pantalla de trabajo son las siguientes.

AREA DE TRABAJO.

Es la zona más amplia de la pantalla la cual contiene la página que se utilizará para el documento.

MENU PRINCIPAL.

Utilizado para seleccionar las opciones de Ventura. Las opciones principales del MENU son:

- . DESK

- . FILE
- . EDIT
- . VIEW
- . CHAPTER
- . FRAME
- . PARAGRAPH
- . GRAPHIC
- . OPTIONS

INDICADOR DE CAPITULO.

En él se marca el nombre de la "UNIDAD" sobre el que se trabaja, la ruta de búsqueda de los archivos y el nombre del archivo (CAPITULO) que se está procesando. Se indica así mismo el nombre de la hoja de estilo actual.

MODO DE TRABAJO.

Aquí se indica el Modo de Operación o Trabajo Vigente. Existen cinco modos, que son:

- . MODO FRAME. Se activa para seleccionar, generar, mover, escalar, copiar y borrar "FRAMES".
 - . MODO PARRAFO. Se activa para cambiar la presentación del texto en la página.
 - . MODO TEXTO. Se activa para editar texto o insertar texto nuevo (a manera de corrección).
 - . MODO GRAFICO. Se activa para dibujar líneas, círculos, rectángulos y cuadros.
 - . MODO TABLA. Se activa para crear o modificar tablas.

INDICADOR DE ADICION

Dependiendo del modo de trabajo, se utiliza para añadir un nuevo Frame, un nuevo nombre de párrafo (TAG) o nuevos atributos para alguna parte del texto.

CONTENIDO DEL MODO.

Dependiendo del Modo de Trabajo, contiene para Modo Frame los nombres de los archivos presentes, para modo párrafo los nombres de TAGS y para el Modo Texto indica los tipos de atributos que pueden ser definidos. El contenido del modo es una lista que podrá ser vista parcial o totalmente utilizando el 'scroll' o movimiento de la lista.

INDICADOR DE SELECCION.

De acuerdo el Modo de Trabajo, marca la situación del contenido de un 'FRAME' o el nombre de 'TAG' asociado a un párrafo.

NUMERO DE PAGINA.

Indica el número de página que se trabaja dentro de un documento así como el tipo de página (derecha o izquierda).

BARRAS DE MOVIMIENTO.

Estas barras están colocadas en el

lado derecho del área de trabajo y en el lado inferior de la misma. A través de ellas se conoce el porcentaje de la página (sentido horizontal o vertical) que no ha sido desplegado en pantalla-porción ashurada de las barras. Con el movimiento del Mouse se realizan los desplazamientos para ubicar una parte de la página.

AJUSTE DE PANTALLA.

Son utilizados para agrandar o achicar la pantalla de Ventura.

USO DEL MOUSE.

De las herramientas necesarias para facilitar el uso de Ventura, el Mouse o Ratón es una de las más indispensables. Se indica a continuación las operaciones que se realizan con él en Ventura:

- . **SELECCIONAR O 'CLICK'**. Ubicando algún objeto, FRAME, párrafo o gráfico con el 'CURSOR' del Mouse se oprime siempre el Botón Izquierdo de éste para seleccionar. Se utiliza también el modo múltiple de selección (TECLA HIFT con 'CLICK').
- . **'JALAR' Mouse**. Oprimiendo el botón izquierdo ('CLICK') y sin dejar de oprimirlo se realiza esta operación.
- . **'ARRASTRE DEL MOUSE'**. Dar 'CLICK' y sin soltar se puede ajustar el tamaño de un FRAME o GRAFICO. Ubicar una porción en particular de la página.

Descripción de la opciones del menú principal.

DESK.

Nos proporciona una guía de las funciones que tienen ciertas teclas. Además nos da información acerca del paquete como versión, creada, COPYRIGHT, etc. Esta opción presenta en su menú, sólo una posibilidad:

PUBLISH INFO: Da Información del paquete y en la opción de ayuda nos indica: Información general, menús de cortes, Función del CTRL 2, Función del CTRL CLICK, Función del CTRL y caracteres tipográficos, Función del CTRL SHIFT y caracteres tipográficos, Función del SHIFT CLICK, Función del SHIFT y flechas, Función del ALT y , Función del ALT y dibujos, y Función de la tecla ESC.

FILE.

La opción File del menú principal permite al usuario controlar el flujo de información hacia o fuera de Ventura. Se pueden realizar las siguientes funciones: Abrir o proteger un capítulo, Cargar un archivo individual, Cargar un 'estilo' diferente o proteger un nuevo 'estilo', Enviar a impresión un capítulo, Salir de Ventura. Las opciones que comprenden el menú FILE son:

NEW: Borra la pantalla y el archivo presente de memoria.

OPEN CHAPTER: Permite trabajar con un capítulo creado anteriormente. Todos los archivos asociados a el también se abrirán simultáneamente.

SAVE: Protege en disco el capítulo presente y todos sus archivos asociados.

SAVE AS: Protege en disco el capítulo presente con otro nombre.

ABANDON: Borra de memoria la versión presente del capítulo y la reemplaza con la última versión protegida.

LOAD TEXT /PICTURE: Agrega archivos de texto o esquemas al capítulo presente.

LOAD DIFFERENT STYLE: Cambia de estilo al capítulo presente.

SAVE AS NEW STYLE: Protege los cambios de estilo efectuados, generando un nuevo archivo de estilo (STY).

TO PRINT: Imprime todo o una parte del capítulo presente.

DOS FILE OPS: Efectúa algunas operaciones con archivos que emplea MS-DOS.

EDIT.

La opción EDIT del menú principal permite modificar el contenido del capítulo presente. Trabaja en modo 'frame', en modo texto o en modo gráfico. Las funciones del menú EDIT son:

CUT: Borra y almacena en memoria temporal lo seleccionado ya sea texto, párrafo o gráfica.

COPY: Almacena en memoria temporal lo seleccionado, ya sea texto, párrafo o gráfica.

PASTE: Recupera la información que se encuentra en la memoria temporal.

INS Special item: Esta opción funciona sólo en modo texto y permite incluir en el capítulo, cuadros de texto, notas de pie de página, referencias para el índice, fracciones y colocar 'frames'.

EDIT Special item: Trabaja en modo texto y permite modificar aquello que se ha incluido utilizando INS Special item.

Remove Text/File: Funciona en los modos FRAME y GRAPHIC únicamente. Borra archivos del 'frame' actual o bien borra un archivo de la lista asignada para no formar parte del capítulo.

File Type/Rename: Funciona en los modos FRAME y GRAPHIC únicamente y renombra los archivos del frame actual.

VIEW.

Para un mejor manejo y revisión de los documentos creados por ventura, la opción VIEW del menú principal permite: Ver el documento a diferentes escalas y presentaciones así como cambiar de modo de trabajo. Permite la revisión de párrafos, gráficos, textos y en general cualquier 'FRAME'. En este menú se encuentran las siguientes alternativas:

Facing Pages View: Vista de ambas páginas de una hoja

Reduced View: Vista de toda la Página

Normal View: Retorno a tamaño normal

Enlarged View: Amplifica la página al doble

Como cambio de modo entiéndase activar alguna de las cuatro alternativas de trabajo de Ventura:

Modo 'FRAME'

Modo 'párrafo'

Modo texto

Modo gráfico

CHAPTER.

Los documentos creados en Ventura requieren de una cierta presentación o formato general válido para todo un capítulo. El formato general se establece con los comandos de la opción CHAPTER del menú principal.

PAGE SIZE & LAYOUT: Define orientación y tamaño de la hoja de impresión, páginas por hoja e inicio de numeración.

CHAPTER TYPOGRAPHY: Tipografía de un texto dentro de un capítulo.

UPDATE COUNTERS: Establece numeración de páginas, tablas y figuras dentro del capítulo.

AUTO-NUMBERING: Numeración automática de párrafos a varios niveles.

RENUMBER CHAPTER: Realiza una renumeración de un párrafo al ser editado.

RE-ANCHOR FRAMES: Liga un frame a un texto. Reubica información relacionada al ser editada.

HEADERS & FOOTERS: Define textos guías para todas las páginas (encabezados y pies de página).

TURN HEADER ON: Muestra u oculta el texto guía superior de una pag.

TURN FOOTER ON: Muestra u oculta el texto guía inferior de una pag.

FOOTNOTE SETTINGS: Características de las notas de pie de página.

INSERT REMOVE PAGE: Añade o quita páginas de un capítulo.

GO TO PAGE: Cambio a una página del capítulo.

La presentación general o formato de un capítulo es independiente del formato que se defina para una estructura u 'FRAME' creado.

FRAME. El menú frame controla el formato de los frames. Donde también se definen las características de la página que se maneja como un frame. El menú tiene las siguientes opciones:

Margin & columns: Define la cantidad de columnas, el tamaño de cada columna, la cantidad de espacio entre cada columna, los márgenes para una o varias páginas.

Sizing & Scaling: Define la correcta posición del frame, su tamaño, las características del dibujo que se inserta, la cantidad de espacios que rodean al frame.

Frame Typography: Corrige las características definidas en el menú Chapter Typography; y define la cantidad mínima de líneas de un párrafo al inicio de una página, la cantidad

mínima de líneas de un párrafo al final de una página. Se define si se desea el balance de columnas al finalizar un capítulo. Se define también la primera línea base de inserción de texto y la aceptación de ajuste de tipos, definido en el menú Paragraph.

Anchor & Captions: Esta opción sirve para darle nombre a las ilustraciones de un frame e indicar si la leyenda va en algún lado de la figura. Se especifica la forma de marcar las identificaciones de las figuras.

Repeating Frame: Indica que el frame es duplicado en varias páginas de un capítulo.

Vertical Rule: Define las características de las líneas verticales que se pondrán al lado izquierdo, derecho y entre columnas.

Ruling Line Above: Define el tipo de líneas horizontales que se ponen al principio de un frame.

Ruling Line Below: Define el tipo de líneas horizontales que se colocan al final del frame.

Ruling Box Around: Define la característica de las líneas que forman el margen de tipo cuadro que se coloca alrededor de los márgenes del frame.

Frame Background: Define el color que se pondrá el fondo del frame.

Image Setting: Esta opción solo es válida para frames que contienen imágenes y definen la tonalidad de color dentro de la imagen.

PARAGRAPH.

El menú del Párrafo define los TAGs individuales (atributos de los párrafos) contenidos dentro de una hoja de estilo. Estos TAGs se usan para cambiar el formato del texto de cada uno de los párrafos de un capítulo.

Cada TAG define un juego de tipos de letra, alineamiento, espaciado, BREAKs (rupturas), tabuladores, efectos especiales, características tipográficas y RULINGS (reglas) para un párrafo. En la hoja de estilo se almacena una colección de TAGs más el formato, los márgenes y columnas del FRAME de página. Xerox Ventura Publisher incluye una serie de hojas de estilo diseñadas por profesionales de la tipografía.

Antes de seleccionar alguna opción del menú de Párrafo, es necesario activar la función TAGs y seleccionar un párrafo.

El TAG Body Text está reservado por Xerox Ventura Publisher. Sin embargo, aunque las características de Body Text pueden cambiarse el nombre mismo no puede eliminarse. El texto no formateado con algún TAG específico, automáticamente se formatea como Body Text.

Hay que hacer notar que antes de poder cambiar las características de un TAG, es preciso seleccionar primero un párrafo que tenga asignado dicho TAG. Esto permite ver cómo aparecen las características del TAG, así como ver el efecto de los cambios efectuados.

Cualquier característica asignada al texto usando la función Editar Texto tiene prioridad sobre el TAG de párrafo.

Las alternativas del menú de Párrafo son:

FONT: La opción FONT define el tipo de letra, el tamaño del tipo, el estilo del tipo (realzado, itálica) y el color para cada párrafo.

ALIGNMENT: controla la forma en la que se alinea el texto en una columna. los controles disponibles incluyen alineamiento a la izquierda, centro, a la derecha o justificado, partición por guiones si/no; primera línea sangrada/fuera de margen; y la anchura máxima de columna o FRAME.

SPACING: La opción SPACING controla el espacio entre líneas y párrafos y establece márgenes temporales.

BREAKS: Un BREAK es una interrupción en el flujo de texto entre párrafos. Tras un BREAK el siguiente párrafo puede empezar en una nueva línea (BREAK de línea, al principio de una nueva columna (BREAK de columna), al principio de una nueva página o FRAME. (BREAK de página), o al principio de la siguiente página o FRAME izquierda o derecha (BREAK de página antes/hasta la izquierda/derecha).

Además, el BREAK puede ocurrir antes, después o antes y después del párrafo. Por ejemplo, si se selecciona un BREAK de página antes y después, cualquier párrafo formateado con este TAG empezará al principio de una nueva página y será el único párrafo de dicha página.

ALLOW WITHIN : controla si se van a permitir BREAKs de línea dentro del párrafo. Cuando se selecciona No, el párrafo no se divide entre dos páginas.

KEEP WITH NEXT : Obliga el párrafo seleccionado a aparecer siempre en la misma página que el siguiente párrafo. Esta opción es muy útil para títulos.

TAB SETTINGS: Los TABS SETTINGS (tabuladores) horizontales se utiliza para alinear texto o números.

Siempre que se encuentra un carácter de tabulación horizontal en el texto. Xerox Ventura Publisher sitúa el siguiente carácter en la posición del siguiente tabulador. Se pueden poner hasta dieciséis tabuladores por párrafo. El texto se puede alinear de forma que la parte derecha, central izquierda o decimal (en el caso de los números) del texto o números se alinee con el tabulador.

El espacio creado por el tabulador se puede rellenar con cualquier carácter. Estos caracteres de relleno se llaman puntos guía.

Cuando se utilizan tipos de letra con espaciado proporcional, no se pueden formatear tablas de forma fiable utilizando espacios entre las entradas. Por ello, es preciso utilizar tabuladores para que las columnas se alineen correctamente.

SPECIAL EFFECTS: Permite añadir una Letra Mayúscula Capitular o una Marca Inicial al principio de un párrafo. El tipo de la marca inicial o de la letra Capitular se puede seleccionar independientemente del resto del párrafo.

ATTRIBUTE OVERRIDES: Cambia las características del texto tales como el subrayado, el suprrayado, los subíndices y los superíndices.

TYPOGRAPHY SETTINGS: (controles tipográficos) permite controlar las características tipográficas de cada párrafo incluidos la compactación, el espaciado de letras,

el espaciado entre palabras. **RULING:** Los tres menús de RULING (línea) funcionan de la misma forma y ofrecen la posibilidad de colocar líneas por encima, por debajo y alrededor de un párrafo.

Se pueden colocar hasta tres líneas, cada una de distinto grosor y con distinto espacio entre cada línea por encima, por debajo, o alrededor del párrafo. A cada conjunto de líneas se le puede asignar textura y color y las líneas pueden ser a trazos.

UPDATING TAG LIST: (actualizar la lista TAG) permite eliminar, cambiar los nombres, etcétera de los TAGs de la hoja de estilo.

GRAPHICS.

Permite realizar tres funciones principales: Poner un gráfico delante o detrás, Cambiar las características de línea y aspecto, Crear una retícula (grid) sobre la que se dibujarán todos los gráficos. Presenta el siguiente menú

SHOW ON ALL PAGES: Muestra el gráfico seleccionado en todas las páginas.

SEND TO BACK: (poner detrás) Toma el gráfico seleccionado y lo coloca detrás de todos los gráficos asociados al frame actual.

BRING TO FRONT: (poner delante) Toma el gráfico seleccionado y lo coloca delante de todos los gráficos asociados al frame actual

LINE ATTRIBUTES: (características de línea) Permite cambiar el grosor, color y forma de los extremos de la línea colocada alrededor de cada gráfico. Se pueden salvar las características de línea mediante la opción "Defaults: save to", y aplicarlas mediante la opción "Defaults: Load from".

FILL ATTRIBUTES: (características de Aspecto) Permite cambiar el color y fondo de cada gráfico. Pueden también salvarse la características del fondo mediante la opción "Defaults": Save to", y aplicarlas mediante la opción "Defaults: Load from".

SELECT ALL: (seleccionar todos) Selecciona todos los gráficos asociados al frame actual. Se puede desactivar la selección de un gráficos, sin desactivar la selección del resto, pulsando la tecla shift, y sin soltarla, apuntando al gráfico seleccionado y pulsando el botón del "mouse" una vez.

GRID SETTINGS: (definir retícula) Define una pieza invisible de papel para todos los gráficos del frame actual. Todos los gráficos se ajustan a los puntos de la retícula de este papel para gráficos cuando se dibujan o mueven.

OPTIONS.

Sus funciones principales son: Establecer las opciones de formato de la pantalla y la impresora, añadir o eliminar "fonts" (tipos), realizar operaciones multicapítulo.

Presenta el siguiente menú:

SET PREFERENCES: (preferencia) Permite: Mostrar u ocultar atributos de la lista de posibilidades "Assignment List", Controlar el tamaño por debajo del cual se convierte en texto simbólico "greeked", Crear o no copias de los archivos, Cambiar velocidad a que dos pulsaciones del botón del "mouse" se reconocen con "OK", Cambiar el carácter de tabulación para números decimales, Activar/desactivar la compactación de palabras en pantalla, Ajustar o no el espacio interlínea cuando se cambia el tamaño de los tipos de letra.

SET RULER: (regleta) Permite definir distintas unidades de medida para las regletas horizontal y vertical de la pantalla.

PRINTER INFO: (impresora) Permite cambiar impresoras, conexiones de impresoras tipos de pantalla e impresora. También permite dirigir la salida impresa un archivo.

ADD/REMOVE FONTS: (Añadir/eliminar tipos) Permite añadir tipos "fonts" adicionales a la impresora. Permite desactivar la carga por software de cada tipo.

SHOW/HIDE SIDE-BAR: (mostrar/ocultar funciones) La barra lateral (sick-bar) es la parte izquierda de la pantalla que contiene el Selector de Funciones (Function Selector), la lista de posibilidades (Assignment List), el indicador de Selección Actual (Current Selection Indicator) y el contador de páginas (Page Counter). Ocultar funciones elimina toda la Barra Lateral, dejando ver más de la página.

SHOW/HIDE RULERS: (Mostrar/ocultar regletas) Activa o desactiva las regletas de las partes superior e izquierda de la pantalla.

SHOW/HIDE COLUMN GUIDES: (Mostrar/ocultar guías columnas) Pinta tenues líneas en la pantalla para mostrar la guía de cada columna.

SHOW/HIDE ALL PICTURES: Sustituye los dibujos e imágenes por una caja rectangular gris, para aumentar la velocidad de dibujo en pantalla. Los dibujos se imprimen, independientemente de que en la pantalla estén ocultos o mostrados.

SHOW/HIDE TABS & RETURNS: (Mostrar/ocultar tabuladores y retornos) Muestra marcas visibles de tabuladores, espacios no fin de línea (breaking spaces), marcas de fin de párrafo, marcas de fin de archivo, puntos de índice, anclas de "frame" (frame anchors) y guiones discretionales.

SHOW/HIDE LOOSE LINES: (Mostrar/ocultar líneas holgadas) Remarca las líneas que superan la anchura máxima de la opción "Typographic Controls".

TURN COLUMN SNAP ON/OFF: (Encajar frame en columna) Obliga a todos los "frames" a alinearse con los lados de las guías de columna del frame de página guía.

TURN LINE SNAP ON/OFF: Obliga a que todos los "frames" se alinien con el espaciado interlínea de Texto Normal "Body Text" del frame de página base.

MULTI-CHAPTER: (Múltiples capítulos) Permite combinar un gran número de capítulos en una Publicación. Después se podrá imprimir, generar tabla de contenidos o crear un índice de toda la publicación. Incluye un programa de utilidades que permite copiar todos los archivos asociados a un capítulo o publicación.

4.4 Creación de un documento en Ventura.

Explicaremos cómo debe usarse Ventura en el diseño de un documento. Los pasos que deberá seguir para producir su diseño son:

- Fuera de Ventura:

1.- Crear el esquema o domi en papel.

- En Ventura:

2.- Crear una base de trabajo, empleando los siguientes pasos:

- Seleccionar o crear una hoja de estilo.
- Definir la presentación de la página.
- Crear, colocar y dimensionar los espacios internos (frames).
- Anexar un simple texto.

3.- Seleccionar la impresora a ser utilizada para obtener el primer original.

- Fuera de Ventura:

4.- Crear los archivos de texto externos.

5.- Crear los archivos con gráficas externas.

- En Ventura:

6.- Llenar los espacios o frames siguiendo los pasos:

- Vaciar los archivos externos de texto o de imágenes.
- Editar los archivos existentes o teclear nuevo texto.
- Utilizar las ayudas gráficas de Ventura para crear dibujos simples.

7.- Etiquetar texto con atributos tipográficos.

8.- Realizar ajustes.

- a la presentación de la página.
- al tamaño y posición de los frames.

9.- Imprimir el primer original mecánico.

CAPITULO 5.

ESTUDIO COMPARATIVO VENTURA/PAGEMAKER

5.1 Análisis comparativo entre Ventura y PageMaker.

La clasificación se centra en un análisis de mercado de los productos de software que satisfacen las características de dicha aplicación. En él se toman en cuenta primordialmente las características técnicas completas del programa, su grado de soporte, las actualizaciones, su grado de relación con programas auxiliares, su costo y fundamentalmente, la aceptación vía adquisición del software por el usuario final.

Por lo que la clasificación se basa en la aceptación y lo completo de una aplicación, aunque no necesariamente el programa mejor dotado es el óptimo para todo tipo de necesidades de los usuarios finales. Es por esto que nos centraremos en un análisis de características de cada uno de ellos y dejamos a criterio del usuario la respuesta a: ¿Cuál elegir?.

¿Quién fué primero?. PageMaker nació primero. Nació para Macintosh. Ventura nació bajo DOS aunque cuenta actualmente con una versión para correr en red, cosa que PageMaker no termina por soportar óptimamente.

PageMaker trabaja bajo el ambiente de Windows mientras Ventura se desenvuelve en ambiente GEM (aunque trabaja perfectamente bajo Windows Executive), permitiéndole superar en rapidez a PageMaker.

Hemos procurado cubrir aspectos fundamentales en el diseño de cada una de estas dos ediciones con el fin de ser imparciales en las pruebas, cuidando en la medida posible la igualdad en características tanto en longitud de los archivos como en el análisis de la versatilidad y flexibilidad de cada uno de ellos.

Para el desarrollo de análisis se utilizó equipo disponible actualmente en el mercado nacional: Computadoras IBM PS/2 MODELO 60, INTELECSIS AT y TELEVIDEO AT corriendo a 12, 10 y 8 Mhz así como equipos HEWLETT PACKARD VECTRA QS/16 y RS/20 desarrollando una velocidad de reloj de 16 y 20 Mhz, trabajando con el procesador 386.

Las impresiones se realizaron en una impresora HEWLETT PACKARD LASERJET.

Las tablas 1 y 2 muestran los resultados obtenidos en el desarrollo de actividades rutinarias en los procesos de edición: carga del programa, diseño de la hoja fundamentalmente, inserción de un documento, inserción de gráficas y elementos gráficos para completar la publicación y finalmente la impresión.

5.2 Definición de características comparativas.

PageMaker trabajo bajo ambiente Windows manteniendo la promesa del OS/2 y el Presentation Manager, aunque Ventura trabaja ya con Presentación Managemer y con su versión de Network server 2.0 para redes.

Tabla 1.

DESCRIPCION	EQUIPO					
	RS/20	RS/8	QS/16	IBM 60	INTEL ECSIS	TELEV. IDEO
L L A M A R PROGRAMA	8.00	10.00	12.50	13.33	16.66	20.00
C A R G A R ARCHIVO	7.00	8.75	10.94	11.67	14.59	17.55
D E S P L A Z A R GRAFICA	2.00	3.00	3.75	4.00	5.10	5.67
D E S P L A Z A R FOTO	2.00	3.20	4.00	4.27	5.38	5.69
D E S P L A Z A R TEXTO	2.00	2.90	3.63	3.87	4.09	4.88
C A L C U L A R IMPRESION	3:50	4:75	5:94	6:33	7:94	9:51
I M P R E S I O N COMPLETA	4:01	5:16	6:25	6:85	8:56	10:28
SALVAR	3.00	3.10	3.91	4.13	4.92	5.51
SALIR	2.00	2.20	3.00	2.93	3.42	4.43

PageMaker trabaja en red, pero uno de sus principales problemas reside en la velocidad; es demasiado lento. La tendencia de PageMaker es muy clara; su diseño imita el lienzo con el que acostumbran trabajar los profesionales del diseño gráfico, esta es una característica muy propia de PageMaker, el manejo de gráficos y fotografías es excelente, cuenta con controles de brillantez y contraste para fotografías permitiendo la escalación y la inserción libre, aún fuera de la hoja de trabajo, ésta permite tener a mano textos y gráficos a insertar en nuestra hoja de trabajo.

Ventura no ofrece tal cosa, cierto es que puede cumplir con la mayoría de las manipulaciones de gráficos posibles en PageMaker pero la labor es significativamente más pesada.

Tabla 2.

DESCRIPCION	EQUIPO					
	RS/20	RS/8	QS/16	IBM 60	INTEL ECSIS	TELEV IDEO
L L A M A R PROGRAMA	9.00	14.00	11.20	21.10	21.00	22.50
C A R G A R ARCHIVO	7.00	17.75	9.36	19.00	21.25	26.00
D E S P L A Z A R GRAFICA	2.00	2.30	2.00	2.45	4.80	5.00
D E S P L A Z A R FOTO	2.00	2.20	2.00	3.00	4.40	5.10
D E S P L A Z A R TEXTO	2.00	2.80	3.98	4.18	4.57	6.10
C A L C U L A R IMPRESION	2:58	8:51	4:16	4:64	6:18	7:02
I M P R E S I O N COMPLETA	4:31	9:07	5:36	10:92	13:18	14:25
SALVAR	3.00	5.00	4.22	6.10	7.59	7.52
SALIR	6.00	14.57	7.55	17.45	23.00	29.00

Los usuarios expertos de PageMaker lo han clasificado como excelente para ser usado en publicaciones cortas abundantes en gráficos. Para elaboración de libros o revistas, Ventura es experto en esta área mientras PageMaker batalla para hacerlo; la manipulación de textos no es el fuerte de PageMaker, no cuenta con las características técnicas de indexación, tabla de contenidos, edición y clasificación de textos de Ventura.

Sin embargo su interfase es sumamente amigable, el control de desplegado completo y de acercamiento punteado ofrecido para el segundo botón del mouse le hacen ser excelente para recorrer una publicación con fines de edición.

Ventura utiliza sólo un botón del mouse y el recorrido a través de la publicación se hace usando las barras laterales diseñadas para este propósito.

Los controles de espaciado entre líneas y entre caracteres resultan sobrados en Ventura y escasos en PageMaker, aunque si analizamos la paginación automática de texto, Ventura no ofrece lo que PageMaker; un control manual completo. Este permite recorrerse libremente sobre las páginas de texto deteniéndose a placer, mientras el flujo automático de texto no es controlable en Ventura.

En cuanto al soporte de fuentes de letras se encuentran a igual nivel, ambos soportan las fuentes suaves FONTWARE de BITSTREAM proporcionadas con tres perfiles de fuentes. De igual forma podemos hablar del soporte de formatos de importación de procesadores de palabra, de gráficas orientadas al objeto, gráficas de formato fijo, o gráficas de formato de bit mapeado del tipo Paint-brush, MS Windows, Lotus 1-2-3, Dbase, etc.

La precisión, un problema a resolver en las versiones subsecuentes; PageMaker no ofrece la precisión matemática de Ventura pues los márgenes y anchos de columnas no pueden darse en forma numérica como en Ventura. El escalamiento no proporcional en gráficas suele ser a tanteo, aunque la interfase de comunicación entre monitor-computadora es muy parecido en características técnicas al WYSIWYG de Ventura haciendo sumamente confiable la distribución en pantalla respecto a lo obtenido en impresión.

El proporcionar plantillas y fuentes estilizadas es una característica muy apreciada cubierta por ambos programas. Sin embargo, por manejo PageMaker explota más esta característica que Ventura.

Un tema susceptible de discusión es la "gran ventaja" de Ventura al manipular sus archivos en forma dinámica, permitiendo actualizar automáticamente en los archivos originales las adiciones hechas.

Podemos reconocer esta como una gran ventaja técnica en el trabajo local bien administrado, pero para efectos de transportar publicaciones resulta ser un inconveniente a vencer que PageMaker no tiene, pues éste incorpora todos los elementos de la publicación a la publicación misma.


Sin embargo, Ventura cuenta con una opción para copiar los archivos a un lugar específico reconociendo la publicación dicho cambio. Todo depende de cómo se organice el trabajo y de las necesidades propias; el dinamismo de Ventura puede destruir el rudimentario método de manejo de archivos de PageMaker, pero los papeles pueden invertirse si tomamos en cuenta el superdinamismo de algunos usuarios al transportar sus archivos de una computadora a otra, de un negocio a otro.

La administración dinámica de archivos de Ventura parecería como un "error en diseño" para este tipo de usuarios, porque encasillaría la colocación de nuestros archivos a la distribución de éstos en el disco original donde fueron trabajados y habría de perder tiempo en realizar los cambios pertinentes en los archivos para ser transportados.

Los pros y los contras de uno respecto al otro son muchos. La necesidad primordial del usuario final convierte una desventaja o en un hecho trivial sin importancia o, aún más, una gran ventaja puede tornarse en una lamentable carencia.


Tomado de 'Escoja inteligentemente entre Ventura o PageMaker'

Sergio Raymundo Jaime Bernal. PC/TIPS febrero 1990.



**FACULTAD DE INGENIERIA U.N.A.M.
DIVISION DE EDUCACION CONTINUA**

UNIVERSIDAD NACIONAL AUTONOMA DE MEXICO
FACULTAD DE INGENIERIA
DIVISION DE EDUCACION CONTINUA



Self-sufficient PUBLISHING

by Luisa Simone

Low-end desktop publishing is not just for dot matrix printers anymore. Inexpensive DTP programs are addressing the needs of the business community users who want to harness the power of their laser printers to bring high-quality fonts and high-resolution art to their documents.


How times change. Only a year ago low-end desktop publishing (DTP) programs were easy to define—limited toolsets, low-resolution output, and moderate prices distinguished these products from the major-league players *PageMaker* and *Ventura Publisher*. But, in a perfect example of the synergy between hardware and software, the recent influx of high-resolution printers into the business community has radically altered the low-end DTP market.

The laser printers found in most offices still produce more words than pictures, making access to high-quality typefaces the overriding concern of business users. The hardware available today reflects that concern: some of the new 24-pin dot matrix

printers include up to 14 typefaces in ROM, and a veritable library of hardware cartridges is available for the Hewlett-Packard family of laser printers. Low-end DTP programs now supply a greater number of printer drivers than ever before, allowing users to easily access resident fonts.

However, the most flexible source of high-quality type remains in the soft or downloadable font arena. Even the makers of *PFS:First Publisher*, the low-end DTP market leader and traditionally the

front end for 9-pin dot matrix printers, moved one step closer to high-resolution output last year by adding support for Bitstream fonts. At 300 dots per inch, the near-typeset quality of Bitstream fonts can be appreciated only when



front end for 9-pin dot matrix printers, moved one step closer to high-resolution output last year by adding support for Bitstream fonts. At 300 dots per inch, the near-typeset quality of Bitstream fonts can be appreciated only when

output to a laser printer like the HP LaserJet.

Bitstream's *Fontware* deserves some additional discussion because it is the technology most likely to be found bundled with many low-cost DTP programs, either in the form of samplers or as a complete installation kit. Unfortunately, retrofitting Bitstream's installation to some of the older programs elicits confusing procedures that can prove problematic for the novice DTP user. Bitstream typefaces are raster fonts. During installation you must create a bitmapped version of the typeface for each specific point size you want—wasting valuable disk space and making it impossible to resize a font from within your application program.

Version 3.0 of Bitstream's *Fontware* promises to eliminate some of the current difficulties associated with bitmapped fonts, notably with faster compilation of the raster images and the ability to share bitmaps among different applications. Though Bitstream will never match the convenience of the totally scalable vector fonts supplied by Adobe Systems and Agfa Compugraphic, it can certainly match the quality of the typefaces from these competitors.

DEVELOPERS' DILEMMA

In order to take advantage of 300-dpi fonts, whether from Bitstream or Agfa Compugraphic, low-cost DTP programs have been forced to fine-tune their type-handling features. But adding hyphenation algorithms, text wrap, and kerning has created a dilemma for developers: how to amplify the program's power without distorting the learning curve.

Traditionally, low-end programs merely provide a subset of the functions found in *PageMaker* or *Ventura*, the theory being that fewer tools make for less confusion. Though the programs reviewed here can't possibly provide all the functions of *PageMaker* or *Ventura*, a few of them handled the complex layout of our test newsletter with surprising aplomb.

More to the point, these programs attempt to make the sophisticated tools they supply easier to use. WYSIWYG editing and mouse-driven menus are the standard methods employed to guide beginning users through the complexities of DTP. *Finesse* even takes one of the givens of the

GEM Desktop Publisher interface—the options box—and uses it to prompt you with the next logical action. *Express Publisher* seeks to teach by example; instead of requiring that you understand the difference between rag right and full justification, you simply click on the appropriate picture icon.

INTEGRATION ON A SMALL SCALE

The trick when paring down the toolset, of course, is to leave the right tools in. The practical question is: what do average users—mid-level managers and secretaries—need in order to create professional-looking documents?

**Though the programs
reviewed here can't
possibly provide all the
functions of a high-end
package like PageMaker or
Ventura, a few of them
handled the complex
layout of our
test newsletter
with surprising aplomb.**

Anyone publishing a document must be able to combine text created in a word processor with tabular material from a spreadsheet. It is essential that the desktop publishing program import graphics images pulled from a clip-art library or created in an ancillary charting or drawing program.

Integration of this kind actually works as a better definition of desktop publishing in general because it applies to every level of program sophistication. Low-end programs should be concentrating on just this sort of small-scale integration; high-end programs like *PageMaker*, having successfully incorporated these capabilities, now deal with integration on a large scale by merging full-color images and accommodating multiple contributors to a document via a network.

The *PC Magazine* test newsletter contains unusual indents, numerical tables, and a variety of art elements, ranging from

scanned images to pie charts. The newsletter proves that true integration is still only a goal—not an achievement—of low-cost desktop publishing programs. Only one of the products in our roundup, *PageBudd*, claims to read .DIF files. And though many of the programs can import files from popular word processors, they can't retain the tab information.

The real problems—particularly with our image-laden newsletter—revolve around issues of graphics compatibility. Not all of the fault lies with the low-cost DTP programs. Consider for a moment that as bitmapped graphics, both .PCX and TIFF files vary in resolution (dots per inch) and color (number of bits deep). The TIFF 5.0 spec, for example, can include information for up to 256 colors. Also, most graphics programs are still straddling the transition from TIFF 4.0 to 5.0.

The *PC Magazine* testing script contained various versions of the same image—ranging from 300-dpi TIFF to 72-dpi .PCX. Programs with limited import capabilities such as *Springboard Publisher* forced us to turn to commercially available third-party conversion programs such as *Hijaak* from Inset Systems and Terravision's *The Graphics Link Plus*.

Conversion software was essential for those programs that run under Digital Research's *GEM* (Graphical Environment Manager) interface, such as *GEM Desktop Publisher* or *Publish It!* *GEM* accepts only native graphics formats with either an .IMG or .GEM extension. Of course, this inconvenience disappears if you work exclusively in the *GEM* environment. (*GEM* is admittedly not as powerful as the multitasking *Microsoft Windows* environment, but a third of the programs in this review gladly forsake the promise of multitasking for the benefits provided by *GEM*'s efficient code, smaller memory requirements, and speedy response times.)

Digital Research is trying to ease the nuisance factor by marketing several modest conversion utilities; each \$15 program translates one file format (.PIC, .PCX, .TIFF, .DXF, .CGM) to the appropriate *GEM* format. And a new version of *GEM*, due out early this year, will address graphics compatibility by incorporating *Hijaak* into the *GEM* environment.

THE BOTTOM LINE

If you must combine graphics from many different sources, buy *PageMaker*; it supports the greatest number of different formats and uses intelligent filters to interpret

DESKTOP PUBLISHING
LOW-END PROGRAMS

the various flavors of .PCX and TIFF files. The aggravation you save will more than compensate you for the \$500 average price differential.

It's easy to imagine how small businesses or individual users might dwell on the price issue, but truthfully, cost is an issue for companies of all sizes. Large corporations, where desktop publishing needs range from professional artists producing the annual report for stockholders to individuals tweaking internal quarterly-earnings statements, may actually be in more of a bind. Even though the company may want a program that integrates the design efforts of the entire firm, at \$895 and \$795 respectively, even large corporations think twice before putting a copy of *Ventura* or *PageMaker* on the desk of every sales

manager or secretary.

A wild concept (but a cost-effective solution) would be the development of a PC-based low-end DTP program that is compatible with templates produced in a high-end DTP program. The paradigm already exists on the Macintosh platform. Quark's *QuarkXPress* has quite properly been lauded for its professional-level typesetting capabilities, as well as its ability to handle full-color continuous-tone photographs. The program matches, and in some cases exceeds, the functions of *Ventura* and *PageMaker*. At \$795 this is a tool for professional designers, but at \$295, the company's *QuarkStyle* is intended to meet the needs of corporate DTP users. Al-

though it doesn't match its big brother feature for feature, it can import and interpret any page layout created by *QuarkXPress*.

A corporate art department can design a template, install fonts, and create paragraph styles with *QuarkXPress*. *QuarkStyle*, economically residing on each individual desk, can be the low-level tool used to integrate text files and graphics into a standard corporate template. Unfortunately, because both *PageMaker* and *Ventura* use proprietary file formats, this scenario just isn't feasible on the PC until Aldus or Xerox enter the low-end of the market.

SELECTION CRITERIA AND THE REVIEW PROCESS

The products we review here had to meet our rigorous selection criteria. In addition to price—*PFS:First Publisher*, *Publish It!*, *PageBuilder*, *GEM Desktop Publisher*, *Finesse*, *Springboard Publisher* and *Express Publisher* all sell for less than \$300—the programs had to include support for laser printers and high-quality fonts. WYSIWYG editing, mouse support, and the ability to import text and graphics files were also required features.

Although programs like *PFS:First Publisher* made their names by running on 8086 systems, the PC Labs test bed tried to duplicate the average hardware installation of corporate DTP users today: an 80286 IBM AT running at 8 MHz with 1MB of expanded memory; an EGA monitor; a Microsoft bus mouse; a 40MB hard disk drive; and an HP LaserJet Plus with 2MB of additional memory and a Microsoft Z cartridge.

The PC Labs testing script, however, was anything but average. The Suitability to Task ratings and benchmark test results report on tasks like importing a 24-page text file, compatibility with graphics and word processing programs, and response times for file-handling capabilities such as saves.

Our sample newsletter, created by an imaginary architectural firm called Westfield and Hampstead, is an absolute bear to duplicate. Narrow columns, downloadable fonts, irregular text wraps, various graphics formats, justified copy, and stories jumping to noncontiguous pages push these programs to their limits and beyond. While your publishing projects may never equal the complexity of our sample document, our testing reveals which products can deliver professional-looking printouts—without the headaches that go hand-in-hand with professional-level tools.

SUITABILITY TO TASK

"Suitability to Task" ratings for desktop publishing programs first appeared in *PC Magazine* when we reviewed high-end packages (December 27, 1988). While the programs reviewed here don't claim to compete directly with *PageMaker* or *Ventura Publisher*, they have increasingly been incorporating high-performance functions like hyphenation and text wrap.

This significant shift in the market, and the corresponding shift in the tool sets of these programs, inspired us to keep two of the categories used to rate high-end programs. Wherever the task names remain the same as those we used previously ("four-page newsletter" and "three-fold brochure, heavy graphics"), so do the tasks. In other words, you can compare the scores in these categories with the ratings received by *PageMaker* and *Ventura*. We think you'll be impressed by how well some of these low-end programs fared.

In good conscience, however, we could not judge these programs on their ability to handle long documents or color output. So, what was originally a long 100-page document we reduced to a more appropriate length of 25 pages. And in-

SUITABILITY TO TASK
PROGRAM NAME

	1	2	3	4
Four-page newsletter	■	■	■	■
Three-fold brochure, heavy graphics	■	■	■	
Medium-length document	■	■		
Internal report or memo	■			

stead of rating these programs on a full-color magazine or corporate report, we judged them on their ability to produce an internal report or memo (with a spreadsheet or graphic).

The possible ratings are: 0 = completely unsuited for the task, 1 = poorly suited for the task, 2 = fair for the task, 3 = good for the task, and 4 = excellent for the task.

Express Publisher

by Luisa Simone

Express Publisher, a \$149.95 DTP program from Power Up Software Corp., offers some very powerful features. For ex-

ample, it supports Agfa Compugraphic fonts and provides options not yet found in PageMaker, such as search-and-replace and the ability to apply a paragraph style to a currently selected frame or an entire story or document.

OUR TEST DOCUMENT: A Challenging Newsletter

by Luisa Simone

The PC Magazine staff truly enjoyed creating an imaginary architectural firm—Westfield and Hampstead. With corporate headquarters in Chicago and regional offices all over the world, it stands to reason that W&H would have need of a company newsletter.

In our zeal to make the newsletter as real as possible, we also made it pretty difficult. For example, the HPGL import of a CAD drawing on page 1 was problematic even for PageMaker. In the current version of Windows, vector files (although totally invisible to the user) must use the Windows Clipboard

Metafile Format to compose the image in memory prior to importing it into a document. Although the memory error message we received wasn't explicit, we kept running into the 64K RAM limit on Metafiles. Reducing the size of the file solved the problem for PageMaker. This problem was a moot point for this particular story, however, because low-cost programs don't claim to import HPGL vector images. But the ability to handle different file formats—vector as well as bitmapped—is becoming increasingly important to all levels of the DTP market.

The photographs on pages 1 and 2 of

The program's greatest flaw is that it overlooks essential conveniences. For example, the company claims that the 17 icons along the top of the screen make the program easy to use.

Available icons include one to link text frames, a second to align objects, a third to make frames equal in size, and another to

our newsletter were scanned with a Microtek MSF 400G scanner and Eye-Star Plus software. The resulting files were saved in several different formats including 300-dot-per-inch black-and-white TIFF, 72-dpi TIFF with 256 shades of gray, and both low- and high-resolution PCX. Where necessary, these images were translated to GEM's .IMG format using third-party conversion programs such as Hijaak from Inset Systems and The Graphics Link from TerraVision.

The floor plan on page 1 was generated in Drawbase from CAD works and exported as both DXF and HPGL vector files. The logos that are sprinkled throughout the document, in the form

VOLUME 12 NO. 2

W&H QUARTERLY

Spring 1990

Chicago New York Los Angeles London

W&H ANNOUNCES ACQUISITION OF SPATIAL RELATIONS, LEADING ARCHITECTURE FIRM

BY RICHARD STANLEY



Westfield and Hampstead has taken an important step toward becoming one of the nation's largest full-service architecture firms with its acquisition of Spatial Relations, Chicago's leading interior architecture design group.

W & H Director Catherine Clark said upon the acquisition. "By bringing Spatial Relations into the W & H fold, we're going to have a firm that's ready to answer all the client's questions and satisfy all his needs, from the first ring of concrete to the last carpet tack."

Ten year old Spatial Relations, which, like Westfield & Hampstead, was founded in Chicago, grossed \$32 million in design commissions last year and has projected billings of \$37 million this year.

Roger Smith and Catherine Clark, the two former Spatial Relations executives

Continued on page 1

Forum de Monaco Wins Prestigious Europe Cup

BY PAUL MURPHY

Westfield & Hampstead executives clustered around their fax machines last month as they would for official news from Paris that the Economic Ministry of W & H had granted special construction permits in Monaco for the coveted Europe Cup architecture award.

This marks the second time that W & H has won the Europe Cup, which has been awarded every year since 1982 (1984 it excluded) to the building of its greatest architectural achievement during the year. It is the only award given to a building that generated the same profit for the firm's multiple office complex in Berlin.

The Forum de Monaco, a 100,000 sq ft, four glass-walled office skyscraper on a hillside overlooking the Mediterranean. The award cited the skill of the two lead architects, Jim Pei, Mosler and Frank Gehry, in solving difficult foundation design problems near the building's location on reclaimed land.

The award also took note of the architects' careful consideration of the architectural history of the area and the special seaside location on which the building was constructed.

Mosler and Gehry will travel to Paris to receive the award in person, and then the two will return to Westfield & Hampstead to discuss the building's success with the Spanish ambassador in charge of several of our top proceedings.



The Forum de Monaco offers complete and integrated Europe Cup award

Not Just Doing Well... DOING GOOF

BY CATHERINE CLARK

Ten Westfield Hampstead Goes to Chicago Home. The Scholarship Subcommittee of the Westfield & Hampstead Historical Board has awarded the tenth annual Westfield Scholarship to a deserving student.

Charles Young, a 25 year old Chicago native, who attended North Central University and is currently completing graduate studies in architecture at the University of Illinois, will receive the \$2000 prize. The award is made annually to the most promising young architect studying in an United States graduate school of architecture.

Young completed against 25 other architecture students representing 11 schools of architecture, all of whom had completed detailed plans for a 10 story commercial building.

"I'm thrilled," Young said when told of his prize. "Both for the obvious reason that it's a great honor and for the pragmatic reason that now I can start my career in the field."

Young jokingly described his architectural style as "the representative of the traditional for another 100 years. In my design, I tend to avoid heavy decorative treatment on commercial buildings," he said. "I want my buildings to speak softly and let the people inside carry the big sticks."

Westfield Hampstead's executive vice president, Catherine Clark, said she was proud to have a student of such caliber as a recipient of the award.

Westfield Hampstead is a leading architectural firm with offices in Chicago, New York, Los Angeles, and London. The firm has a long history of excellence in architecture and interior design.

Common Sense, Financial Sense: Making Sick Buildings Well

BY CLAUDE W. HENNING

Newspapers are full of reports about companies suffering productivity declines and increasing absenteeism attributed to poor lighting and ventilation in offices. It's no secret that such skyscraper ventilation systems more than 25 years old need to be not only replaced but rethought and redesigned as well (Figure 1).

A good example can be found at the landmark 33-story Witherspoon building located not far from W & H's headquarters in Chicago. When its new owners took over the building in 1984 it was only a matter of weeks before tenant complaints began pouring in.

Asthenous insulation had been removed from the building as early as 1978. So tenants expressed concern that the ventilation system was dirty, inefficient and dangerous.

A design team from W & H was able to diagnose the problem, replace the insulation, clean the system, and install new filters. The result was a healthier, more productive building.

wrap text around graphics.

But by moving text wrap from a menu to the toolbox, *Express Publisher*, in effect, demotes it. In most DTP programs the text wrap feature remains active once activated, automatically rewrapping text each time you change the layout. With this implementation, each time you change the

size of the graphic, alter type specs, or reposition elements on the page, you lose the wrap. I was forced to invoke the text wrap tool at least 20 times while designing page 2 of the PC Labs test document.

Frequent revisions are also discouraged

by *Express Publisher's* limitation to one working view of the page: actual size. A full-page view shows the position of graphics and greeked text, but you can't manipulate the frames in any way. Moving elements in the actual-size view requires that you suffer constant, often unnecessary screen redraws.

of jump heads and the banner on page 1, were created in *Corel Draw!* and *Micrographix Designer*. These files were stored as .PCX, .TIFF, .DRW, and .PIC. The most difficult file to import proved to be the pie chart on page 3, which we created in *Micrographix's Graph Plus* and saved as both .EPS and (an enormous) .PCX file.

The sample files were written in *Xy-Write* and stored as ASCII text. The text files were then converted to *Microsoft Word*, *WordPerfect*, *WordStar*, and *MultiMate* formats. The spreadsheets on page 3 of the newsletter were created in *Lotus 1-2-3*, then saved as .WK1, .WKS, .DIF, and .PRN files. We also converted the file to the .XLS

format of *Microsoft Excel*.

Finally, we created a bear of a design. In addition to the Adobe downloadable font (*Futura Extra Bold* on pages 1, 2, and 3), we used wildly different column widths, wrapped text around graphics (page 2), had graphics surprinting rules (page 3), mixed serif and sans serif type faces in body copy (page 2), incorporated a drop cap into text (page 3), and jumped several stories to noncontiguous pages.

To mimic this newsletter with low-cost desktop publishing programs, we made some compromises. For example, Bitstream bitmapped fonts rather than Adobe's outline fonts were used wherever possible. And, while no low-

cost program can be taken to task because it doesn't import an HPGL vector file, we did test programs for standard file format compatibility. In the low-cost arena that usually means .PCX and .TIFF files.

The idea was to produce a document that used high-quality text and high-resolution graphics. These programs did encounter real obstacles, but the hurdles were related to graphics import and table creation. We discovered, to our surprise, that low-cost desktop publishing programs are even capable of complex layouts. For a look at how well low-cost desktop publishing programs fared with this most difficult newsletter, turn the page.

NEW LOGO FOR A NEW DECADE

BY JEFFREY MORRIS

The latest on this newsletter may look a bit different to clients who have seen it before. The reason it features the new corporate logo of Westfield & Hampstead, the existing W & H initials replace the old design logo that first appeared in 1957.

The biggest change in design is that the company now allows itself to be officially referred to as W & H, ending decades of confusion during which every-thing called the firm W & H but no employee was allowed to use the abbreviation in official discourse or correspondence.

For more information about Spatial Relations, please contact Sarah Tobias in the Spatial Relations Department of Westfield and Hampstead at the Chicago office.

Stratton Leaves AW & P to Join W & H

W & H Company Profile

Richard Straton, who served as one of the top architects at Andrew Walters and Partners for 17 years, has left that position to join Westfield & Hampstead as a member of the Executive Board.

Straton has been shown as the architect of a series of office towers in Canada, including the 127th Street Tower in Calgary, Edmonton, Vancouver, and Toronto.

Since 1982, Straton has been turning his talents to large scale shopping malls and mixed complexes in Houston, Dallas, Phoenix, and Los Angeles. Straton will focus on this field's leading up a brand's regional division within W & H. He created new offices in Spatial Relations. He will be in Chicago and would like to set up an appointment to meet Straton, give you a copy of his CV or meet the W & H family of clients.

Sick Buildings: Trouble Spots Worldwide

(Compiled by ILLI International Association of Architects and Engineers)

	Chicago	New York	Los Angeles	London	Denver	Toronto
Median age of skyscrapers (years)	22.2	34.0	27.4	33.8	33.7	30.4
% of skyscrapers 50 years or older	22.6	29.2	17.9	25.2	28.1	25.7
% of skyscrapers 60 years or older	44.1	34.1	27.2	42.1	35.4	18.2
% of skyscrapers 70 years or older	72.1	21.6	20.1	13.4	41.8	24.8

The Witherspoon Building: New Efficiency

Costs	1986	1987	1988	1989
Construction	\$145,000	\$1,000,000	\$1,000,000	\$1,000,000
Construction management	\$40,000	\$30,000	\$25,000	\$25,000
Construction insurance	\$12,000	\$8,000	\$8,000	\$8,000
Architect's fee	\$103,000	\$0	\$0	\$0
Summary due to construction change	\$400,000	\$1,038,000	\$1,033,000	\$1,033,000

W&H

MIES VAN DER ROHE ITINERARY

March 13th: New York - Although the exhibit itself will be located on the second floor of the Art Institute of Chicago with a guided tour by W & H architect.

May 7th: Chicago - The Art Institute of Chicago will provide a guided tour of the exhibit.

July 12th: Los Angeles - The exhibit will be held at the Los Angeles Art Center.

September 6th: London - The exhibit will be held at the London Art Center.

WESTFIELD & HAMPSTEAD

The original Westfield and Hampstead logo conveyed a traditional approach to architectural design. The new logo makes a more forward statement.

A new look that expresses the dynamism of the firm.

All company communications, brochures, and stationery have been replaced, and the main entrance to the headquarters building was changed last week with neither fanfare nor ostentation.

"It's not like NBC killing the peacock on something," Moore said. "It's all just a part of the firm's growth and evolution."

W&H

Chicago

MEMORY LIMITATIONS

Express Publisher imports files from *WordPerfect*, *Wordstar 2000*, *Microsoft Word*, and *Microsoft Works*—unless the file requires more than 64K RAM, as PC Labs' 25-page test file did. In this case, *Express Publisher* gives you an error message.

Instead of swapping text to disk or accessing expanded memory, *Express Publisher* keeps imported text files in conventional RAM. So while the program's 32-page document limit and auto-flow feature let you create long documents, you can't import long stories. Rather, you must append smaller text files in sequence, increasing a document's length in increments to suit memory restrictions.

The 64K RAM limitation applies to the graphics files the software imports: .IMG, .PCX, .MAC, and .ART. These formats are saved as part of an *Express Publisher* document; thus they can be magnified,

SUITABILITY TO TASK

EXPRESS PUBLISHER

	1	2	3	4
Four-page newsletter				
Three-fold brochure, heavy graphics				
Medium-length document				
Internal report or memo				

cropped, rotated, inverted, or flipped within the program.

Express Publisher does not apply this memory constraint to high-resolution graphics (with greater RAM requirements), such as TIFF, GIF, and EPS. Though supported, these formats are not imported by *Express Publisher*; instead, the program points to a file's external location. As a result, many of the graphics editing functions are unavailable for images in these formats.

Express Publisher displayed intolerance of the PC Labs test's TIFF files, which consist of scanned images and logos created in mainstream programs like *Micrographix Designer* and *Corel Draw!*. Admittedly, TIFF images can be problematic, but using a standard utility program to convert the images to more-acceptable formats like GIF and PCX produced erratic results.

The only foolproof workaround proved

Express Publisher

Not Doing Well...DOING GOOD

BY CATHERINE CORRETT

...a decade, but this year employees at rate headquarters in Chicago ended to the city's critically depleted supply with unequalled osity--surpassing the target of 400 donors by more than 30 nt.

Anthony Giacometti, a representative from the local chapter of the Cross, praised the donors for their sm, and Carol Nixon--the health its coordinator here at W & H--for her tional skill. "The simple truth is that Miss Nixon

a decade, but this year employees at rate headquarters in Chicago ended to the city's critically depleted supply with unequalled osity--surpassing the target of 400 donors by more than 30 nt.


Anthony Giacometti, a representative from the local chapter of the Cross, praised the donors for their sm, and Carol Nixon--the health its coordinator here at W & H--for her tional skill. "The simple truth is that Miss Nixon

Making Brick Buildings Well: Common Sense, Financial Sense

BY CLAIRE GIBSON

...and a long time ago, when the first skyscrapers were built, the architects and engineers were faced with the same problem: how to make a building that would stand the test of time. The answer was simple: use the best materials and the best construction techniques. Today, the same principles apply. A good building is one that is well-constructed, well-maintained, and well-located. It is a building that is built to last.

W & H Company Profile



Although *Express Publisher* did successfully import the medical symbol as a .PCX file, there are several problems with the text wrap. The hyphenation algorithm sometimes does a poor job—look at the loose spacing around the name Anthony Giacometti. In addition, the distance between the text and the graphic is determined by the margin setting for the entire frame. Here, I opted for no margins, which resulted in having the text print too close to the graphic


Express Publisher was the only program in our roundup that could handle the pie chart on page 3. However, it could not print this file in the HP version of the newsletter because the .PCX version exceeded the program's memory limits. However, the .EPS file (if you can use PostScript drivers) worked like a charm.

DESKTOP PUBLISHING
LOW-END PROGRAMS

to be translating to the .EPS (Encapsulated PostScript) format, which relies upon the printer's PostScript interpreter to manipulate the graphic information it contains. *Express Publisher's* support of the EPS format gives users access to high-resolution vector graphics and also provides a handy way to overcome file format compatibility problems. Once converted to EPS, *Express Publisher* passed our test TIFF images (now encapsulated) to the printer without a hitch.

INTELLIGENT INTELLIFONTS

Express Publisher takes full advantage of Agfa Compugraphic's font technology, and it comes with two totally scalable typefaces, CG Times and CG Triumvirate, which closely resemble Times Roman and Helvetica. Although the letter forms are not as aesthetically pleasing as Bitstream fonts, *Express Publisher's* ability to scale these typefaces interactively from within



The Object Specs dialog box in *Express Publisher* allows you to determine the status of the currently selected frame, making it printable, selectable, fillable, hidden, or locked. Locking is especially useful if you wish to preserve complex layouts.

the program is a blessing.

Best of all, there are no separate or complicated procedures to install these

downloadable fonts: once the DTP program is installed, the typefaces—scalable from 6 to 144 points—are at your finger-



Finesse handles reverse type in text mode, preserving the resolution of downloadable fonts. Creating the hanging indents in the text body requires only that you indicate a left indent for the paragraph style (the first line of every paragraph always maintains its own indent information).

ITINERARY

...op-
...e the
...spec-
...vi-
...ation,
...s will
...ed

...agne buffet fol-
...lows. Contact:
...Maureen Hayes

September 6th:
London--A private afternoon

W&H

Not Just Doing Well... DOING GOOD

...Making Sick Buildings Well: Common Sense, Financial Sense

...New program will help...



Although *Finesse's* internal conversion utility was unable to interpret our TIFF images, we had no trouble importing this test logo once we converted it to .IMG with *Hijaak*. *Finesse* can insert special characters (like the bullets near the locations of W&H's regional offices) into text; the selection, however, is limited. Here we used round instead of square bullets

DESKTOP PUBLISHING
LOW-END PROGRAMS


Finesse

by Robin Raskin

At \$179, *Finesse* adds a touch of class to low-end desktop publishing software. Issues of cost aside, this program's remarkably intuitive user interface makes the integration of text and graphics an elegant affair.

Logitech has bundled a generous selection of four high-resolution, scalable Bitstream fonts (Dutch, Swiss, Courier, and Symbol) with the program, along with the requisite font installation kit for GEM, Version 1.1. The *Finesse* manual thoroughly documents the font installation procedure—a striking change from many programs that rely on Bitstream's more generic, less useful renditions.

Finesse includes a variety of tools that do justice to these good-looking fonts. In-




dividual letter pairs can be kerned, and a hyphenation algorithm makes ragged-right columns look professionally set. You can even copy a format, such as the type style and indent, from one paragraph to another.


Unfortunately, confusion reigns regarding the creation of bold and italic fonts. You can assign boldface or italics to any font in your document. But *Finesse* is unable to locate a true bold or italic Bitstream font; it substitutes its own markedly inferior text attributes. The end result is an inconsistent look for otherwise high-quality text.

No such consistency problems plague the user interface. A single menu line across the top of the uncluttered screen contains all commands, executed with the mouse or by using speedier keyboard equivalents. Menus allow you to invoke the automatic text wrap, provide eight interesting fill patterns, and shuffle objects in front of or behind one another.

PFS: First Publisher



called-generosity -- target goal of 400 percent. cometti, a donors for Carol Nixon -- coordinator here that Miss Nixon, and volunteers, will save re very grateful for



Major Miss Feld & Hampstead has sorship of a major Mies van der Rohe tion that will travel to art museums in er the next two years. The collection.

First Publisher's baselines make it simple to wrap text around graphic images. Here, we simply shortened the baselines in order to accommodate the irregular shape of the medical symbol from our blood drive story

Although *PFS: First Publisher* can handle high-quality type, to place the continued lines, you'll have to rely on text entered in graphics mode in order to keep the copy out of text flow. The 72-dpi type, intermingled with high-quality HP fonts, produced erratic quality in the document overall.

Doing Good, continued from page 2

is called, is the first to be funded by last. According to W&H public rela Wilson, "The firm is thrilled to have with a quality show like this one, and looking for more opportunities to get of museum-based attention it de


**DESKTOP PUBLISHING
LOW-END PROGRAMS**

The left side of the screen contains icons that allow you to add or move through pages, as well as tool and option boxes. Click on a tool, and you can create text or graphics frames, draw lines or boxes, and chain frames together.

FRAMEWORTHY DOCUMENTS

Frames (self-contained units of graphics or text) are the backbone of a *Finesse* document. Once you've drawn a rectangular frame with the text tool, your copy—either typed or imported—pours into that box. Frames can be resized, moved, and chained together.


Chaining allows *Finesse* to accommodate multiple story threads. Its ability to link frames and thereby flow moderate-sized stories from one page to the next is a real showstopper. Don't worry if your story is larger than the box you've drawn; a cautionary icon will appear in the corner of the frame to alert you to text overflow. Our



Ctrl-T invokes a special mode in *Finesse* in which only the filenames and the sequence of linked frames in a story are displayed. Still in an interactive mode, all the frames can be moved or resized. Turning off the graphics display in the options menu speeds up the program's response time.

testing revealed, however, that very long text files—exceeding *Finesse's* 16-page limit—will generate a fatal error message.

Whenever you create a frame, an option box pops up to supply all toolbox-dependent suboptions, making it difficult



Not Just Doing Well...Doing Good

BY CATHERINE CORBETT

When national building codes in Chicago passed the Chicago Building Code, the American Institute of Architects (AIA) and the International Brotherhood of Building Trades (IBT) were the main forces behind it. The code is a landmark in the history of the building industry, and it is a testament to the power of the building industry to bring about change. The code is a landmark in the history of the building industry, and it is a testament to the power of the building industry to bring about change. The code is a landmark in the history of the building industry, and it is a testament to the power of the building industry to bring about change.

Making Sick Buildings Well: Common Sense, Financial Sense

BY CATHERINE CORBETT

Through the use of high-resolution PCX files, the high-resolution PCX file was imported without a hitch. And using the downloadable fonts in our complex arrangements of text and rules was as simple as it would have been in *Ventura*.

Publish It! does it all. The high-resolution PCX file was imported without a hitch. And using the downloadable fonts in our complex arrangements of text and rules was as simple as it would have been in *Ventura*.

Table Spots Worldwide
International Association of Architects and Engineers
Chicago New York Los Angeles

Members (years)	32.2	38.0	27.4
Installation systems (years)	22.6	24.2	17.9
Insulation	46.1	34.5	27.2
Efficient units	22.1	21.9	30.1

Though you'll find that you have to rekey tabular material, you'll appreciate the sophisticated support of tabs. Right, left, center, and decimal alignment make it a snap to fit all the copy in the table. However, where *Publish It!* can't find the high-resolution downloaded italic font, it substitutes its own inferior version.

SPATIAL RELATIONS ARCHITECTURE

BY RICHARD STANLEY



Westfield and H... toward becoming architecture firms Chicago's leading W & H Di... bringing Spatial going to have a f... questions and sa... concrete to the las

DESKTOP PUBLISHING
LOW-END PROGRAMS



When you draw or select a graphics frame, *Finesse* guides you logically to the next step and either displays the importing options or prompts you to resize the image. The Frames menu lets you choose line and fill patterns or fine-tune the size and position of text and graphics frames.

First Word Plus, GEM Write, WordPerfect, Microsoft Word, and ASCII.

Page layout is definitely *Finesse's* forte. Master pages encourage the use of uniform styles within a document. You can quickly format a three-column newsletter and then tweak the columns on a page-by-page basis. Master pages also contain page-numbering and date-stamping templates.

You can work on your WYSIWYG document in either actual size or full-page mode, but *Finesse* also provides an at-a-glance view of layouts. Ctrl-T toggles to an exceptionally clean view of your document that displays the filename and the sequence of chains for each story. "PROPOSAL.TXT, C1 of 5", for example, lets you know the origins of your copy and indicates that this is the first in a series of five chained frames. Similarly, graphics can be displayed as frames containing only their filenames, giving you the global picture in

to get lost in the program. For example, when you draw a graphics frame, the option box lists the four possible file formats

you may want to import: .IMG, .PCX, .TIFF, and .GEM. Draw a text frame and the import options change to *WordStar*,

Springboard Publisher

W&H Not Just Doing Well, Doing Good

By Catherine Corbett

Westfield and Hampstead has announced the acquisition of Spatial Relations, a leading architecture firm. The deal, valued at \$10 million, is the largest in the company's history. The acquisition will allow the firm to expand its services and increase its market share. The new firm will be based in Chicago and will have a staff of over 100 people. The acquisition is expected to be completed by the end of the year.

Westfield and Hampstead has announced the acquisition of Spatial Relations, a leading architecture firm. The deal, valued at \$10 million, is the largest in the company's history. The acquisition will allow the firm to expand its services and increase its market share. The new firm will be based in Chicago and will have a staff of over 100 people. The acquisition is expected to be completed by the end of the year.



starting at 11 a.m. A garden luncheon will celebrate both the opening of the show and the beginning of spring. Contact: Kevin Hannigan.

uly 12th: Los Angeles--The Museum of Art will be the setting for a spectacular audiovisual presentation, where viewers will be transported from the scale models in the museum to the actual buildings on location. A

Directions:
Contact: Maureen Hayes.


September 6th: London--A private afternoon viewing at the Tate Gallery and high tea will introduce the British audience

The six columns of text that constitute the itinerary in this story were easily accommodated by a single text frame in *Springboard Publisher*. Text frames can have up to nine formatted columns. Note the quality of the screen fonts, which we were forced to use in order to print out the document accurately.

By Keith Johnson

Westfield and Hampstead has announced the acquisition of Spatial Relations, a leading architecture firm. The deal, valued at \$10 million, is the largest in the company's history. The acquisition will allow the firm to expand its services and increase its market share. The new firm will be based in Chicago and will have a staff of over 100 people. The acquisition is expected to be completed by the end of the year.

This is the best it gets in *Springboard Publisher*: 72-dpi .PCX images and substituting high-resolution Bitstream fonts at print time. Notice that even though the letter forms are smooth, the letter spacing is too wide. *Springboard* does offer kerning functions, but because *Springboard* doesn't accurately display soft fonts on screen, there is no way to correct this problem before you print the document.



Westfield and Hampstead becoming one of the new with its acquisition of Spatial Relations. W & H Director bringing Spatial Relations have a firm that's ready to satisfy all his needs, for lack of a better word.

DESKTOP PUBLISHING
LOW-END PROGRAMS

a flash and eliminating excessive screen redraws.

Deficiencies turn up, however, when you have need of more-exact page layout tools. The main ruler line does not display tabs or the cursor position, and it is limited to a few preset scales. A downright dearth of drawing implements restricts you to vertical or horizontal rules.

Support for tabs is pitiful, with options



Finesse
Logitech Inc., 6505
Kaiser Dr., Fremont, CA
94555; (800) 231-7717,
(800) 552-8885 (Callt.
only).



List Price: \$179.
Requires: 640K RAM;
1MB free disk space;
GEM environment; DOS 2.1 or later (3.1 or later
for Bitstream Fontware); CGA, EGA, VGA,
MCGA, or Hercules graphics adapter; mouse.
In Short: *Finesse* is an elegant tool for creating
design-intensive documents. The hint-laden
interface makes it almost impossible to lose your
way. Yet the tabs, the grids, the rulers, and
especially the graphics import capabilities could
stand improvement.

CIRCLE 409 ON READER SERVICE CARD

providing only for left and decimal alignment. You assign tabs in a noninteractive, nongraphical, full-page dialog box. Even *MacWrite 1.0* outdid *Finesse* on this score.

ERROR-PRONE GRAPHICS

Finesse's implementation of graphics import and manipulation is also disappointing, though part of the problem rests with the *GEM* environment's insistence on accepting only its own .IMG or .GEM formats. Not only do you waste valuable disk space by storing both TIFF and .IMG file formats, but *Finesse's* own import filters cannot translate any images containing gray-scale or color information. As a result, most of our scanned TIFF images were rendered unusable, and .PCX pictures turned to mud.

Even when you have successfully converted to the .IMG format, you'll find that all three different ways of bringing images into your document are inexact and require constant trial and error. Scaling the image to the frame usually distorts the aspect ratio. Maintaining the aspect ratio usually leaves too much white space around the image. And retaining a 1:1 relationship with the original image requires that you use crude and confusing tools to clip the artwork.


You might have better luck with the screen capture utility supplied with *Finesse*, or with *SCAN*—a utility that allows you to control Logitech's ScanMan without leaving the program. The ease with which you can scan, size, and rotate artwork makes the \$300 outlay for a ScanMan enticing. In fact, using the scan utility is the only way to compensate for *Finesse's* lack of text or image rotation capabilities.

QUICK RESPONSE TIME

Despite *GEM's* clunky on-screen dialog boxes—and its annoying insensitivity to

Despite some shortcomings,

Finesse provides excellent control over type



and some very flexible layout tools. For anyone who's been suffocated by the limitations of low-cost DTP, it is a breath of fresh air.

all but the most perfectly centered mouse clicks—it provides *Finesse* with a memory-efficient, responsive environment. And the fact that *Finesse* doesn't physically incorporate graphic images into a document, instead using pointers to indicate a picture's location, makes for fast saves and small file sizes.

Printing is slow, but thanks to an OUTPUT module that creates background batch printing routines, it hardly matters. Printer support is spotty (drivers for the Hewlett-Packard Deskjet and PaintJet are notably absent) thus you have to purchase additional driver paks from Digital Research.

Despite some real shortcomings, this program provides excellent control over high-resolution type and some very flexible layout tools. For anyone who's been suffocated by the limitations of low-cost DTP, *Finesse* must seem like a breath of fresh air.

GEM Desktop Publisher

by Edward Mendelson

What looks and works a lot like *Ventura Publisher* but costs less than half as much? The answer is Digital Research's \$299 *GEM Desktop Publisher*, a low-cost DTP package with an impressive set of advanced features and exact control over typography and design.

Don't expect *GEM* to handle the large or complicated tasks that *Ventura* was designed for. But if your desktop publishing projects are relatively modest, *GEM* delivers all the power and flexibility you'll need.

A LOT LIKE VENTURA


GEM Desktop Publisher uses familiar stylesheets to control layout and type specs. It allows fine adjustments of kerning and letter spacing at every level of a document—from individual letter pairs to a complete file. And it comes with a copy of Bitstream's *Fontware* to generate high-quality LaserJet fonts.

As in *Ventura*, *GEM's* basic design element is an imaginary rectangle that you draw with a mouse. (*GEM's* rectangles are what other programs call frames.) You can import a text or graphics file into a rectangle and modify its size and shape at any time. Text can flow automatically from one rectangle to another, even when the frames reside on separate pages. You can type text directly into a rectangle, and you

SUITABILITY TO TASK
GEM DESKTOP PUBLISHER


	1	2	3	4
Four-page newsletter				
Three-fold brochure, heavy graphics				
Medium-length document				
Internal report or memo				

DESKTOP PUBLISHER
LOW-END PROGRAMS



GEM Desktop Publisher lets you create complex paragraph formats. The tables at the lower right take advantage of the program's four different kinds of tab alignment: decimal, centered, left, and right.

GEM Desktop Publisher lets you create transparent or opaque rectangles. Depending on the fill you use, text and graphics are either superimposed over each other or flow around each other. Here, your choice will affect how text interacts with the pie chart on the right.



Digital Research. The technician explained that if I followed the *Font Merge* manual, it would be impossible to install the fonts because the manual describes an older version of the program. She then walked me through the installation procedure, which she correctly described as un-intuitive.

Though you can import text files from a variety of applications, including *Word-Perfect 4.2* (not 5.0), *Microsoft Word*, *MultiMate*, *WordStar*, and *DisplayWrite*, graphics files must be converted to .GEM or .IMG formats. Some of the import filters choke on complex files. In addition, Digital Research's auxiliary conversion program that translates .PIC or .PCX files to .IMG works only with small and simple images.

PERFORMANCE WOES

When you first design a *GEM* document, the program generates a profusion of files, including a sheaf of temporary files that it creates every time you open an existing document. Type text into an empty rectangle and the program insists on making a separate file for it. If your design includes a lot of captions and headings, you may end up with dozens of files that are part of a single document. All of this makes the process of saving your file so slow that you may not save often—a dangerous economy, because a crash or program error can cause you to lose hours of work. It happened to me.

I encountered serious errors when I tried to recreate *PC Magazine's* exceptionally complicated sample newsletter. Although the program almost succeeded in recreating the file, some problems proved


can add lines, boxes, and circles using tools built into the program.

Rectangles can be opaque or transparent. When you place an opaque rectangle over another rectangle, the text in the lower frame flows around it. When you place a transparent rectangle over an opaque one, the contents of both are visible. Although you can't automatically flow text around irregularly shaped graphics, with a little ingenuity you can create a similar effect. For example, the text that wraps around the medical symbol on page 2 of the *PC Labs* test document actually flows around a series of opaque rectangles that match the outline of the artwork.

Using the *GEM* graphics environment, *GEM Desktop Publisher* gives you WYSIWYG editing at markedly faster speeds than any *Windows* application, even though it exacts a price and limits flexibility and conveniences. Though the program supports color ink jet printers,

PostScript, and Hewlett-Packard laser printers, you can't print directly from the program; you have to save your file first and then open a separate *GEM* application to print.

Compared to more-recent *GEM* applications like *Finesse*, *GEM Desktop Publisher* doesn't look elegant on-screen, and it achieves even its most impressive results with technology that seems relatively primitive. For example, as you look through the many miscellaneous instruction sheets that accompany the six different manuals (for *GEM Desktop Publisher* and the complete *GEM Desktop* environment), you come across a warning that you can't print on a LaserJet unless you first generate soft fonts with Bitstream's *Fontware*. You are then instructed to install the fonts using a separate *Font Merge* utility. I spent two hours with three separate manuals trying unsuccessfully to install the fonts before I gave up and called



GEM Desktop Publisher, Version 2.01

Digital Research Inc.,
Box DR1, Monterey, CA
93942; (800)443-4200,
(408) 649-3896.
List Price: \$299.

Requires: 640K RAM; hard disk with 2MB free, or two floppy disk drives. GEM environment; DOS 2.1 or later, CGA, EGA, VGA, MCGA, or Hercules graphics adapter. Mouse recommended.

In Short: *GEM Desktop Publisher* has layout and typographic tools for creating complex and precise formats, but in *PC Labs'* benchmark testing, serious bugs started to appear as the test document became larger and more complicated.

CIRCLE 410 ON READER SERVICE CARD

unsolvable. Text justification often worked erratically. Most often the first line of a paragraph was indented at the right and the left, but sometimes a random line in the middle of the paragraph was short by several characters as well.

At least five times (always under differ-

ent circumstances), a message announced that an internal error had occurred and that my data might be corrupted. The first time this happened, I made the mistake of clicking on "OK" and exiting normally—only

to find that the whole document had been purged beyond recognition. The next time it happened, I rebooted and lost only the work I had done since the last time I had saved the document.

As the test newsletter grew more complex, GEM sometimes displayed normally

THE GREAT DEBATE: PCL Versus PostScript

by Alfred Poor

When the time comes to print the documents they've labored over, even low-end DTP users want access to fast, high-quality output devices. And that means laser printers, because even the best dot-matrix machines still fall short of a laser's near-typeset 300-dot-per-inch output.

Unfortunately, many low-end DTP users look at laser printers longingly, in the meantime postponing a purchase because of a perceived price barrier and confusion over the relative virtues of Adobe's PostScript versus Hewlett-Packard's Printer Control Language (PCL).

Cost is less of an issue than ever before. New developments on the price front are putting laser printers on the street for about \$1,000. The latest low-cost models from HP or Canon, for example, run at half the speed of top-of-the-line lasers, but delivering four pages per minute instead of eight won't affect the quality of the printout.

Most 300-dpi engines have similar physical capabilities when it comes to placing toner on a page. The real difference between printers like the Hewlett-Packard LaserJet Series II or the Apple LaserWriter IINTX (and their respective compatibles) rests with the printer's command set. HP's PCL and Adobe's PostScript tell the engine which font to use or how to create the graphic image.

Whether because of Adobe's hefty licensing fee or the high costs associated with developing a bullet-proof clone, PostScript capability adds considerably to the price of the printer you buy. However, PostScript printers deliver up to 35 scalable typefaces, include several megabytes of memory, and have the intelligence to interpret PostScript vector graphics.

Scalable typefaces are advantageous because they can be resized without de-

grading the quality of the outline: edges are always smooth, lines are always clean. PostScript also lets you create special effects with text, such as printing words in a circle.

Cloning PCL, however, is a less formidable task. The resultant lower prices of HP compatibles, as well as

Hewlett-Packard's printer

control language lacks the

versatility of PostScript.

But given the right
software and PCL laser
printers priced below

\$1,000, it may not matter.

Hewlett-Packard's considerable market share, have made PCL printers a ubiquitous presence in corporate offices.

Printers that use PCL drivers require a copy of each bitmapped font (which consists of a typeface specified to size and style—such as 16-point Times italic) to be present in the printer's memory. High-resolution fonts may be included in the printer's ROM (internal fonts), may reside on a ROM cartridge, or may be downloaded from your computer's hard disk (soft fonts).

Because of their reliance on bitmapped fonts, PCL printers do not offer all the benefits of PostScript machines. Bitmapped fonts cannot be resized from within application programs; moreover, they require more disk space than vector equivalents.

The typographic limitations of a PCL printer may not be a major problem for low-end DTP applications. For example, restrictions on large point sizes can be easily overcome by creating headlines and logos in a paint or

drawing program, then importing the image into your DTP document as art. After all, the average business document doesn't often require more than one or two words in 72-point type. And it may be difficult to discern the difference between headlines from a 300-dpi TIFF file and headlines generated with outline fonts.

In fact, bitmapped fonts can actually make a PCL printer faster than a PostScript for many text-intensive applications because the PCL printer doesn't have to interpret or scale type outlines while generating paper output.

Too often, HP-compatible printers are blamed for the shortcomings of low-end DTP programs. Some low-end DTP packages, for example, won't recognize cartridge fonts or downloadable fonts from third-party vendors such as Bitstream. Even more seriously, there are programs that ignore a printer's internal fonts, and instead send formatted pages to the printer as bitmapped images. Text is treated as though it were simply a part of a full-page illustration. The printer seems slow because in place of merely identifying the letters to print, the program sends the page to the printer one dot at a time.

At 300 dpi, this sort of full-page bit-map will generate an error message on PCL printers with only 512K of memory, such as the HP LaserJet Series II. Solving the problem by lowering the resolution from 300 to 150 dpi to fit the entire page into memory results in a comparable loss of quality.

Ultimately it is the software's responsibility to take advantage of the power—in the form of cursor-positioning instructions, graphics primitives, and shading commands—that PCL offers. As long as your DTP program supports PCL intelligently, the new low-cost HP-compatible laser printers are the perfect output devices for corporate publishing projects. ■

DESKTOP PUBLISHING
LOW-END PROGRAMS

invisible paragraph-style tags as part of the text on the screen. And when I attempted to flow a story around too many opaque rectangles, the program began to reformat the text endlessly; the screen looked like a window shade flapping after being rolled too tight. The only way to exit the loop was to reboot. Digital Research's technical support staff had not encountered either of these bugs before.


If you normally work in the *GEM* environment, you may find the one desktop publishing package written by the creators of *GEM* itself worth your consideration. *GEM Desktop Publisher* can get the job done—as long as the job isn't very complicated and doesn't stretch the program beyond its powers.

PageBuilder


by Bill O'Brien

When you draw the distinction between desktop publishing and page composition, you'll find that CSI Publishing's *PageBuilder* has one foot on either side of the line. Though this \$295 package met all of the selection criteria for this story, the program's graphical user interface merely aspires to WYSIWYG status, and type specifications are more easily created in the program's co-resident text editor.

PageBuilder does contain a menu-driven graphical user interface, but it doesn't give you a readable screen representation of the text in your document. Even if you take advantage of the program's 200 per-



Looking at the poor quality of this WYSIWYG text display, it's difficult to believe that *PageBuilder* can reproduce its bitmapped fonts so well and so quickly on the HP LaserJet. Even at 200 percent magnification, the screen text is nearly unreadable, but the printed fonts are crisp and clear.



Although *PageBuilder* cannot interpret conventional .PCX images, it handled simple .PCX files, like the newsletter logo, quite well. Scaling is available only along the diagonal axis; all other modifications (such as cropping) must be made in the original program that generated the .PCX file.

SUITABILITY TO TASK
PAGEBUILDER

	1	2	3	4
Four-page newsletter				
Three-fold brochure, heavy graphics				
Medium-length document				
Internal report or memo				

cent zoom, the text appears to be a remnant of a 1,000-year-old wall carving. WYSIWYG editing, though available, is nearly unusable. When you insert the text cursor, for example, everything to the right of your click disappears until you've finished typing.

INTERNAL TEXT EDITOR

Better by far than *PageBuilder's* WYSIWYG editing facilities is its ancillary full-screen text editor. You can create text here, but writing is really best done off-line in your favorite word processor, provided it will export the only kind of text files *PageBuilder* can import: ASCII.

The editor, however, has a more important function as a text formatter. In terms of both speed and reliability, using the editor as a page composer to imbed font names and formatting instructions directly into the text is easier than highlighting copy blocks and selecting fonts from one

of *PageBuilder's* pull-down menus. This is especially true of documents like our test newsletter, which uses multiple typefaces, point sizes, and type styles within a single text passage.

As its name implies, *PageBuilder* constructs a document from a collection of text and graphics objects that reside outside the program. Instead of creating a single document that contains imported objects, the program maintains a list of objects and their attributes, such as size and position. Assembling a page requires a fair amount of orchestration, but running on an IBM PC AT, *PageBuilder* is actually no slower than *PageMaker* on this score. However, both picture and story files are vulnerable: any editing done within a *PageBuilder* document becomes a permanent change in the original file.

Of all the objects that *PageBuilder* handles, text is perhaps the most difficult to control in that it contains two levels of

primitives: words and individual letters. *PageBuilder* deals with text in two distinct ways depending on whether it is headline or body copy. Headlines are limited to single lines that may be placed either horizontally or vertically on a page. In addition, the size of display type is limited to the high-resolution bitmapped fonts bundled with the program. Though additional font libraries are available from CSI Publish-

so, scaling is allowed only along the diagonal axis, and no cropping function is available.

VERTICAL LEARNING CURVE

Because of its complex, everything-is-a-separate-object nature, *PageBuilder* does have a steep learning curve. For example, it uses a hierarchical system to store the various parts of a document. Each page of a document is maintained as a separate unit. Switch to page 2 without first saving page 1, and everything you've done is lost. It takes time and practice to become habituated to the arbitrary procedure that requires you to save each page individually and then store the overall laundry list of files that constitutes a document.

PageBuilder's rudimentary leading and kerning abilities bring its deficiencies as an interactive DTP program into focus. Changing the leading requires you to indicate a percentage of the standard line-spacing distance for the font size selected (although no reference to the actual size of the standard is supplied). And kerning is actually microspace management that relies on you to establish a ratio between character spacing and word spacing.

Balanced against these deficits are some real assets, such as the ability to control a scanner, create simple charts and worksheets, save designs as templates, and produce a slide show. *PageBuilder* is worth investigating, but only if you need page composition without the amenities we've come to expect from DTP.

PFS:First Publisher

by Robin Raskin


PFS:First Publisher, from Software Publishing Corp., boasts the largest installed base of low-end DTP users. It won the lion's share of the market because it is blissfully simple to use and, at \$129, a bargain as well. A least-common-denominator sort of program, *First Publisher* will run efficiently even on an 8086 with only 512K RAM, two floppy disk drives and no mouse. There is no installation procedure other than copying the working files to the proper subdirectory and running a separate utility to choose a printer.

It hardly matters that the on-screen help is not context sensitive because the straightforward menus are self-explana-


IMPROVED!

The new OmniMouse II from Mouse Systems Corporation sets the pace in input device performance and value.

A Mouse For All Systems



- **Superior resolution** — Patented Ultra-Res software, allows you to select optimum resolution and performance at the touch of a fingertip.
- **Ergonomic comfort** — Attractive case design not only looks great, but also feels great.
- **Software Compatibility** — Guaranteed compatible with all "mouseable" software applications.
- **Easy to install and use.**
- **PC Paint Plus**, the powerful, easy use paint and illustration program.



Free Clip Art for PC Paint Plus

Whether you need a mouse for desktop publishing, spreadsheets, CA graphics, or any other "mouseable" software package, the easy choice is OmniMouse II, a mouse for all systems.

See Your Dealer Today!



47505 Seabridge Drive, Fremont, CA 94555
(415) 656-1117

Mouse Systems logo is a registered trademark. Other brand product names are used for identification purposes only and are trademarks or registered trademarks of their respective owners.

CIRCLE 160 ON READER SERVICE CARD

FACT FILE

PageBuilder, Version 2.0
CSI Publishing, 13721A
Rosewell Ave., Chino
Hills, CA 91710; (916)
756-4158.
List Price: \$295.
Requires: 640K RAM,
4.5MB free disk space;
DOS 3.0 or later; CGA, EGA, VGA, MCGA, or
Hercules graphics adapter; mouse.
In Short: *PageBuilder* is an excellent page-
composition tool for manipulating a limited
number of text and graphics objects. More suited
to applications requiring text formatting, it lacks
some of the more-refined design features we've
come to expect from DTP software.

CIRCLE 419 ON READER SERVICE CARD

ing, *PageBuilder* does not support scalable third-party fonts.

Body text, on the other hand, flows within any area that you care to define. The designated text area can consist of one or multiple columns of any width or depth. The text areas need not even be on the same page because the *PageBuilder* program can flow text across a maximum of 50 pages.

PageBuilder facilitates the electronic design process with powerful exclusion boxes that allow you to reserve space in the layout for graphic images. When an exclusion box overlays a text area, it forces the copy to auto-wrap around the boundaries. A complementary function allows you to customize the look of your page by choosing to flow text either around or within irregular shapes.

Though White Sciences, the author of *PageBuilder*, claims that TIFF files will be supported in the next release, at the moment you can import only .PCX files. *PageBuilder* interpreted the PC Labs test logos without incident; however, the more complex scanned images were literally trashed.

In order to size a picture you must define it as a symbol, which—in addition to a standard set of drawing shapes—is one of *PageBuilder's* graphics primitives. Even

ory. The toolbox, which contains a reasonable collection of rules and boxes as well as freehand drawing capabilities, completes the totally monochrome screen.

Though *First Publisher* has been on the top of the entry-level DTP heap for a

DESKTOP PUBLISHING
LOW-END PROGRAMS

ple, this is the only way to adjust line lengths for paragraph indents because there are no tab settings in the program.

Despite eye strain from reading grayed-out text, working with these baselines is conceptually simple. Wrapping text around an irregular graphic requires only that you drag baselines closer to the edge of the shape, and you just zero-out a baseline to open up white space on the page.

Exasperation sets in when the document design doesn't match the prescribed, inflexible manner in which text flows among the four allowable columns. You can create a few variations by zeroing out certain baselines for portions of a page, but no techniques or tricks will allow you to change the linear flow of text, from baseline to baseline, from column one through column four. Unless you are willing to hand-paste individual lines of copy, a document such as our test document is impossible to create, much less revise.

First Publisher relies on an external utility, *Fontmove*, to manage which fonts will be accessible to your document. Up to 14 fonts can be installed in the master font list simultaneously. Support of dot matrix fonts is exemplary. Though limited to only 150 dpi, these typefaces are plentiful and come in various point sizes, with optional attributes such as boldfacing and italics. But if you are printing out to an HP LaserJet, you'll find that out of the four *HP Soft Fonts* supplied, only Courier and Lineprinter are true 300-dpi fonts; Helvetica and Times Roman print at 150 dpi unless you install one of HP's cartridges.

SUITABILITY TO TASK
PFS:FIRST PUBLISHER

	1	2	3	4
Four-page newsletter				
Three-fold brochure, heavy graphics				
Medium-length document				
Internal report or memo				


while, its prospects for staying there look dismal. Although all the elements of your document are displayed on-screen simultaneously, the program defies the concept of integrated composition by keeping the text and graphics on segregated overlays. In graphics mode, for example, the on-screen text is grayed-out and untouchable.

The best way to ensure that such elements as picture captions and "continued" lines remain in position is to enter the text while in graphics mode. You're trading legibility for sanity: the continued line won't be inadvertently moved to the middle of the column, but you are sacrificing 150-dots-per-inch type for the poorer graphics resolution of only 72 dpi. Mixing graphics text and normal text results in uneven quality within a document.

WORKING IN TEXT MODE

You create and modify page layouts in *First Publisher* by using text baselines—which have the familiar look of grade-school notebook paper. You can shorten or lengthen baselines, move them up or down on a page, and change the spacing between them. This can be done on an individual basis or by manipulating all baselines above and below a certain location. Even the simplest layout requires that you manipulate baselines. For exam-


FACT FILE



PFS:First Publisher
Software Publishing Corp., 1901 Landings Dr., P.O. Box 7210, Mountain View, CA 94039; (415) 982-8910.
List Price: \$129.
Requires: 512K RAM; hard disk with 2MB free, or two floppy disk drives; DOS 2.0 or later; CGA, EGA, VGA, or Hercules graphics adapter. Mouse recommended.
In Short: *PFS:First Publisher* once ruled the low-end DTP roost, but this program pits the user's ingenuity against the program's limitations—which include a maximum of four columns per page, 72-dpi graphics, insufficient support for 300-dpi fonts, and rigid control of text flow.

CIRCLE 411 ON READER SERVICE CARD

Look... and Feel



The **White Mouse** from Mouse Systems is more than a fashion statement: it's an advancement in technology. From its sleek lines that fit comfortably under your hand, to its smooth, flowing curves that invite your fingers into a natural position, this mouse is truly a work of art.

100% Microsoft Compatible... and More!

- 350 CPI base resolution.
- 100% Microsoft and Mouse Systems compatible.
- Software Compatibility - Guaranteed compatible with all "mouseable" software applications.
- Easy to install and use.
- Lifetime Warranty.

Stylish, sophisticated, smart. The **White Mouse**, from Mouse Systems.

See Your Dealer Today!

Also available at **EGGHEAD SOFTWARE**



47505 Seabridge Drive, Fremont CA 94538
(415) 656-11


Mouse Systems logo is a registered trademark. Other brand and product names are used for identification purposes only and may be trademarks or registered trademarks of their respective holders.

CIRCLE 130 ON READER SERVICE CARD

**DESKTOP PUBLISHING
LOW-END PROGRAMS**

NEW!

When a mouse doesn't solve your computer interface needs then Mouse Systems' PC Trackball is the answer.



“Move Over Cheese-Eater”

The Mouse Systems PC Trackball

- Consumes less desk space
- Attractive, ergonomic design
- High resolution performance (variable from 20 to 6400 CPI)
- Easy to install and use
- 100% Microsoft compatibility guaranteed!
- Includes Mouse Systems Productivity Software:

Designer Pop-Up Menus for adding trackball interfaces to your favorite programs like Lotus 1-2-3, dBase, Quattro, Word Perfect, DOS and many others, and also for custom applications.

Every Mouse Systems PC Trackball is bundled with **The Presentation Magician**. This presentation graphics and paint package will give your business graphs and charts visual punch with:



- ability to import data from a wide range of spreadsheets and databases.
- raster and vector drawing tools
- a font editor

- scripting language for animation/presentations
- can also be used to create original graphics and DTP art

Mouse Systems' PC Trackball. From the first name in input device technology...

See Your Dealer Today!





47505 Seabridge Drive, Fremont, CA 94538
(415) 656-1117

Mouse Systems logo is a registered trademark. Other brand and product names are used for identification purposes only and may be trademarks or registered trademarks of their respective holders.

CIRCLE 120 ON READER SERVICE CARD

Our original scanned .PCX file contained two women side by side. But when a high-resolution image is imported into PFS:First Publisher's 72-dpi limit (at nearly a 2:1 pixel ratio), the image must be cropped. Note that First Publisher has a decent set of image manipulation tools.



PFS:First Publisher works in two distinct modes: text and graphics. In graphics mode or when you are manipulating baselines, all text appears grayed out. Here, the clip art and the baselines are clearly visible, but working with text is an adventure in eyestrain.

A coupon included with the program entitles you to the full Bitstream Font Installation Kit (and the scaleable Charter Medium typeface) for only \$15. Without it, Bitstream support within PFS:First Publisher is limited to a free sample diskette that contains five already scaled Bitstream fonts—which are of minimal use since you can't create your own point sizes.

THE 72-DPI BLUES

First Publisher can handle 72-dpi graphics. It successfully imported several of the high-resolution bitmaps in the PC Magazine sample newsletter, but it could interpret the files only as low-resolution .PCX pictures and so displayed them as oversized, grainy images. If your documents require only clip art, you may find what you need within the plethora of clip-art images offered by SPC: 150 come with the package; add-on libraries are available.

All art—whether imported via First

Publisher's support for .PCX images, selected from its own .MAC clip art (which is a headerless Macintosh file format), or created with the supplied SNAPSHOT screen-capture utility—must be converted and saved as First Publisher .ART files.

Yet another example of how First Publisher encourages you to be a master planner: You had better prepare images before you start a document. If you don't, you'll find that creating an .ART file requires saving, exiting, and then returning to your document in progress.

Because everything in First Publisher is bitmapped, the only way to select a graphic element for modification is to use the selection tool and box the area; miss a corner of an image and it remains behind. More often than not, you'll need the Magnify tool to hand-edit pixels and clean up the results. Other welcome features let you rotate, flip, and invert images.

Word processing features are poor.

DESKTOP PUBLISHING
LOW-END PROGRAMS

There are no tabs, a limited ruler that doesn't display the cursor position, no search-and-replace, and no paragraph indents. There's no automatic page numbering, nor is there landscape mode. The Show Page command displays a small, squashed, greeked version of the full page. The program does import text from a variety of word processors, and it can accommodate a 99-page document.

A DeskMate version of *First Publisher*

provides an attractive graphical interface but also hogs memory. On a 640K machine (where the only other RAM-resident program in use was a mouse), I had to boot the program without my usual extended memory simply to free enough RAM.

It stands to reason that SPC will defend *First Publisher's* market share with a new version of the program—rumored to be

available by the second quarter of 1990. Rumor has it that remedies to present-day shortcomings will include high-resolution fonts (Bitstream Speedo technology has already been announced), TIFF images, color screens, and more-sophisticated layout capabilities. But low-end DTP is a moving target. Though the current version of *First Publisher* was once a well-positioned entry-level package, it can no longer keep up with other packages in its price range.

WORD PROCESSING AND DESKTOP PUBLISHING CONVERGE IN AMI

by Luisa Simone

The integration of pictures and words has always been the province of desktop publishing; good old-fashioned word processors have always been characterized as export-only applications. The words created in character-based text editors are either sent out to printers or exported to more integration-oriented programs like *PageMaker*, *Ventura Publisher*, or even *PFS:First Publisher*.

But word processors are now proving that they too can function as inclusive applications, incorporating graphical data from drawing, painting, or charting programs and numerical information from spreadsheets or databases. *WordPerfect 5.1*, for example, boasts live links to *Lotus 1-2-3* worksheets. The extension .WPG, denoting the WordPerfect Graphics format, is popping up in programs as diverse as *HiJaak* from Inset Systems and *ColorIX-VGA Paint* from RIX SoftWorks. *Microsoft Word 4.0's* table generator lets you create complex layouts by joining, stretching, and otherwise manipulating cells; in addition to text and numbers, those cells can contain graphic images.

Amazing as all of these programs may be, the real threat to low-end DTP programs comes from the new breed of WYSIWYG word processors such as *Ami*, *Ami Professional*, and *Word for Windows*. These programs take advantage of the *Microsoft Windows* graphical environment to combine high performance with ease-of-use.

AMI FITS THE FILTER

Ami, a \$199 package from Samna Corporation, surprisingly meets all of the selection criteria applied to the desktop



publishing programs we review in this story. Like most low-end DTP programs, *Ami* lets you type in a story directly or import it. It accepts ASCII, *Samna Word*, *WordPerfect 5.0*, and *WordStar 2000* files. The text that constitutes the main body of a document can automatically wrap around frames, and frames can contain text or pictures.

As with *Springboard Publisher* (the only *Windows*-based low-end desktop

publishing package), only one story—residing on the base layer of a document—can flow from page to page. While this restriction is acceptable for a word processor, it does limit *Ami's* design capabilities.

Getting the main story to flow from page to page is not very hard: insert enough frames and the copy flows automatically, or use hard page breaks to force text onto the next page. But jump-

Though the headlines are legible in this full-page view, body copy is greeked. The various icons at the left of the screen (starting at the top) let you switch between draft and layout modes, create frames, modify paragraph styles, change to a different view of the page, undo mistakes, and send a file to the printer.



This dialog box allows you to modify *Ami's* type styles. The hardest part of creating and managing so many different styles may be keeping track of what the names mean. You choose the item you wish to modify at the left (here, line style is highlighted), and the appropriate options, such as line width, position, and color, become available at the right. Note the preview box at the lower right of the screen.

Publish It!

by Robert Kendall

Anyone who thinks that power and sophistication are exclusively the domain of high-priced products should take a look at *Publish It!*. This remarkable \$199 package from Timeworks lets budget-conscious users venture down the road of serious desk-

ing copy to a noncontiguous page is far more difficult. Furthermore, cutting and pasting text between frames is tedious work, making revisions a formidable task.

But *Ami* outperforms *Springboard Publisher* in many ways. *Ami* utilizes *Windows* drivers to give users access to an impressive array of high-resolution printers. It displays *Windows* screen equivalents for downloaded soft fonts. Though the screen positions of letter pairs and line spacing don't always match the printout, installing and working with the soft fonts are as painless as possible.

Even more impressive is *Ami*'s support of high-resolution TIFF and .PCX files. The program worked with 300-dot-per-inch black-and-white images, and though gray scales are still beyond the ken of most low-end DTP programs, it remarkably imported even 8-bit-deep gray scale images. The Frames menu contains tools to resize and crop artwork. A nifty option lets you decide whether *Ami* incorporates a copy of the image into your document or merely points to the picture's external location on the hard disk. Best of all, I was able to import a *Corel Draw!* logo directly into *Ami* via the *Windows* Clipboard.

Other features include interactive tab rulers, control over paragraph breaks, and the ability to change ruler units from inches to points, picas, or centimeters.

top publishing without banging their shins on program limitations at every step.

In look and feel, *Publish It!* resembles *Ventura Publisher*, partly because both programs run under Digital Research's *Graphical Environment Manager (GEM)*. Its four modes of operation—frame manipulation, text editing, paragraph tagging, and drawing—work much the same

A WORD PROCESSING HERITAGE

Despite these truly powerful features, *Ami* is still a word processor, and the difference between word processors and electronic page-layout programs becomes evident when you attempt to fine-tune a document by adjusting leading or adding rules. For example, *Ami* limits control over leading by asking you to choose between typewriter-style single or double line spacing. Even the Custom leading option forces you to increase the space between text lines in predetermined increments, which can result in awkward-looking paragraphs.

Ami doesn't draw rules because the program doesn't contain drawing tools. Instead, rules exist as a formatting feature of pages, frames, or paragraphs. These constraints are hardly noticeable when a design isn't too demanding. For example, I was able to duplicate the heavy rule between the two stories on the first page of our test newsletter. I simply created a paragraph style for the "Forum De Monaco" headline that included both the type specs and a 4-point rule, which was placed a quarter of an inch above the paragraph. However, I could find no efficient way to deal with the rules that surround the authors' names in our newsletter, because rules can only be formatted above or below text, not beside it.

Users attempting to publish formidable documents may ultimately

choose more-advanced word processors like *Word for Windows* or *Ami Professional* over low-end DTP programs.

These programs employ DDE (Dynamic Data Exchange) links to other *Windows* applications, such as *Excel*; they also offer sophisticated graphics capabilities like gray-scale editing and built-in charting functions.


For basic documents, however, *Ami* provides the best of both worlds at a very low price. A full-fledged spell checker, search-and-replace functions, and a speedy draft mode confirm *Ami*'s role as a word processor.

And yet, with four different WYSIWYG editing modes plus dialog boxes that provide instant feedback on your formatting choices (with previews of typefaces, point sizes, line spacing, and rules), *Ami* is truly graphical in its operation.

And yet, with four different WYSIWYG editing modes plus dialog boxes that provide instant feedback on your formatting choices (with previews of typefaces, point sizes, line spacing, and rules), *Ami* is truly graphical in its operation.

And yet, with four different WYSIWYG editing modes plus dialog boxes that provide instant feedback on your formatting choices (with previews of typefaces, point sizes, line spacing, and rules), *Ami* is truly graphical in its operation.

**Graphical word processors
like *Ami* from
Samna Corp. can easily
replace low-end DTP
programs when the job at
hand requires modest
publishing prowess.**



Ami
Samna Corp., 5600
Glenridge Dr.,
Atlanta, GA 30342;
(404) 851-0007.
List Price: \$199
(includes a runtime
version of
Windows).

Requires: 640K RAM; 80286- or 80386-based computer with hard disk; DOS 3.0 or later; CGA, EGA, VGA, or Hercules graphics adapter.

In Short: With some creative design decisions, *Ami* proved capable of producing our complex newsletter. This WYSIWYG text editor makes intelligent use of the *Microsoft Windows* environment; as a result, access to high-quality typefaces and high resolution graphics is truly effortless.


CIRCLE 412 ON READER SERVICE CARD

PERFORMANCE TESTS: LOW-COST DESKTOP PUBLISHING

While the *PC Magazine* timed tests can give you an idea of how a product's features influence performance speed, don't be misled. With a 21-minute print time, our Editor's Choice, *Publish It!* from Timeworks, may seem a slow performer. Yet its stable performance and the superior quality of its output are simply worth waiting for.


File Size (Text Only) (kilobytes)

For the File Size (Text Only) test, the size of the file containing our sample newsletter's text is measured after it has been stored in each program. The file's size may increase depending on whether the program points to the external location of text files, stores the files internally, or converts them to a native file format.




File Size (Text and Graphics) (kilobytes)

The File Size (Text and Graphics) is derived by adding together all files created specifically for the test document. Stylesheets that pertain only to the newsletter are included, general files that are not attached to it (such as fonts and executable files) are not included.



Open a Four-Page File Elapsed Time (seconds)

Open a Four-Page File measures the amount of time required to load the four page newsletter. Timing starts with the entry of the command to call up the newsletter and stops when the program finishes drawing the first page on the screen. The test is performed three times, and the results are averaged.



PC Labs tested seven low-cost desktop publishing packages using a series of timed performance tests and a four-page sample newsletter designed for the purpose. The tests were conducted on a standard 8-MHz IBM PC AT with

640K RAM, a 30MB hard disk, 1MB of expanded memory, and an EGA graphics adapter and monitor. The newsletter was printed on a Hewlett-Packard LaserJet Plus with 2MB of RAM.

All timing was done with a stopwatch. Reviewers started the clock immediately on entering the last keystroke to execute a given command, and they stopped timing when the processing ended.


DESKTOP PUBLISHING
LOW-END PROGRAMS

PERFORMANCE TESTS: LOW-COST DESKTOP PUBLISHING

Save a Four-Page File

Elapsed Time (seconds)


The **Save a Four-Page File** test measures the time required to save the newsletter. The first page of the newsletter is displayed on-screen before the test begins. No changes are made to the document. Timing starts with the entry of the command to save the newsletter and stops when the file is saved. The file is saved three times, and the results are averaged.



Turn Page (1 to 2)

Elapsed Time (seconds)


The **Turn Page (1 to 2)** test begins with the document on-screen, in a full-size view, with text and graphics displayed. Timing starts when the command to turn the page is issued and ends once the screen is completely redrawn. We perform several versions of this test; here we report the time needed to turn from page 1 to page 2. The test is performed three times, and the results are averaged.



Turn Page (1 to 4)

Elapsed Time (seconds)


The **Turn Page (1 to 4)** test is similar to the other Turn Page test, except that the program is ordered to flip to page 4. Whenever possible, a direct Go To command is used; when necessary, the program is told to turn the page three times. The result represents the time needed to turn from the first page of the newsletter to the last one.



Print Document

Elapsed Time (minutes)

To prepare for the **Print Document** test, the printer is initialized. The test begins when the print command is entered and ends when the last page of the newsletter is ejected from the printer. The test is performed twice, and an average of the results is taken.



CONTINUES

PERFORMANCE TESTS: COMPOSITE VIEW

Although we made every attempt to produce exactly the same four-page newsletter with each of the products, the capabilities of low-cost DTP programs vary so significantly that disparities in performance times were bound to occur.

Variations in the **File Size** results are a good indication of how a program stores not only the text and graphics associated with a document, but any related stylesheets as well. *Finesse* does import text files, but instead of importing graphics it simply uses pointers to indicate the location of external image files. The payoff is a tiny file size of 22K.

PageBuilder goes even farther, storing everything that pertains to a document—both text and graphics—externally. The 8K file contains only a list of file names and locations and the necessary formatting information.

The file size also reflects a program's capability to import high-resolution graphics. Unlike *Finesse*, *GEM Desktop Publisher* imported several 300-dot-per-inch images, which increased the size of the document dramatically.


Our test newsletter contains quite a few graphic images—a good way to test a program's efficiency when loading a complex document into memory and saving it to disk. Obviously, *GEM Desktop Publisher* had quite a bit of trouble when asked to **Open a Four-Page File** and **Save a Four-Page File**, but at least it was consistent. *Springboard Publisher* generated anomalous results by taking over a minute and a half to open a file and only 9 seconds to save it. The program's awkward font substitution system requires it to read all of the font information when you first open a document. Yet, because *Springboard* saves only the portions of a file that have been changed, storing a file can be an amazingly efficient operation.

Again, what *PageBuilder* actually does in the brief 1.3 seconds reported here is to update a list of file pointers. You are forced to save each page individually before you attempt to save the entire document.

The **Turn Page** tests, which were designed to discover whether a program uses a buffering scheme to speed up screen redraws, produced the most erratic results. The times illustrate the difference between drawing a page to screen that contains a lot of graphics (page 2) and a page containing mostly text (page 4). *Springboard's* frustrating score of 53 seconds to turn from page 1 to page 4 reflects its lack of a Go To command. To get from the beginning to the end of a document you must scroll through all the intervening pages.

The **Print Document** results are influenced dramatically by the way a program handles fonts and by the resolution at which it prints graphics and type. For example, when *Express Publisher* prints a document, its convenient scalable Compugraphic fonts must be translated to 300-dpi bitmaps and downloaded to the printer, resulting in the slowest time—over 26 minutes. Although it takes less than half as long to print, *PFS:First Publisher* delivers only low-resolution graphics.

Overall, *Finesse* and *PageBuilder* were the fastest programs in this roundup. But speed alone is not enough to win *PC Magazine's* Editor's Choice designation. *Publish It!*, though not distinguished by spectacular times, provides the most consistent performance on the whole — and the most powerful features of all the programs in this roundup. While you consider the 21-minute printout time, keep in mind that *Publish It!* was the program that produced the highest-quality document with the fewest hassles.



DESKTOP PUBLISHING LOW-END PROGRAMS

precise frame coordinates and dimensions: measurements to the hundredth of an inch are a godsend for managing highly complex layouts like that of our test newsletter. Clicking on successive frames links them together to accommodate the text flow of longer stories.

Control over frames includes the ability to select different border styles, as well as the ability to determine how closely text will run around layered frames when you invoke the automatic wrap feature. Master pages, which can vary for left- and right-hand layouts, let you repeat text or graphics frames on every page.



Publish It! will import ASCII text or files from several standard word processors. In addition, an assortment of word processing functions makes it easy to edit copy within the program. You can cut and paste text anywhere in a document, or execute a search-and-replace throughout linked frames.

TAGGING TEXT

Formatting text requires that you tag each paragraph with a style that defines the font, leading, indents, tabs, justification, and line spacing. Tagging text is a flexible procedure, because you can create styles on the fly, select them from a menu, or assign them to function keys.

Kerning is limited, in the sense that it is manual and applies only to letter pairs, making this a move suitable tool with which to manipulate headlines, rather than body copy. *Publish It!*'s hyphenation feature, which relies on an algorithm to break words at the end of a line, does take into

With *Publish It!*, you can group clear or opaque frames together, and you can turn text runaround on or off. A combination of opaque and clear graphics frames permits special effects, such as the text running around this irregularly shaped graphic.



Publish It! can search for a text string through all linked frames and then highlight the target string. It can also perform a global or prompted search-and-replace.

account a dictionary of exceptions. You can add words that you don't want broken, such as the company name "W&H" from our test newsletter, to the simple ASCII list.

With seven high-quality typefaces for the LaserJet, including Times Roman and Helvetica precompiled in ten sizes, *Publish It!*'s font-handling capabilities are impressive.

Although a runtime version of the *GEM* operating system comes bundled with *Publish It!*, if you want access to Bitstream fonts, you'll need to invest an additional \$49.95 for Digital Research's *GEM/3 Desktop*, which includes the correct *Fontware* installation kit. Font installation is fairly painless: you follow Bitstream's instructions to create the fonts, then run the *Fontwidth* utility from the DOS prompt to alert *Publish It!* to the presence of Bitstream bitmaps.

Publish It! will display Bitstream's

screen fonts, and if you install bitmapped bold and italic printer fonts, it will automatically use them instead of altering the base font. The program also includes true PostScript support for all the resident fonts of the LaserWriter Plus, though you'll have to do without corresponding screen fonts for some sizes.

In addition to an impressive array of drawing features, which includes geometric primitives and a freehand drawing tool, *Publish It!* handles imported graphics with a minimum of fuss. It automatically scales .GEM, .IMG, .PIC, and .PCX files to fit a graphics frame. Further scaling, stretching, or cropping manipulations are only a click and drag away.

Publish It! restricts the size of the graphics it imports to the amount of free RAM available. Still, at about 200K on a 640K system, this is less of a constraint than it might first appear. More seriously, the program cannot interpret the most re-

SUITABILITY TO TASK PUBLISH IT!

	1	2	3	4
Four-page newsletter	■	■	■	■
Three-fold brochure, heavy graphics	■	■		
Medium-length document	┌	└		
Internal report or memo	■	■	■	■

DESKTOP PUBLISHING
LOW-END PROGRAMS

LOW-COST DESKTOP PUBLISHING PROGRAMS: SUMMARY OF FEATURES

Products listed in ascending price order

If you aren't yet convinced that a low-cost desktop publishing program could meet your needs, compare the products listed here with the high-end programs we reviewed in "Power Publishing" (*PC Magazine*, December 27, 1988). Not one of the programs in the present roundup claims to be the equal of *Ventura Publisher* or *PageMaker*. In general, you'll find that low-cost programs don't handle graphics with the sophistication of high-end programs, because they lack the intelligent filters and powerful memory-management techniques necessary to import vector graphics or to edit high-resolution bitmapped images.

Network support and drivers for color output devices are also understandably absent. And, sadly, all of these low-end programs fall short when it comes to interpreting tabular, database, or spreadsheet files. Automatic tables of contents and index generation are features even *PageMaker* lacks. In fact, other than *Ventura*, the best bet for desktop publishing that involves these tasks might be a graphical word processor like *Word for Windows*.

Yet for laying out text-oriented documents, and for access to high-resolution downloadable fonts, the programs reviewed here are worth every penny they cost. At prices ranging from \$129 to \$299, they provide elegant layout tools, as well as features like search-and-replace that may eventually migrate up to the high-end programs—if we are lucky.

To keep this features table to a manageable

size, we are emphasizing aspects that differ from one package to the next. The following paragraphs explain some traits they generally have in common.

OPERATING ENVIRONMENT

- None of the DTP packages offer compatibility with OS/2 or the Presentation Manager.

HARDWARE REQUIREMENTS

- For packages that run under the GEM environment, Digital Research offers drivers for a number of DTP-specific monitors. Thus, you may be able to use a monitor not mentioned in the table.

INSTALLATION

- None of the programs alter the AUTOEXEC.BAT or CONFIG.SYS file, although *Finesse* creates a file called FINESSE.BAT.

GENERAL INTERFACE

- All of the packages permit WYSIWYG preview and editing.

PAGE LAYOUT

- None of these packages facilitate grouped frames (as opposed to linked frames).
- All of the packages permit unequal column widths.
- All of them offer automatic text reflow and automatic text wrap around graphics, and allow text to jump over columns or graphics.
- All of them store text overflow.
- None of these packages facilitate automatic indexing, tables of contents, footnoting, figure numbering, or "continued" lines.

- All of them offer on-screen rulers and a clipboard feature.

TEXT FORMATTING

- None of the packages allow editing of kerning tables.
- None of them permit text to be rotated except at 90-degree increments.
- None allow you to specify fractional point sizes for type.
- All of them import ASCII text.

GRAPHICS FEATURES

- All of the packages allow you to construct rules (both black on white and white on black) and rectangles.

PRINTER SUPPORT

- All of these packages provide black-and-white output; none offer full color.
- All of the packages permit output to laser printers such as the Apple LaserWriter IINT and IINTX, the Hewlett-Packard Series II, and their compatibles.
- All permit output to common dot matrix printers such as the Epson FX and LQ series and the IBM Proprinter. All except *Finesse* will drive the NEC Pinwriter series.
- None of them support film recorders or typesetting equipment.
- None of the packages offer networking support.

	PFS:First Publisher \$129.00	Springboard Publisher \$129.95	Express Publisher \$149.95	Finesse \$179.00	Publish!It! \$199.00	PageBuilder \$295.00	GEM Desktop Publisher \$299.00
OPERATING ENVIRONMENT							
DOS version	2.0 or later	3.0 or later	3.0 or later	2.1 or later	3.0 or later	3.0 or later	2.1 or later
GEM	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Microsoft Windows	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
HARDWARE REQUIREMENTS							
Hard disk required	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mouse supported	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
DTP-specific monitors supported	None	None	None	Genius, Wyse 700	None	None	Genius, Wyse 700
Disk and memory usage:							
Disk space required	2MB	1MB (with Windows installed)	2MB	1MB	1.2MB	4.5MB	2MB
Conventional RAM required	512K	512K	640K	640K	640K	640K	640K
LIM EMS 4.0 supported	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Extended memory supported	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
INSTALLATION							
Automatic INSTALL program	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Disk format supplied (5.25- or 3.5-inch)	Both	5.25-inch	Both	5.25-inch	Both	5.25-inch	Both
Creates directories	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
GENERAL INTERFACE							
Menu-driven	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Command-driven	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Undo (one level deep)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> (graphics only)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Zoom	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

—Editor's Choice —Yes —No

CONTINUED

DESKTOP PUBLISHING
LOW-END PROGRAMS

LOW-COST DESKTOP PUBLISHING PROGRAMS: SUMMARY OF FEATURES

Products listed in ascending price order

	PPS:First Publisher	Springboard Publisher	Express Publisher	Finesse	Publsh It!	PageBuilder	GEM Desktop Publisher
PAGE LAYOUT							
Maximum pages per document	99	999	32	18	Limited only by disk space	50	99
Maximum page size (inches)	8.5 x 11	8.5 x 14	11 x 14	8.5 x 14	8.5 x 14	8.5 x 14	8.5 x 14
Inserts/removes pages	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Rearranges pages	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mother/daughter frames	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Linked frames	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pasteboard metaphor	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Maximum number of columns	4	9	8	Unlimited	Unlimited	Unlimited	4
Custom page size	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Creates new pages for automatic text flow	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Automatic headers/footers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Automatic page numbering	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Automatic widow and orphan control	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ruler measures available	Inches	Centimeters, inches, pixels	Centimeters, inches, picas	Centimeters, inches	Centimeters, inches, picas, points	Inches	Inches, picas
Independent x and y rulers	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shows cursor position on ruler	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Shows cursor coordinates	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
TEXT FORMATTING							
Links page layout to separate text files	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Merges text from several files	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Allows embedded type codes in text	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Stylesheets	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Hyphenation (using dictionary or logic)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> (logic)	<input checked="" type="checkbox"/> (logic)	<input checked="" type="checkbox"/> (both)	<input checked="" type="checkbox"/> (logic)	<input checked="" type="checkbox"/> (logic)
Hyphenates foreign languages	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Kerning tables	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Manual kerning:							
Display type	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Individual lines	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Individual words	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Increments of leading	Points	Pixels	Points	Points	Points	Fractions of a point	Hundredths of an inch
Tabs	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Tab leaders (.....)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vertical justification	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Maximum typefaces per document	14	6	16 (for HP Laser- Jet Series II)	Unlimited	8	Unlimited	8
Superscripts and subscripts	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Allows downloadable fonts:							
Adobe	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Bitstream	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Compugraphic Intellifonts	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Displays soft fonts on-screen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Type can be scaled within program	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

—Editor's Choice —Yes —No

CONTINUES

DESKTOP PUBLISHING
LOW-END PROGRAMS

FACT FILE
EDITOR'S CHOICE

Publish It!
Version 1.12
Timeworks Inc., 444
Lake Cook Rd.,
Deerfield, IL 60015-
4919; (312) 948-9200.
List Price: \$199.



Requires: 512K RAM with CGA, or 640K RAM with Hercules, EGA, or VGA graphics adapter; hard disk with 1.2MB free, or two floppy disk drives; DOS 3.0 or later. Mouse recommended.
In Short: *Publish It!* is low-cost DTP without compromises. Though graphics import is weak, the formatting, layout, and downloadable font capabilities are exemplary for an under-\$200 product.

CIRCLE 414 ON READER SERVICE CARD

cent versions of the .PCX format, which kept it from importing some of our test images. Yet the high-resolution photo on page 1 of our sample newsletter imported and printed without a problem. Timeworks plans to add support for TIFF and EPS files early this year.

EXTRA WORK

Publish It! does have its shortcomings, but the features it lacks generally won't put anything out of your reach—they'll just make for a little extra work. For example, you can't create multiple text columns within a frame; instead you have to flow text into separate frames placed side by side. But a flexible column-guide feature, with nine columns per page and automatic gutters, makes it easy to position frames even in the most complex layouts.

In the same way, preserving column alignment in an imported .PRN file re-

quires that you use an additional utility program from Timeworks that prevents *Publish It!* from stripping out the spaces between text or numbers, but it works only with monospaced typefaces. Without this you'll have to retype tables. And though *Publish It!* does support left, right, center, and decimal tab alignment, setting up the tabs in a full-screen, text-only dialog box is anything but interactive.

You'll want to think twice before you tackle a very long document with *Publish It!*: since the program won't automatically add pages and flow text into them, you have to create and fill each page manually. On a more positive note, the size of a publication is limited only by disk space, and *Publish It!* did successfully buffer our 25-page text file during testing.

For shorter documents, you can rest assured that *Publish It!* won't make you

CONTINUES

LOW-COST DESKTOP PUBLISHING PROGRAMS: SUMMARY OF FEATURES

	PFS:First Publisher	Springboard Publisher	Express Publisher	Finesse	Publish It!	PageBuilder	GEM Desktop Publisher
TEXT FORMATTING							
90-degree rotation	■	□	■	□	□	■	□
Combined horizontal and vertical text	■	□	□	□	□	■	□
Reverse type	■ (graphics mode only)	■ (graphics mode only)	■ (graphics mode only)	■	■	□	□
Tinted type (gray or colors)	□	□	□	□	□	□	■
Point size range	6-72	9-72	6-144	8-99	4-99	3-72	6-120
Text editing:							
Edits text globally (search and replace)	□	□	■	■	■	□	□
Changes type specs globally	□	□	■	■	■	■	□
Changes paragraph form globally	□	□	■	■	■	□	□
Text import:							
DCA	■ (formatted)	□	■ (formatted)	□	□	□	■ (formatted)
GLM Write	□	□	□	■ (unformatted)	□	□	■ (formatted)
Microsoft Word	■ (formatted)	■ (unformatted; Version 4.0 only)	■ (formatted; Version 5.0 only)	■ (unformatted)	■ (formatted; Version 4.0 only)	□	■ (formatted)
MultiMate	■ (formatted)	■ (unformatted)	□	□	□	□	■ (formatted)
WordPerfect	■ (formatted)	■ (unformatted)	■ (formatted)	■ (unformatted)	■ (formatted)	□	□
WordStar	■ (formatted)	■ (unformatted)	■ (formatted)	■ (unformatted)	■ (formatted)	□	■ (formatted)
Other word processors	PFS:First Choice, Professional Write, Wang PC	Windows Write	Microsoft Works (Version 1.x to 2.0)	None	Beyond Word Writer, FirstWord Plus, Quintet, Word Writer PC	None	None
Numerical/tabular import	□	□	□	□	□	■ (.DIF)	□
GRAPHICS FEATURES							
Vector-based graphics import:							
AutoCAD (.DXF)	□	□	□	□	□	■	□
Encapsulated PostScript (.EPS)	□	□	■	□	□	□	□
GEM vector (.GEM)	□	□	□	■	■	□	■
Bitmapped graphics import:							
GEM Paint (.IMG)	□	□	■	■	■	□	■
Windows Paint (.MSP)	■	■	□	□	□	□	□
--Editor's Choice ■ —Yes □ —No							

CONTINUES

DESKTOP PUBLISHING
LOW-END PROGRAMS

compromise your work. Both in terms of the ease with which it recreated the complex formats and the fidelity with which the screen representations matched the high-quality hard copy, *Publish It!* did an exemplary job on the PC Labs test newsletter. The program's modest price belies its exceptional publishing prowess.

Springboard Publisher

by Robert Kendall

Low-end DTP is one of the few areas in which more programs run under Digital Research's *GEM* interface than under *Microsoft Windows*. But, as the only *Windows*-based program in our roundup, Springboard Software's \$129.95 *Spring-*

board Publisher tries to balance the scales. To make *Windows* aficionados feel at home, the program not only imports *Windows Paint* and *Windows Write* files, but also includes simple word processing features that resemble *Windows Write* and a *Windows Paint*-like graphics editor.

The real measure of this program is, of course, how well it uses the *Windows* environment. Unfortunately, after working with *Springboard Publisher*, it's easy to see why competitors steer clear of *Windows* and choose the more efficient performance offered by *GEM*. *Springboard Publisher* is excruciatingly slow: just flipping a page of the PC Labs test newsletter took 37 seconds. Only the most patient should attempt to use this product on an 8-MHz AT or create documents longer than one or two pages.

DISILLUSIONED WITH WINDOWS
If you think that working in *Windows* must automatically give *Springboard Publisher*

To make Windows aficionados feel at home, Express Publisher includes word-processing features and a graphics editor resembling Windows Write and Windows Paint.


access to high-resolution graphics, think again. *Springboard Publisher* failed all of our graphics import tests. It accepts only .PCX and *Windows Paint* files, failing

LOW-COST DESKTOP PUBLISHING PROGRAMS: SUMMARY OF FEATURES

	PFS:First Publisher	Springboard Publisher	Express Publisher	Finesse	Publish It!	PageBuilder	GEM Desktop Publisher
GRAPHICS FEATURES							
PC Paintbrush (.PCX or .PCC)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tagged image format (.TIF)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Other	<i>MacPaint</i> (.MAC), internal screen-capture utility	None	CompuServe (.GIF), <i>MacPaint</i> (.PNT or .MAC)	Internal screen-capture utility	None	None	None
Built-in graphics elements:							
Rounded corners	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Circles and ovals	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Polygons	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Number of rules	4	4	4	14	8	Unlimited	12
Number of hatch patterns	None	22	60	None	36	5	8
Number of gray shades	None	None	32	6	None	5	None
Freehand-drawing options	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Graphics manipulation:							
Fixed scaling	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Continuous scaling	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Cropping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Rotation	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pan	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Zoom	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
PRINTER SUPPORT							
Maximum number of output devices installed	1	Unlimited	10	2	4	1	<input type="checkbox"/>
Output devices can be assigned to different ports	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
PostScript output:							
Windows PostScript driver	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proprietary PostScript driver	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Linotronic PostScript driver	<input type="checkbox"/>	<input checked="" type="checkbox"/> (300 dpi)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plotters	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/> (HPGL, HP 7470, HP 7475)
Two-color output	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>


--Editor's Choice —Yes —No

E.N.D.S



Springboard Publisher doesn't provide a true WYSIWYG display of cartridge-based or downloadable soft fonts. Note the dots that *Springboard* has inserted beneath the downloaded font. Not only is the screen font smaller than the printer font (hence the dots), but *Springboard* also fails to display the text as fully justified.

To access hard or soft printer fonts in *Springboard Publisher*, you must use a process called font substitution that swaps high-resolution fonts for low-resolution screen fonts at printout time. In this dialog box, you select a *Springboard* screen font to correspond to each printer font in your document.



even to support the Windows Metafile Format. To its credit *Springboard Publisher* did attempt to read our high-resolution graphics files. However, when faced with high-resolution .PCX images, the program placed only a small portion of the picture into the document. It won't automatically scale an imported image to fit a frame. And achieving the right size for an imported picture is a matter of pure guesswork on your part, since you must shrink the image manually without the benefit of an on-screen ruler.

Even worse is *Springboard's* implementation of high-resolution fonts. No 300-dot-per-inch fonts are bundled with the program; instead you must print using *Springboard's* 72-dpi screen fonts. Though you have access to several type styles in a fair selection of sizes, the resolution is well below that of most 24-pin dot matrix printers.

The program will access Hewlett-Pack-

ard LaserJet cartridge fonts, the resident fonts of the Apple LaserWriter, and Bitstream fonts that have been installed for *Windows*. However, doing so will cost you a true WYSIWYG display because the program can't scale its own screen fonts and won't accept third-party downloadable font screen equivalents.

You must manually select the *Springboard* screen font that most closely approximates each printer font you want to use. If the printer font is larger than the screen font, *Springboard Publisher* will alert you by adding dots under the text on-screen, canceling out any hope of display clarity.

The instructions for configuring the program to work with Bitstream fonts is inadequate. Once installed, Bitstream typefaces appeared in the *Springboard* font substitution menu in the wrong sizes, although other *Windows* applications had no trouble accessing the same fonts correctly.

FLEXIBLE FRAMES

Springboard Publisher does provide a flexible layout technique that features independent frames for graphics and text. For example, unlike other low-end programs in which text frames are synonymous with column width, *Springboard's* text frames can contain up to nine automatically sized columns. To create unequal column widths, you simply drag column guides with the mouse.

Springboard lets you import a long text file and add new pages as needed. Tab stops are easy to set; you position markers along an on-screen ruler. Automatic widow and orphan control, plus the ability to kern any selected section of type, let you fine-tune text flow.

Unfortunately, automatic text flow is limited to the story that resides on the base layer of a *Springboard* document. Since there is no way to link text frames, if more than one story jumps to a later page, you must cut and paste between frames and hope that format changes to the first frame

SUITABILITY TO TASK SPRINGBOARD PUBLISHER

	1	2	3	4
Four-page newsletter				
Three-fold brochure, heavy graphics				
Medium-length document				
Internal report or memo				

don't disturb continuity. Text will wrap around a frame automatically, but if the runaround pushes text to the right, you'll lose paragraph indents.

The program measures leading in pixels rather than points, gives you no indication of default leading for a font, and allows you to increase (but not decrease) line spacing. Without any hyphenation algorithms or discretionary soft hyphens, you are unfortunately forced to insert hard hyphens. Edit or format changes that cause line breaks make it necessary to de-

EDITOR'S CHOICE

• Publish It!

If you are looking for a program that is easy to use, provides flexible and powerful page-design tools, imports high-resolution graphics, supports downloadable fonts, and costs less than \$200, look no further than *Publish It!* from Timeworks.

Make no mistake, *Publish It!* isn't *PageMaker*; and improvements such as interactive tab rulers, the ability to import tabular material or spreadsheets, and better support for imported graphics would all be welcome. But for executives, managers, or secretaries who want to be self-sufficient publishers, this \$199 program packs more than enough power. *Publish It!* was the only program in this roundup that easily bridged the gap between our image-laden newsletter and a 24-page text-only document.

An honorable mention must go to Logitech's *Finesse*. Though not as feature-rich as *Publish It!*, what *Finesse* lacks in the way of drawing tools and large-file capabilities, it makes up for with a thoughtful, intuitive user interface. The \$179 price tag is more of a bargain than you might imagine because *Finesse* arrives bundled with four completely scalable Bitstream typefaces.

Both *Finesse* and *Publish It!* run under Digital Research's *GEM* interface. Both programs should benefit from DRI's planned *GEM* upgrade, which aims to reduce the current inconveniences surrounding graphics file import. By the time this article is in your hands, the *Hijaak* graphics conversion utility (from Inset Systems) should be a part of the *GEM* interface.

Though it would be more appropriate for composing community letters, its need for fast, expensive hardware makes this product a poor choice for home use.

Robert Kendall is a frequent contributor to PC Magazine. Edward Mendelson, Bill O'Brien, Alfred Poor, Robin Raskin, and Luisa Simone are contributing editors of PC Magazine.

Complete data imaging system with high resolution video images

No programming necessary!
Simple to use, intelligent database source code generator goes a step beyond any database applications generator on the market today!
Ideal for any record system requiring photographs or images!

- Uses and generates dBase III+ files
- VGA, EGA, FARGAT6, RIB, Vision 16 resolution
- IBM AT, 386 or compatibles and PS2 models
- Supports "C" Clipper interface (optional NISCC video libraries)
- NET BIOS compatible LAN operation
- The most intuitive user interface for video database technology
- PCX image filing capability

Call or write for information and a demo disk

Norick Software, Inc.
5400 NW Green Home, Suite 450
Oklahoma City, OK 73112
OKLAHOMA: 405-947-7500 / NATIONAL: 800-521-3279
FAX: 405-946-7559 CIRCLE 253 ON READER SERVICE CARD

MOWING?

Please write to: PC Magazine, P.O. Box 54093, Boulder, CO 80322. Include your mailing label from a recent issue of PC Magazine for faster service. Please allow up to 60 days for change of address to take place.

LOW-END PROGRAMS

lete these hard hyphens manually.

Moving around in a document is a real chore. There is no way to jump to a speci-

Springboard Publisher

lets you import a

long text file and add new

pages as needed.

Easily set tab stops, auto-

matic widow and

orphan control, and the

ability to kern any

selected section of type let

you fine-tune text flow.

fied page, so you must turn through each page in slow succession. And if you decide to work in *Springboard's* one and only zoom mode, you'll be plagued by unnecessary screen redraws. In addition, if you

alternate between moving from page to page and switching between magnified and normal working views you can be dumped to surprising locations. Your position within a document is made more confusing by a page number status indicator that frequently indicates the wrong page.

As if these problems weren't enough, an error message warning that the document had reached its size limit prevented us from adding the necessary formatting elements to the PC Labs test newsletter.

PRINTER FLIGHT

Even with 2.5MB of RAM in a LaserJet Plus, *Springboard Publisher* was unable to print a full page of high-resolution fonts. The partial pages that did print contained Bitstream fonts marred by unattractively wide letter spacing. Only by resorting to the *Springboard's* ugly, jagged screen fonts could we produce an entire page of text and graphics.

Springboard Publisher's inadequate font support, marginal graphics capability, and lack of automatic hyphenation make it unsuitable for business documents.

FACT FILE

Springboard Publisher, Version 1.0

Springboard Software Inc., 7808 Creekridge Circle, Minneapolis, MN 55435; (800) 445-4780, (612) 844-3915.

List Price: \$129.95

(includes runtime version 2.03 of Microsoft Windows). One clip-art library (Education Series, Holiday Series, or Assortment Series), \$5 with package; \$39.95 each separately.

Requires: 512K RAM (640K recommended), 1MB free disk space if Windows/286 or 386 is already installed, or 3MB of disk space if runtime version of Windows is used; DOS 3.0 or later, CGA, EGA, VGA, MCGA, or Hercules graphics adapter; mouse.

In Short: *Springboard Publisher* boasts that it is the only Windows-based low-end DTP program on the market.

However, its inability to display Windows screen fonts, weak typographic capabilities, severely limited support for imported graphics, and lack of automatic hyphenation yield a very poor return on the hardware investment necessary to run Windows or any Windows-based application.

CIRCLE 420 ON READER SERVICE CARD



It takes a great performance for a disk to become a legend. Chuck Berry has what it takes. And so does PROCOMM PLUS. It gives you power and ease of use that surpasses communications software costing \$250 or more. Yet PROCOMM PLUS costs much, much less. Which simply means when you want communications software that gives you a great performance, you can still be good to your wallet.

LEGENDARY DISKS

Ask your software dealer today about PROCOMM PLUS, now available in stand-alone and local area network versions.




DATA STORM

DATASTORM TECHNOLOGIES INC.

P.O. Box 1471 • Columbia, MO 65205
314.443.3282

CIRCLE 504 ON READER SERVICE CARD



**FACULTAD DE INGENIERIA U.N.A.M.
DIVISION DE EDUCACION CONTINUA**

TEORIA Y PRACTICA EN EDICION

VENTURA/PAGEMAKER

ANEXO: EL BOLETIN

MARZO, 1992.

ELBOLETIN

Organo informativo del Centro de Cálculo de la Facultad de Ingeniería

31 DE MAYO DE 1991

AÑO I

No. 1

``Bienvenida'' a la generación XXI

Héctor M. Badillo Rojas
DBDAU

El día 7 de mayo, se llevó a efecto una ``re-
cepción'' a los nuevos becarios. Esta acción
maléfica fue idea principal de DIPASG en coor-
dinación y total cooperación con DBDAU. Los
nuevos miembros del CECAFI fueron a in-
ventariar algunas dependencias universitarias
mostrando, su fiel e ingenuo servicio a este Cen-
tro.

Santiago, Luis Felipe y Pepe visitaron al Doctor
Serrano, Director del Programa Universitario de
Investigación y Desarrollo Espacial (PUIDE), y
ahora también ídolo del NAM, ACF y del ATA.
El Dr. Serrano comentó, que por qué querían pi-
ratear su información, pero después, se mostró
muy amable y hasta unos ``video games'' les
enseñó en su poderosa WORKStation, nuestro
fieles guerreros quedaron impresionados y
``boquiabiertos'' ante tanta tecnología. Disque se
pudieron comunicar a Marte a través de la RED
UNAM; pero su más fuerte emoción fue cuando
el Dr. Serrano les dejó tocar su ``compu'' para ser
inventariada.



Las reinscripciones están bien fáciles 

CECAFI y sus funciones. (II) 

CECAFI en la historia. (II) 

Los nuevos becarios opinan... 

■ Nuevas revistas para CECAFI



Apartir del mes de
Mayo el Centro
cuenta con una nueva
suscripción a las
siguientes revistas :

- UnixWorld (Magazine of open system computing)
- Computer Magazine (IEEE Computer Society)
- Computer Graphics and Applications Magazine
- Expert Magazine (IEEE)
- Micro Magazine (IEEE)
- Software Magazine (IEEE)

Todas estas revistas son de publicación periódica
y están a nuestra disposición además de las ya
existentes : **PC Magazine** y **BYTE**. Con la lec-
tura de estas revistas podremos estar al tanto de
los temas y tópicos más recientes en el área de
cómputo a nivel mundial. Te hacemos un cordial
llamado para que aproveches este recurso y para
que propongas otras revistas, libros, manuales, o
cualquier otro material bibliográfico que pueda
contribuir a incrementar y enriquecer nuestro
acervo .

Informes, sugerencias, préstamos, etc : Depar-
tamento de Documentación y Acervo de Progra-
mas, Raúl de la Cruz y Víctor Hugo Bustamante.

Bienvenida a ...

Por su parte Edwin, Jessica y Ramón fueron a inventariar el equipo del CECAFI que muy remotamente se puede encontrar en la Facultad de Contaduría, pero a la primera negativa por parte del personal se dieron por vencidos y regresaron al centro sin ninguna información. Por su parte Jessica casi "colgaba" a Toño, bueno eso dice él, por tan pesada broma.

Por otra, el tercer grupo de refugiados recientemente aceptados en el CECAFI, Chimal y Gilberto, le llevaron al Ing. Heriberto Olgún una impresora de alta tecnología, que debido a sus poderosas características, no era utilizada en DBDAU, el autor intelectual de esta acción fue "Toño el de CECAFI", pero resulta que al llegar a la oficina de Ing. Olgún, después de recorrer todo el camino "verde" sin ser ultrajados y con una impresora acuestas llegaron a su destino, el afamado Ing. no se encontró, por lo que dejaron la impresora con su secretaria. De regreso, ya sin impresora y con la alegría reflejada en sus rostros llegaron a informar a sus superiores de su exitosa misión; sin embargo, los sorprendidos fueron Toño, Héctor y Norberto, al comprobar la eficiencia del nuevo personal.

Ese mismo día, ya entrada la tarde, Jorge Valerio, recibió un telefonema del Ing. Olgún, para indicarle que un tal "Chimal de CECAFI" le había dejado con su secretaria una impresora, que disque para una exposición, ahora, el sorprendido era el Jefazo ya que no estaba enterado del acontecimiento.

Bueno, estos fueron los acontecimientos suscitados en días pasados, esperamos que los nuevos cecafianos se acostumbren a tan excelente trato.

IIMAS, donde se procesaban los programas elaborados por los alumnos.

El 16 de Junio de 1972 se inicia propiamente el Centro de Cálculo; el entonces director Dr. Juan Casillas García de León nombra al Ing. Heriberto Olgún Romo como Jefe del Centro.

El Centro de Cálculo se ubica en el local que actualmente ocupa el Centro de Servicios Educativos de la Facultad de Ingeniería (planta baja del Edificio A de la Dirección); y contaba, en aquel entonces, con una terminal 'Remote Job Entry' (RJE) modelo 2780 de IBM, conectada por vía telefónica a una computadora IBM 370/155 de la entonces Secretaría de Obras Públicas, (SOP); debido a que el tiempo de respuesta era muy lento, se propone a la dirección de la Facultad, el cambio de la terminal 2780 por una terminal inteligente; esto es, una computadora IBM-1130. SOP acepta dicha propuesta y en junio de 1973 se instala dicha computadora, la cual constaba del CPU, con 8Kb de memoria principal, una lectora-perforadora de 120 tarjetas por minuto y una impresora lenta de 80 líneas por minuto.

Se inicia la creación del sistema automatizado del Historial Académico del alumnado.

En agosto de 1973 se ofrecen los primeros cursos sobre diferentes paquetes como el CSMP y el ICES. El sistema de reinscripciones se procesa por primera vez en la computadora Burroughs B6700 del (CIMASS) tanto para la primera asignación como para altas, bajas y cambios de grupo; las solicitudes de reinscripción se perforaban en el CECAFI.

En septiembre del mismo año el Centro se traslada al local que ocupa actualmente; lugar donde se encontraba la cafetería de la Facultad.

CECAFI en la historia

Los servicios de cómputo en la Facultad, antes de fundarse CECAFI como órgano, eran proporcionados externamente por otras dependencias. En el año de 1966 la Facultad de Ingeniería adquiere perforadoras IBM modelo 029 para que los estudiantes pudieran perforar sus programas y posteriormente se procesaban en el entonces llamado Centro de Cálculo Electrónico de la N.A.M.

En 1969 se inicia el servicio de mensajería al llamado Centro de Investigación en Matemáticas Aplicadas, Sistemas y Servicios (CIMASS), hoy

SEPTIMA CONFERENCIA INTERNACIONAL


LAS COMPUTADORAS EN LAS INSTITUCIONES
DE EDUCACION Y DE INVESTIGACION
Ciudad Universitaria, D.F., del 23 al 25 de octubre de 1991



Las reinscripciones de cada día

Domingo Palao Muñoz

DATE



Parecía algo tan complicado, que pensé que no terminábamos, de pronto surgieron tantos problemas que todo parecía realmente difícil, un proceso que habíamos planeado con muchos días de anticipación tenía errores, el trabajo de varios días estaba mal. En unas horas tuvimos que generar las dobles inscripciones de nuevo, y bueno, eso era lo de menos, el problema era que había programas que no conocíamos, y es que habían funcionado bien durante tanto tiempo y de repente fallan, eso es muy difícil de creer.

Durante las primeras horas de la noche del viernes se trató de ordenar la información, ahora pienso en los cambios de los planes de estudio, cuantas desveladas nos han dado.

Como a las 3 de la mañana, una vez que parecía que la información era correcta, a

correr programas, pero la sorpresa de nuevo, los programas no funcionaban con la nueva información, era necesario corregirlos, había que enfrentar programas casi desconocidos a las 5 de la mañana, con unas cuantas horas de sueño.

El proceso fue complicado, el análisis de las líneas lo efectuamos prácticamente por inercia, leer tratar de entender y luego corregir, y así durante varias horas.

Cerca de las 9 de la mañana del sábado por fin corrió. Fue algo agradable creer que ya no había problemas, sin embargo, el día que se entregaron las solicitudes de Altas, Bajas y Cambios el desengaño apareció, había errores. Puedo pensar que son "acarreados" del hecho de que la información no es del todo confiable, no ha sido del todo revisada, pero sin embargo el problema se trató de remediar en ese momento y parecía ya resuelto, pero la duda existe y sigue existiendo, de alguna manera hay que terminar con ese problema.

Después de creer que las dobles inscripciones estaban bien, iniciamos el proceso de la simulación, era necesario reparar la información, por ahí de las 12 horas del sábado, empezamos a cargarla, se ensayaron los filtros y se generaron nuevos programas para atender las demandas de los alumnos que solicitaban bloques, esto nos tomó toda la tarde del sábado, decidimos dejar una tabla cargando durante la noche y nos fuimos a dormir, el domingo cuando llegamos de nuevo errores, hubo que corregir y volver a cargar, dado que el proceso era tedioso decidimos ir a disfrutar de un aburrido y doloroso partido de fútbol en el estadio Olímpico Universitario. Sin embargo en el estadio la tensión seguía. Una vez de regreso por fin se inició el proceso de la simulación, esto es importante pues en base a los resultados que este proceso arroja se hacen correcciones a grupos, el proceso se corrió y parece que terminó bien, una vez concluido era necesario generar reportes, tantos como nunca había visto, cada uno de los responsables de DATE tomó uno y lo llevó al final.

El lunes muy de mañana terminamos de imprimir los reportes, se enviaron y con eso terminó un largo y difícil fin

CECAFI y sus funciones

Jefatura del Centro.

OBJETIVO: Hacer cumplir los fines del Centro del Cálculo. Vincular al Centro con otros Organos de la Facultad, de la Universidad y del País.

FUNCIONES. Entre otras son las siguientes:

- Coordinar las actividades de todos los Jefes de Departamento del Centro.
- Distribuir los trabajos de Investigación a las distintas áreas dependiendo de su embergadura y afinidad del personal que lo va a realizar.
- Pertenecer a la reunión de Secretarios de la Facultad.
- Evaluar la factibilidad de la programación de actividades relacionada con el Centro de Cálculo.
- Proponer nuevos sistemas para la automatización de trámites administrativos.
- Analizar la factibilidad de los sistemas propuestos.

· Pertenecer, en calidad de Secretario, a la Comisión de Becas para el Centro de Cálculo.

· Presidir el Comité de Cómputo de la Facultad de Ingeniería.

· Efectuar reuniones periódicas para informar de los avances de cómputo de la Facultad. Establecer con todos los miembros del Comité los problemas de cómputo que el Centro de Cálculo debe resolver.

· Estudiar las necesidades de equipo de cómputo para la Facultad, así como proponer al Director el equipo idóneo.

· Evaluar el servicio que presta el Centro con el fin de mejorarlo.

· Fijar las políticas de uso de los equipos de la Facultad que están bajo resguardo del Centro.

· Investigar las nuevas tecnologías de cómputo en México para preparar al personal del Centro en dichas áreas.

· Establecer lazos de cooperación con distintos Organos de cómputo en México.

LOS DE ABAJO

Por Janitzia Pizarro

DDAP



Son aquellos seres que trabajan de sol a sol por un paupérrimo salario, en condiciones de trabajo infrahumanas, explotados y escarnecidos. Son el más bajo estrato laboral, pertenecen a ese grupo donde impera la desesperanza y el futuro ofrece solamente jornadas interminables de tareas a cual más duras y sucias: los nuevos becarios. Pero recordemos que los nuevos son seres pensantes (casi podríamos decir

que son seres humanos); por lo tanto, tienen una opinión, el que nadie la escuche, es otro boleto.

Por lo pronto Jess, Pacheco, Jelipe, Chago, Gerard, el Chapis, Chimal, Ramón(a), Pepe y el niño Gilberto, han desarrollado un mortal odio y aprensión hacia las engrapadoras, misteriosos aparatos de tortura usados en la oficina de Servicios Escolares. Tampoco gustaron de la implementación manual de la función Sort. Sin embargo, admiten que les hacían falta algunas lecciones de limpieza ... de PC's.

Los jóvenes integrantes masculinos de la Generación 21 de becarios recordarán por siempre el cordial recibimiento de que fueron objeto por parte de sus compañeros de generaciones anteriores. En lo particular recuerdan las atenciones que les prodigaron Luis Amezcua alias "El arracadas" y Rodolfo (aguas mates, los tienen en la mira). Prometen desquite el próximo semestre.

Dentro del consenso general, la primera impresión que se recibió de la nueva generación es que son un montón de tipos greñudos y respondones, menos Jessica, la mujercita del grupo, alegría e inspiración de sus compañeros. Sin embargo, ellos se autodefinen como un grupo unido, alegre y alburero, especialmente Carolina. Que si al resto del mundo le molesta uno que otro pelillo al aire, lo sienten, es la moda.

Por otro lado, ellos también tenían su muy particular opinión de CECAFI antes de ingresar. Algo así como que somos una bola de alzados matados, pero ya han visto que a pesar de todo no somos tan malas personas.

En el ámbito deportivo ellos se consideran bien buenos. Admiten que el equipo de viejitos del centro no es tan malo, pero que la verdad son malos perdedores. Ante la pregunta acerca de si es cierto el rumor que corre sobre si en la nueva generación hay elementos Gay, los muchachos dijeron: "¡NOOOOO!!! cómo crees!!, nosotros somos bien machos, y al que quiera se lo demostramos (?)". Ya en serio, los nuevos becarios son unos muchachitos muy decentes, simpáticos y vale la pena que los conozcamos mejor.

DIRECTORIO

UNIVERSIDAD NACIONAL

AUTONOMA DE MEXICO

Dr. José Sarukhán Kérmez

Rector

Dr. Salvador Malo Alvarez
Secretario General

Dr. Tomás Garza Hernández
Secretario Administrativo

Lic. David Pantoja Morán
Secretario Auxiliar

Dr. Roberto Castañón Romo
Secretario de Servicios Académicos

FACULTAD DE INGENIERIA
Ing. José Manuel Covarrubias Solís

Director

Ing. Armando Ortíz Prado
Secretario General

Ing. Enrique Larios Canale
Secretario de Servicios Académicos

CENTRO DE CALCULO

Jorge Valerio

Jefe del Centro de Cálculo

Domingo Palao Muñoz

Departamento de Automatización de
Trámites Escolares

Héctor Badillo Rojas

Departamento de Bases de Datos y
Atención a Usuarios

Raúl de la Cruz Figueroa

Departamento de Documentación y
Acervo de Programas

Laura Sandoval Montaña

Departamento de Formación y
Actualización Académica

Aarón Arcos Tapia

Departamento de Información del
Personal Académico y Servicios
Generales

Norberto Arrieta Márquez

Departamento de Soporte Técnico y
Evaluación Estadística

EL CORCHO

PREPARATE!

Afina mente y
cuerpo.

Ya vienen las mini
olimpiadas.

DISPONIBLE Para
cualquier aportación
dirigirla al
Departamento de
Documentación y

CECAFI Y SUS FUNCIONES


DEPARTAMENTO DE DOCUMENTACIÓN Y ACERVO.

OBJETIVO:

Administrar el acervo bibliográfico, programas de aplicación y toda aquella información relacionada con el área de cómputo que se tiene resguardada en el Centro de Cálculo.

FUNCIONES: Entre otras son las siguientes:

- Administrar manuales, revistas y software del Centro.
- Administrar la documentación interna del Centro.
- Mantener actualizado el manual de organización del Centro.
- Proporcionar la asesoría especializada que requieren algunos programas de uso académico.
- Dar apoyo a la Unidad de Planeación de la Facultad.
- Desarrollar y mantener los sistemas relacionados con acervos bibliográficos.
- Mantener actualizado el directorio de Funcionarios.
- Crear reportes de actividades mensuales del Centro de Cálculo, solicitados por la Secretaría General.
- Resguardar, desarrollar y actualizar los planos de las instalaciones del Centro.
- Apoyar a los demás Departamentos en todas aquellas actividades que se le soliciten.
- Y todas aquellas actividades que le sean encomendadas por la jefatura del Centro.



LA RED INTERNET

GILBERTO HUERTA GARCÍA
DATE

InterNet es una red estadounidense que brinda apoyos informáticos a centros de investigación y desarrollo e instituciones de educación superior, tanto de ese país como en otros.

Es una configuración integrada por múltiples redes, en la que cada una de ellas mantiene su propia identidad es decir, que maneja su propio protocolo y se administra de manera autónoma.

CONTINUARA ...

PC'S, LA DÉCADA SIGUIENTE

DOMINGO PALAO MUÑOZ
DATE

Ha llegado el fin de una era. El 3 de julio, después de varias semanas de rumores y especulaciones. IBM Corp. y Apple Computer Inc. anunciaron un plan para trabajar en equipo en el negocio de las computadoras personales. Esto es difícil de creer pues Apple e IBM eran grandes rivales, siempre estaban del lado opuesto. Desde su concepción en la cochera de Steve Jobs, Apple fue la quinta esencia del silicon Valley, llena de vida y de una manera irreverente la compañía anunciaba que su misión era liberar el poder de la computación de los mainframes. En cambio IBM, era una compañía establecida en la Costa Este con un modo de vida tradicional. Sin embargo estas dos compañías tan diferentes hoy están unidas.

En la década de 1990 ser líder en el mercado de las PC representaba ser líder del mercado de la computación.

CONTINUARA ...

CONTINUARA...

EL BOLETIN

Organo informativo del Centro de Cálculo de la Facultad de Ingeniería

15 DE MAYO DE 1991

AÑO 1

No. 0

El principio

El Centro de Cálculo inicia una etapa más en su ya larga trayectoria como órgano dentro de la Facultad. Al igual que los períodos anteriores comienza con fuertes bríos y con enormes expectativas concretas y realizables.

La idea principal de elaborar este boletín, de publicación periódica, es de mantener informada a la comunidad cecafiana de aquellos hechos y eventos que propicien un ambiente de superación entre nuestra comunidad. Por otra parte, a través de este medio se busca la comunicación e integración entre la comunidad de CECAFI.

Es un órgano informativo que se identifica y se nutre de todas aquellas colaboraciones que se tenga a bien aportar, es un proyecto de todos y su personalidad la tendremos que ir formando cada uno de nosotros. Así pues, esperamos que impulses y marques el destino que esta publicación deba tener.



¡ ECHALE GANAS !

Bienvenidos becarios generación 21

Organigrama de CECAFI

2

Deportes

2

Avisos

2

CECAFI en la historia

El 16 de junio de 1972, el entonces director de la Facultad de Ingeniería, Dr. Juan Casillas García de León, nombra al Ing. Heriberto Olgún Romo, como Jefe del Centro de Cálculo, encomendándole la tarea de crearlo. A partir de este momento da inicio una empresa única dentro del ámbito universitario.

Para valorar lo que representa CECAFI recordaremos aquellos momentos que fueron forjando lo que es ahora el Centro, de tal manera que para sus actuales miembros sirva de motivación e impulso para proseguir con el camino emprendido hace más de 18 años.

CONTINUARA...

DIRECTORIO DE ASISTENTES AL CURSO: TEORIA Y PRACTICA EN EDICION VENTURA/PAGEMAKER

DEL 16 DE MARZO AL 27 DE MARZO DE 1992

1.-JORGE JESUS ARELLANO MARTINEZ
SECRETARIO TECNICO
ICA

MINERIA 145
ESCANDON MIGUEL HIDALGO
11800 MEXICO, D.F.
TEL. 2772882

AV. UNIVERSIDAD 2042-809
COYOACAN COYOACAN
04000 MEXICO, D.F.
TEL. 6589824

2.-IRMA CRISTINA ARRIJOJA SALUM
SECRETARIA
S.T.C.

ZARAGOZA # 64
CUATRO ARBOLES VENUSTIANO CARRANZA
15730 MEXICO, D.F.
TEL. 7091133 EXT. 4021

LAGUNA DE LA MANCHA # 73-1
GRANADA MIGUEL HIDALGO
11520 MEXICO, D.F.
TEL. 2031525

3.-MARIA TRINIDAD AYALA ORTEGA
CAPTURISTA DE DATOS
S.C.T.

XOLA Y UNIVERSIDAD
NARVARTE BENITO JUAREZ
03020 MEXICO, D.F.
TEL. 5303060 EXT.1220

1A. CERRADA 679 # 3
GUSTAVO A. MADERO
MEXICO, D.F.
TEL. 7945434

4.-OCTAVIO BORGONIO AGUILAR
CAPTURISTA DE DATOS
DIRECCION GENERAL DE PUBLICACIONES

CAPTURISTA DE DATOS
AV. UNIVERSIDAD 3000
MEXICO, D.F.
TEL. 5505085

SUPER MZA. 3 MZA. 19 LTE. 9
EJERCITO CONSTITUCIONALISTA IZTAPALAPA
09220 MEXICO, D.F.
TEL. 7444487

5.-JOSUE ELIOENAI CADENA FERNANDEZ
SUPERVISOR DE PROGRAMAS
S.C.T.

DR. VERTIZ 800
NARVARTE BENITO JUAREZ
03020 MEXICO, D.F.
TEL. 5792707

L. DE LA MACHA 76
GRANADA MIGUEL HIDALGO
11520 MEXICO, D.F.
TEL. 5450006

6.-CARLOS ENREIQEZ LEON
JEFE DEPTO.
FERROCARRILES NACIONALES DE MEXICO

AV. JESUS GARCIA CORONA 40 P.B.
GUERRERO CUAUHEMOC
06300 MEXICO, D.F.
TEL. 5473891

PLAYA PESCADORES 6
IZTACALCO
08840 MEXICO, D.F.
TEL. 5325270

7.-TERESA MERCEDES GOMEZ MUÑOS
JEFE DE PROYECTOS
S.T.C.

ZARAGOZA 614
CUATRO ARBOLES VENUSTIANO CARRANZA
15730 MEXICO, D.F.
TEL. 709-11-33 EXT. 4021

8.-SANDRA F. GUTIERREZ OCHOA
SUPERVISOR
S.C.T.

VERTIZ 800 5ª P.
NARVARTE BENITO JUAREZ
03020 MEXICO, D.F.
TEL. 5792707

9.-ENRIQUE GUTIERREZ VALLADARES
JEFE DE UNIDAD DE SEGUIMIENTO
FERROCARRILES NACIONALES DE MEXICO

AV. JESUS GARCIA CORONA 140 P.B.
GUERRERO CUAUHTÉMOC
06300 MEXICO, D.F.
TEL. 5473891

10.-MARCO ALEJANDRO HERNANDEZ M

FERROCARRILES NACIONALES DE MEXICO

11.-RAFAEL HUERTA LOPEZ
ENCARGADO DEPTO.
D.E.C. F.C.A. UNAM

LIVERPOOL 66
JUAREZ CUAUHTÉMOC
06600 MEXICO, D.F.
TEL. 5331617 AL 19

12.-MANUEL JAIMES FIERRO
ANALISTA PROGRAMADOR
S.C.T.

XOLA Y UNIVERSIDAD
NARVARTE BENITO JUAREZ
03020 MEXICO, D.F.
TEL. 5303060 EXT. 1220

AV. AJU7SCO 78
PORTALES BENITO JUAREZ
03300 MEXICO, D.F.
TEL. 6053160

AV. SAN ANTONIO 24-304
ALVARO OBREGON
01280 MEXICO, D.F.
TEL. 5792707

AV. SAN RAFAEL U.COZUMEL 13 ENT. F D. 1
TLALNEPANTLA TLAHUAC
13410 MEXICO, D.F.
TEL. 3116291

PASEO VOCEADORES 8
TLALNEPANTLA
54160 EDO. DE MEXICO
TEL. 3929827

FCO. VILLA L. 7 MZA. 18
XOCHIMILCO
MEXICO, D.F.
TEL. 6718700

13.-ARGELIA ELISA JIMENEZ GUERRERO
TECNICO ESPECIALIZADO
S.C.T.

VERTIZ 800 5ª P.
NARVARTE BENITO JUAREZ
03020 MEXICO, D.F.
TEL. 5792778

IZOTE 10
ISIDRO FABELA TLALPAN
14030 MEXICO, D.F.

14.-MARIA BETZABE MARTINEZ CAMPOS

COL. NACIONAL DE EDUC. PROF. TECNICA

AV. CONALEP 5
METEPEC
52140 EDO. DE MEXICO
TEL. 165800 EXT. 1127

15.-ELVIRA ORTEGA GUTIERREZ

ANALISTA
CO. NAC. DE EDC. PROFESIONAL TECNICA

AV. CONALEP 5
LAZARO CARDENAS
52140 EDO. DE MEXICO
TEL. 65800 ET. 1277

16.-RICARDO RAMIREZ CEBALLOS

JEFE DEPTO.
S.C.T.

VERTIZ 800
NARVARTE BENITO JUAREZ
03020 MEXICO, D.F.
TEL. 5792778

SUR 117
ESCUADRON 201 IZTAPALAPA
09060 MEXICO, D.F.

17.-JUVENAL RAMIREZ MARTINEZ

ANALISTA
FERROCARRILES NACIONALES DE MEXICO

AV. JESUS GARCIA CORONA 140 P.B.
GUERRERO CUAUHEMOC
06300 MEXICO, D.F.
TEL. 5473891

COMILLAS 21

57440 EDO. DE MEXICO
TEL. 7586805

18.-GABRIEL RODRIGUEZ ORTIZ
GERENTE AUDITORIA INTERNA

AV. CERRO DE LAS TORRES 395
CAMPESTRE ALVARO OBREGON
01040 MEXICO, D.F.
TEL. 6896733

19.-LUIS RODRIGUEZ SANTANA
JEFE DEPTO.
S.C.T.

VERTIZ 800 5ª P.
NARVARTE BENITO JUAREZ
03020 MEXICO, D.F.
TEL. 5792707

20.-ANA AURORA RUIZ VELASCO HERNANDEZ
DISEÑADOR GRAFICO
INSTITUTO MEXICANO DEL PETROLEO

AV. EJE LAZARO CARDENAS 152

MEXICO, D.F.
TEL. 5892925

21.-JUAN MIGUEL SALINAS RODRIGUEZ
JEFE UNIDAD DE PROYECTOS
FERROCARRILES NACIONALES DE MEXICO

AV. JESUS GARCIA CORONA 140 P.B.
GUERRERO CUAUHEMOC
06300 MEXICO, D.F.
TEL. 5473891

22.-JOSE PEDRO TREVIÑO ELIZONDO
SUBDIRECTOR
BANCO MEXICANO SOMEX

REFORMA 211
CUAUHEMOC CUAUHEMOC
06500 MEXICO, D.F.
TEL. 5911611 EXT. 2363

23.-ANDRES NICOLAS VAZQUEZ GAYTAN
ANALISTA
COL. NAC. EDUC. PROFESIONAL TECNICA

AV. CONALEP 5
METEPEC
52140 EDO. DE MEXICO
TEL. 165800 EXT. 1127

24.-JULIO VAZQUEZ MENDEZ
JEFE DE COMPUTO
CONSULTORES EN INGENIERIA

DETROIT 9-303
BENITO JUAREZ
03720 MEXICO, D.F.
TEL. 5980-668

AV. TORRES 7
XOCHIMILCO
04600 MEXICO, D.F.
TEL. 5792707

RANCHO SECO 214
NAUCALPAN
53300 EDO. DE MEXICO
TEL. 5606448

AZULEJO 9 FRAC. LA CAÑADA
EDO. DE MEXICO
TEL. 3982258

A RODIN 102-4
CIUDAD DE LOS DEPORTES BENITO JUAREZ
03710 MEXICO, D.F.
TEL. 5639818

STA. MA. ATARASQUILLO
CALVARIO
52050 EDO. DE MEXICO

AV. V. JUAREZ 58
PROGRESISTA IZTAPALAPA
09240 MEXICO, D.F.

25.-BENJAMIN ZAVALA RIVAS
REVISOR-CORRECTOR
CENTRO DE ESTUDIOS MONETARIOS LATINOAS.

DURANGO 54
ROMA CUAUHEMOC
06700 MEXICO, D.F.
TEL. 5330300 AL 09

RINC. ESCRITORES EDIF. JUAN RULFO 201
PEDREGAL DE CARRASCO COYOACAN
04700 MEXICO, D.F.
TEL. 6065624